# LATICRETE® 1500 Sanded Grout by LATICRETE International

# Health Product Declaration v2.2

created via: HPDC Online Builder

# HPD UNIQUE IDENTIFIER: 22123

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: LATICRETE® 1500 Sanded Grout is a premium, factory prepared grout designed to be mixed with water. LATICRETE 1500 Sanded Grout is formulated from a blend of high strength portland cement, graded aggregates, polymers and color-fast pigments and provides a grout joint that is dense, hard and durable.

# Section 1: Summary

# **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method Basic Method

Threshold Disclosed Per

Material
 Product

Threshold level 100 ppm 1,000 ppm Per GHS SDS Other Residuals/Impurities

Considered
Partially Considered

C Not Considered Explanation(s) provided for Residuals/Impurities? C Yes C No

# **Basic Method / Product Threshold**

All Substances Above the Threshold Indicated Are:

Characterized	C Yes	Ex/SC 🛈 Ye	es 🔿 No
% weight and role provided for all subst	ances.		
	_	_	_

Screened C Yes Ex/SC C Yes C No All substances screened using Priority Hazard Lists with results disclosed.

Identified Or Yes Ex/SC Or Yes No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE 1500 SANDED GROUT [ QUARTZ LT-1 | CAN PORTLAND CEMENT LT-P1 | END | CAN UNDISCLOSED LT-UNK | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-1 | MUL

## VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 1 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: UL GreenGuard Gold (1500 Grout) VOC content: TDS 251 "Low VOC LATICRETE® Products" LCA: LATICRETE Grout for Tile Installation Product Specific (Type III) Environmental Product Declaration

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? C Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-05 PUBLISHED DATE: 2020-10-05 EXPIRY DATE: 2023-10-05 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

# LATICRETE 1500 SANDED GROUT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

QUARTZ				ID: <b>14808-60-</b>	7
HAZARD SCREENING METHOD: Pharos Chemic	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: <b>55.0000 - 70.0000</b>	GS: <b>LT-1</b>	GS: LT-1 RC: None		SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	IARC		Group 1 - Agent is Carcin	ogenic to humans	
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65		Carcinogen - specific to c	hemical form or exposure route	
CANCER	IARC		Group 1 - Agent is carcino sources	ogenic to humans - inhaled from occupational	
CANCER	US NIH - Report on Carcinogens		Known to be Human Carc	inogen (respirable size - occupational setting)	
CANCER	МАК		Carcinogen Group 1 - Sub	ostances that cause cancer in man	
CANCER	GHS - New Zealand		6.7A - Known or presume	d human carcinogens	
CANCER	GHS - Japan		Carcinogenicity - Categor	y 1A [H350]	
CANCER	GHS - Australia		H350i - May cause cance	r by inhalation	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. There are no known impurities or residuals which are greater than 1,000 ppm.

PORTLAND CEMENT				ID: <b>65997-1</b>
HAZARD SCREENING METHOD: Pharos (	Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020-10-05	
%: 25.0000 - 30.0000	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disr	uptor
CANCER	МАК		Carcinogen Group 3B - I classification	Evidence of carcinogenic effects but not sufficient for

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. Residuals from the portland cement hydration process are listed below and there are no known impurities which are greater than 1,000 ppm.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING I	HAZARD SCREENING DATE: 2020-10-05		
%: 1.0000 - 4.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Binder	

 HAZARD TYPE
 AGENCY AND LIST TITLES
 WARNINGS

 CANCER
 MAK
 Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards. There are no known impurities or residuals which are greater than 1,000 ppm.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical a	and Materials Library	HAZARD SCREENING	DATE: 2020-10-05	
%: <b>0.5000 - 1.5000</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	,	WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards. There are no known impurities or residuals which are greater than 1,000 ppm.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: <b>0.1000 - 0.5000</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards. There are no known impurities or residuals which are greater than 1,000 ppm.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical a	nd Materials Library	HAZARD SCREENING	DATE: 2020-10-05	
%: 0.0300 - 0.1000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards. There are no known impurities or residuals which are greater than 1,000 ppm.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.0100 - 0.0500	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	EU - GHS (H-Statements)		H350 - May cause can	icer
CANCER	EU - REACH Annex XVII CMRs		Carcinogen Category Carcinogenic to man	2 - Substances which should be regarded as if they are
MULTIPLE	ChemSec - SIN List		CMR - Carcinogen, M	utagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs		Carcinogen Category	1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - Australia		H350 - May cause can	ncer

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards. There are no known impurities or residuals which are greater than 1,000 ppm.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SC		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-05		
%: 0.0100 - 0.0500	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Defoamer	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	EU - GHS (H-Statements)		H350 - May cause cano	ber	
CANCER	EU - REACH Annex XVII CMRs		Carcinogen Category 2 Carcinogenic to man	- Substances which should be regarded as if they are	
MULTIPLE	ChemSec - SIN List		CMR - Carcinogen, Mu	tagen &/or Reproductive Toxicant	
CANCER	EU - Annex VI CMRs		Carcinogen Category 1	B - Presumed Carcinogen based on animal evidence	
CANCER	GHS - Australia		H350 - May cause cano	ber	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards. There are no known impurities or residuals which are greater than 1,000 ppm.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-10-05		
%: 0.0100 - 0.0500	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Processing regulator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards. There are no known impurities or residuals which are greater than 1,000 ppm.

#### TITANIUM DIOXIDE ID: 13463-67-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-05 %: 0.0000 - 8.0000 GS: LT-1 RC: None NANO: NO SUBSTANCE ROLE: Pigment HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CANCER US CDC - Occupational Carcinogens Occupational Carcinogen CANCER CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route CANCER IARC Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources ENDOCRINE **TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor CANCER MAK Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value CANCER MAK Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout. There are no known impurities or residuals which are greater than 1,000 ppm.

#### UNDISCLOSED

ority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards. There are no known impurities or residuals which are greater than 1,000 ppm.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical a	and Materials Library	HAZARD SCREENING DA	TE: 2020-10-05	
%: <b>0.0000 - 2.0000</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	ŝS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards. There are no known impurities or residuals which are greater than 1,000 ppm.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.0000 - 2.0000	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards. There are no known impurities or residuals which are greater than 1,000 ppm.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05			
%: 0.0000 - 2.0000	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted		/ accepted	
CANCER	МАК		Carcinogen Group 2 - Considered to be carcinogenic for man		
RESPIRATORY	МАК		Sensitizing Substance Sah - Danger of airway & skin sensitization		
GENE MUTATION	МАК		Germ Cell Mutagen 3a		
REPRODUCTIVE	GHS - Australia		H360F - May damage fertility		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards. There are no known impurities or residuals which are greater than 1,000 ppm.

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards. There are no known impurities or residuals which are greater than 1,000 ppm.

	CALCIUM CARBONATE					ID: <b>471-34-1</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DAT	E: 2020-10-05			
	%: 0.0000 - 1.0000 GS: BM	-3	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Residual	

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

None found

HAZARD TYPE

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

riority Hazard Lists	
יכ	

LATICRETE 1500 Sanded Grout hpdrepository.hpd-collaborative.org

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL GreenGuard Gold (15	500 Grout)			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: http://certificates.ulenvironment.com/default.aspx? id=2551&t=cs	ISSUE DATE: 2009-07-07	EXPIRY DATE: 2021-07-09	CERTIFIER OR LAB: UL Environment		
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "L accordance with California Department of Public Health (CI	•	•	This product was tested in		
VOC CONTENT	TDS 251 "Low VOC LATICRETE® Products"				
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: https://www.laticrete.com/~/media/support- and-downloads/technical-datasheets/tds251.ashx?la=en	ISSUE DATE: 2020-08-12	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE		
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "LAdhesive).	ow Emitting Materials" V	OC Content Requirement	s per SCAQMD Rule 1168 (Tile		
LCA	LATICRETE Grout for Til Declaration	le Installation Product Spec	ific (Type III) Environmental Product		
CERTIFVING PARTY: Third Party APPLICABLE FACILITIES: Applies to All Facilities in North America CERTIFICATE URL: https://laticrete.com/~/media/environmental- product-data-sheets/cement-grout-for-tile-and-stone- installation.ashx?la=en	ISSUE DATE: 2016-11-29	EXPIRY DATE: 2021-11-28	CERTIFIER OR LAB: UL Environment		
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Bu requirements as a Product Specific (Type III) EPD.	Iding Product Disclosure	e and Optimization-Enviro	nmental Product Declarations"		
Section 4: Accessories					
This section lists related products or materials that the manufacturer r operations. For information relating to the contents of these related pr					
LATICRETE 1776 GROUT ENHANCER		tps://cdn.laticrete.com/~/n ts/tsis/1776-hpd.ashx	nedia/health-product-		
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: LATICRETE 1500 Sanded Grout to be mixed with LATICRETE 17	76 Grout Enhancer followi	ing mix ratio and directions	as stated on product data sheet.		
WATER	HPD URL: NO	o HPD Available			
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: LATICRETE 1500 Sanded Grout to be mixed with water following mix ratio and directions as stated on product data sheet.					
Section 5: General Notes					

LATICRETE® 1500 Sanded Grout meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE 1500 Sanded Grout does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

# MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

#### LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

## **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.