# **LATICRETE® 252 Silver (Grey)** by LATICRETE International

# **Health Product** Declaration v2.3

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 31157** CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: LATICRETE 252 Silver is an economical polymer modified, bagged, cementitious thin-set powder to be mixed only with

water using the thin-set method of installation.

# Section 1: Summary

# **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting** 

**Format** 

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

**Threshold Level** 

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified

○ Yes 
○ No

Provided name and CAS RN or other identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE | HAZARD TYPE** 

LATICRETE 252 SILVER (GREY) [ QUARTZ BM-1\* | CAN | MAM | GEN LIME BM-2 | SKI | MAM | EYE CALCIUM CARBONATE BM-3 | EYE UNDISCLOSED LT-UNK | | MUL ALUMINUM OXIDE BM-2 | MAM MAGNESIUM CARBONATE BM-3dg | | MUL FERRIC OXIDE BM-1 CAN | MAM | EYE | SKI SULFUR TRIOXIDE BM-2 | MAM CALCIUM CARBONATE BM-3 | EYE LIMESTONE; CALCIUM CARBONATE BM-3dg | MUL MAGNESIUM OXIDE BM-3dg | CAN UNDISCLOSED BM-2 | MUL UNDISCLOSED BM-3 | EYE ]

Number of Greenscreen BM-4/BM3 contents ... 6

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1

Nanomaterial ... No

#### **INVENTORY AND SCREENING NOTES:**

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.00 Regulatory (g/l): N/A

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: UL/GreenGuard Gold Certified

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

LCA: Environmental Product Declaration (EPD) by UL - Industry Generic

# **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes

No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

**SCREENING DATE: 2023-01-25 PUBLISHED DATE: 2023-01-26** EXPIRY DATE: 2026-01-25

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

## **LATICRETE 252 SILVER (GREY)**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at https://laticrete.com for occupational exposure information.

QUARTZ				ID: 14808-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-25 13:11:43
%: 60.0000 - 72.0000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcino	gens	Occupational Ca	rcinogen**
CAN	CA EPA - Prop 65		Carcinogen - speroute**	ecific to chemical form or exposure
CAN	US NIH - Report on Carcinogens	5	Known to be Hur occupational set	man Carcinogen (respirable size - ting)**
CAN	MAK		Carcinogen Grouman**	up 1 - Substances that cause cancer in
CAN	IARC		Group 1 - Agent i	is carcinogenic to humans - inhaled al sources**
CAN	IARC		Group 1 - Agent i	is Carcinogenic to humans**
CAN	GHS - Japan		H350 - May caus 1A]**	e cancer [Carcinogenicity - Category
CAN	GHS - Australia		H350i - May caus - Category 1A or	se cancer by inhalation [Carcinogenic 1B]**
CAN	GHS - New Zealand		Carcinogenicity of	category 1**
MAM	GHS - Japan		repeated exposu	amage to organs through prolonged oure [Specific target organs/systemic repeated exposure - Category 1]**
GEN	GHS - Japan		H341 - Suspecter mutagenicity - Ca	d of causing genetic defects [Germ ce ategory 2]**
MAM	GHS - Australia		repeated exposu	amage to organs through prolonged on the [Specific target organ toxicity - tire - Category 1]**
MAM	GHS - New Zealand		Specific target or category 1**	rgan toxicity - repeated exposure

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this material may vary based on plant of manufacture. Some of the total content of this raw material is added as a sub-component used in the manufacturing of portland cement and can also be found in furnace slag.

The addition of furnace slag is dependent on plant of manufacture and local guidelines for the use of this component.

\*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

This substance is part of a powder or aerosol; however, its potential for respiration is limited, as demonstrated by this report or certification

LIME				ID: 1305-78
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 2	2023-01-25 13:11:43
%: 17.0000 - 25.0000	GreenScreen: BM-2	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - Australia		H315 - Causes ski Category 2]	in irritation [Skin corrosion/irritation -
МАМ	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic repeated exposure - Category 1]
MAM	GHS - Japan			mage to organs [Specific target oxicity following single exposure -
SKI	GHS - New Zealand		Skin corrosion cat	tegory 1C
EYE	GHS - New Zealand		Serious eye dama	ge category 1
EYE	GHS - Japan			rious eye damage [Serious eye ation - Category 1]
SKI	GHS - Japan		H315 - Causes ski Category 2]	in irritation [Skin corrosion / irritation -
EYE	GHS - Australia		H318 - Causes ser damage/eye irritat	rious eye damage [Serious eye tion - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (	GSPI)	GSPI - Six Classes	s of Problematic Chemicals
			Antimicrobials	

SUBSTANCE NOTES: The amount of this material may vary based on plant of manufacture. Some of the total content of this raw material is added as a sub-component used in the manufacturing of portland cement and can also be found in furnace slag.

The addition of furnace slag is dependent on plant of manufacture and local guidelines for the use of this component.

CALCIUM CARBONATE ID: 471-34-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-26 10:23:22

%: 4.0000 - 6.0000 GreenScreen: BM-3 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this material may vary based on plant of manufacture. This raw material is a sub-component of limestone.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-25 13:11:45
%: 1.0000 - 4.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	EC - CEPA DSL		Persistent	
MUL	EC - CEPA DSL		Inherently Toxic	to Humans (iTH)
MUL	German FEA - Substances Haza Waters	rdous to	Class 1 - Low Ha	azard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-25 13:11:45
%: <b>0.5000 - 4.0000</b>	GreenScreen: BM-2	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		repeated exposu	amage to organs through prolonged or re [Specific target organs/systemic repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and Er	nvironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov	ation	C2C Certified v4	Product Standard Restricted
	Institute (C2CPII)		Substances List (	(RSL) - Effective July 1, 2022
			Children's Produc	cts

SUBSTANCE NOTES: The amount of this material may vary based on plant of manufacture. Some of the total content of this raw material is added as a sub-component used in the manufacturing of portland cement and can also be found in furnace slag.

The addition of furnace slag is dependent on plant of manufacture and local guidelines for the use of this component.

MAGNESIUM CARBONAT	ΓE			ID: <b>546-93-0</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-25 13:11:45
%: 2.4000 - 4.0000	GreenScreen: BM-3dg	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	EC - CEPA DSL		Persistent	
MUL	German FEA - Substances Haza Waters	rdous to	Class 1 - Low Ha	azard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag	ency (US	US EPA - DfE SC	CIL
	Li 7)		Green Circle - Ve	erified Low Concern

FERRIC OXIDE ID: 1309-37-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 20	23-01-25 13:11:44
%: 0.2500 - 3.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3 but not sufficient for	BB - Evidence of carcinogenic effec r classification
MAM	GHS - Japan		repeated exposure	age to organs through prolonged o [Specific target organs/systemic peated exposure - Category 1]
EYE	GHS - Japan		H318 - Causes serio damage / eye irritati	ous eye damage [Serious eye ion - Category 1]
SKI	GHS - Japan		H315 - Causes skin Category 2]	irritation [Skin corrosion / irritation
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listi	ngs found on Additional Hazard Lis

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-25 13:11:45

%: 0.2500 - 3.0000 GreenScreen: BM-2 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
МАМ	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this material may vary based on plant of manufacture. This raw material is added as a sub-component

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE:	2023-01-25 13:11:46
%: Impurity/Residual	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	

EYE GHS - New Zealand Eye irritation category 2

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

POSITIVE LIST US Environmental Protection Agency (US US EPA - DfE SCIL

EPA)

Green Circle - Verified Low Concern

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

## LIMESTONE; CALCIUM CARBONATE

used in the manufacturing of portland cement.

**CALCIUM CARBONATE** 

ID: 1317-65-3

ID: 471-34-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-25 13:11:46
%: Impurity/Residual	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	Québec CSST - WHMIS 1988		Class D2A - Ver effects	y toxic material causing other toxic
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag	jency (US	US EPA - DfE S	CIL
	11 7)		Green Circle - V	erified Low Concern

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

MAGNESIUM OXIDE ID: 1309-48-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-26 10:19:54

%: 0.0000 - 1.0000	GreenScreen: BM-3dg	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group low risk under MA	o 4 - Non-genotoxic carcinogen with K/BAT levels
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No lis	stings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this material may vary based on plant of manufacture. This raw material is a sub-component used in the manufacturing of furnace slag. The addition of furnace slag is dependent on plant of manufacture and local guidelines for the use of this component.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DAT	ΓΕ: 2023-01-25 13:11:46
%: 0.1000 - 0.3000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Haza Waters	rdous to	Class 1 - Lov	v Hazard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	HAZARD SCREENING DATE: 2023-01-25 13:11:46		
%: 0.0500 - 0.2000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
EYE	GHS - New Zealand	and		Eye irritation category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN	
POSITIVE LIST	US Environmental Protection Agency (US EPA)		US EPA - DfE Safer Chemicals Ingredients list (SCIL)		
	Li 7)		Enzymes and Concern)	d Stabilizers - Green Circle (Verified Low	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### **UL/GreenGuard Gold Certified**

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL:

https://cdn.laticrete.com/~/media/productdocuments/greenguard-certificates/52-252-

greenguard.ashx

ISSUE DATE: 2009-07-07 EXPIRY DATE: 2023-07-09 CERTIFIER OR LAB: UL

Environment

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

### **VOC CONTENT**

## EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: Applies to All Facilities.

**CERTIFICATE URL:** 

https://cdn.laticrete.com/~/media/support-anddownloads/technical-datasheets/tds251.ashx

ISSUE DATE: 2023-01-23

CERTIFIER OR LAB: LATICRETE

CERTIFIER OR LAB: UL

Environment

**EXPIRY DATE:** 

CERTIFICATION AND COMPLIANCE NOTES: Technical Data Sheet 251 "Low VOC LATICRETE Products". Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

ISSUE DATE: 2023-01-01

EXPIRY DATE: 2027-12-31

#### **LCA**

### Environmental Product Declaration (EPD) by UL - Industry Generic

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Applies to All Facilities.

**CERTIFICATE URL:** 

https://cdn.laticrete.com/~/media/environmental-

product-data-sheets/cement-mortar-for-tile-and-stone-

installation---industry-wide.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as an Industry Wide (Type III) EPD.



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## WATER

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD Available

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: LATICRETE 252 Silver (Grey) to be mixed with water only following mix ratio and directions as stated in product data sheet.

# Section 5: General Notes

LATICRETE® 252 Silver (Grey) meets the Living Building Challenge v4.0 (March 2022) requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE 252 Silver (Grey) does not contain the following: Antimicrobials (marketed with a public health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer),

Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

Contains no respirable silica levels that exceed the OSHA action level.

### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: https://laticrete.com

**CONTACT NAME: Mitch Hawkins TITLE: Director, Technical Services** 

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

## **KEY**

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity **GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

## Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.