# **LATICRETE® 272 Mortar (White)** by LATICRETE International

## **Health Product** Declaration v2.2

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 22630** CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: LATICRETE 272 Mortar (White) is a high performance bagged cementitious powder to be mixed with either water or

latex admixture to install ceramic tile and stone using the thin-set method of installation.

## Section 1: Summary

## **Basic Method / Product Threshold**

### **CONTENT INVENTORY**

Inventory	Reporting	<b>Format</b>
-----------	-----------	---------------

- C Nested Materials Method
- Basic Method

## **Threshold Disclosed Per**

- Material
- Product

## Threshold level

- C 1,000 ppm
- O Per GHS SDS Other

### Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

## Explanation(s) provided for Residuals/Impurities?

Yes ○ No

## All Substances Above the Threshold Indicated Are:

Characterized ○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

#### Screened C Yes Ex/SC € Yes C No

All substances screened using Priority Hazard Lists with results disclosed.

#### Identified O Yes Ex/SC O Yes @ No.

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

LATICRETE® 272 MORTAR (WHITE) [ QUARTZ LT-1 | CAN PORTLAND CEMENT LT-P1 | END | CAN UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | CAN UNDISCLOSED BM-1 | CAN CALCIUM CARBONATE BM-3 LIMESTONE; CALCIUM CARBONATE LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.00 Regulatory (q/I): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

## **CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold (272 Mortar)

VOC content: TDS 251 "Low VOC LATICRETE® Products"

LCA: LATICRETE Cement Mortar for Tile Installation Product Specific

(Type III) Environmental Product Declaration

### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**  SCREENING DATE: 2020-10-22 PUBLISHED DATE: 2020-10-22 EXPIRY DATE: 2023-10-22



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

## **LATICRETE® 272 MORTAR (WHITE)**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

QUARTZ		ID: 14808-60-7			
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-22			
%: 55.0000 - 65.0000	GS: <b>LT-1</b>	RC: None NANO: No SUBSTANCE ROLE: Filler			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER IARC		Group 1 - Agent is Carcinogenic to humans			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources			
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)			
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man			
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens			
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]			
CANCER	GHS - Australia	H350i - May cause cancer by inhalation			

	PORTLAND CEMENT					ID: 65997-1	5-1
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-22			2020-10-22		
	%: 25.0000 - 35.0000	GS: LT-P1	RC: No	ne	NANO: No	SUBSTANCE ROLE: Binder	
	HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS		
	ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor			
	CANCER	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification			>

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

#### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: 5.0000 - 10.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: 0.2000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: 0.0500 - 0.2000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Defoamer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: 0.0100 - 0.0250 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Defoamer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CANCER GHS - Japan Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: 0.0005 - 0.0008	GS: <b>BM-1</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Defoamer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]			
CANCER	GHS - Australia	H350	H350i - May cause cancer by inhalation		

CALCIUM CARBONATE ID: 471-34-1

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to

preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22
%: Impurity/Residual GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS
None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100 ppm.

## LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: Impurity/Residual GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100 ppm.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

## **VOC EMISSIONS**

### **UL GreenGuard Gold (272 Mortar)**

**CERTIFYING PARTY: Third Party** 

ISSUE DATE: 2009-07- EXPIRY DATE: 2021-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities.

07-09

Environment

**CERTIFICATE URL:** 

http://certificates.ulenvironment.com/default.aspx?

id=2548&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

## **VOC CONTENT**

## TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: Applies to All Facilities.

12

07

ISSUE DATE: 2020-08- EXPIRY DATE: CERTIFIER OR LAB: LATICRETE

**CERTIFICATE URL:** 

https://www.laticrete.com/~/media/support-and-

downloads/technical-datasheets/tds251.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

## **LCA**

# LATICRETE Cement Mortar for Tile Installation Product Specific (Type III)

**Environmental Product Declaration** 

**CERTIFYING PARTY: Third Party** 

ISSUE DATE: 2016-11- EXPIRY DATE: 2021-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities in North

11-28

Environment

CERTIFICATE URL:

https://laticrete.com/~/media/environmental-product-

data-sheets/cement-mortar-for-tile-installation.ashx?

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## **LATICRETE 333 SUPER FLEXIBLE ADDITIVE**

HPD URL: https://cdn.laticrete.com/~/media/health-productdatasheets/tsis/333-hpd.ashx

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE 317 Mortar (White) to be mixed with LATICRETE 333 Super Flexible Additive following mix ratio and directions as stated in product data sheet.

LATICRETE 3701 MORTAR ADMIX

HPD URL: https://cdn.laticrete.com/~/media/health-productdatasheets/tsis/3701-admix-hpd.ashx

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE 317 Mortar (White) to be mixed with LATICRETE 3701 Mortar Admix following mix ratio and directions as stated in product data sheet.

**WATER** HPD URL: No HPD available CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE 317 Mortar (White) to be mixed with water following mix ratio and directions as stated in product data sheet.

## Section 5: General Notes

LATICRETE® 272 Mortar (White) meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE 272 Mortar (White) does not contain the following: Antimicrobials (marketed with a health claim)

•Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

## **KEY**

### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

**NF** Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

## Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.