# LATICRETE® 4-XLT Rapid (Grey) by LATICRETE International

### HPD UNIQUE IDENTIFIER: 22623

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: LATICRETE 4-XLT Rapid is a multi-use, polymer fortified, rapid setting adhesive mortar built on the Water Dispersion Technology (WDT) platform. WDT provides for the complete dispersion of water within the mix allowing users to achieve the desired application consistency. 4-XLT Rapid offers tremendous utility including non-sag wall installations, large, heavy tile (medium bed) build up of up to 3/4" (19mm) and thin-set applications of floors.

### 🟮 Section 1: Summary

### **CONTENT INVENTORY**

- Inventory Reporting Format
- Basic Method
- Threshold Disclosed Per
- C Material
- Product

Threshold level © 100 ppm © 1,000 ppm © Per GHS SDS © Other Residuals/Impurities © Considered © Partially Considered

C Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

### **Basic Method / Product Threshold**

All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

 Identified
 O Yes Ex/SC O Yes I No

 One or more substances not disclosed by Name
 (Specific or Generic) and Identifier and/ or one or more

 Special Condition did not follow guidance.
 (Specific or Generic)

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

LATICRETE® 4-XLT RAPID (GREY) [ QUARTZ LT-1 | CAN PORTLAND CEMENT LT-P1 | CAN | END HIGH-ALUMINA CEMENT LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK LITHIUM CARBONATE LT-1 | REP | DEV UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK CALCIUM CARBONATE BM-3 LIMESTONE; CALCIUM CARBONATE LT-UNK UNDISCLOSED LT-UNK ] Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENTMaterial (g/l): 2.56Regulatory (g/l): N/ADoes the product contain exempt VOCs: NoAre ultra-low VOC tints available: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listings. VOC emissions: N/A

VOC content: TDS 251 "Low VOC LATICRETE® Products" LCA: LATICRETE Cement Mortar for Tile Installation Product Specific (Type III) Environmental Product Declaration

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

○ Yes○ No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-22 PUBLISHED DATE: 2020-10-22 EXPIRY DATE: 2023-10-22

## Health Product Declaration v2.2

created via: HPDC Online Builder

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LAT	LATICRETE® 4-XLT RAPID (GREY)							
PRO	PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes							
	RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.							
OTH	HER PRODUCT NOTES: See SDS	at www.laticrete.com for occupational ex	kposure	informa	tion.			
Q	UARTZ						ID: 14808-60-	
н	AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SCRI	EENING DATE:	2020-10-22	2	
%	: 50.0000 - 60.0000	GS: <b>LT-1</b>	RC: No	one	NANO: No	SUBSTA	ANCE ROLE: Filler	
	HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS			
C	CANCER US CDC - Occupational Carcinogens			Occupational Carcinogen				
CANCER US NIH - Report on Carcinogens Known to be Hun occupational sett				an Carcinogen (respirable size - ng)				
(	CANCER	МАК		Carcin man	ogen Group 1 -	Substances	s that cause cancer in	
(	CANCER	CA EPA - Prop 65		Carcin	ogen - specific	to chemical	form or exposure route	
C	000		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources					
C			Group 1 - Agent is Carcinogenic to humans					
C	CANCER	GHS - New Zealand		6.7A -	Known or pres	umed humar	n carcinogens	
C	CANCER	GHS - Japan		Carcin	ogenicity - Cate	egory 1A [H3	350]	
(	CANCER	GHS - Australia		H350i	- May cause ca	ncer by inha	lation	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

			ID: 65997-15-1
Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-10-22
GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Binder
AGENCY AND LIST TITLES	WAR	NINGS	
МАК		•	- Evidence of carcinogenic effects classification
TEDX - Potential Endocrine Disruptors	Pote	ntial Endocrine D	Disruptor
	GS: LT-P1 AGENCY AND LIST TITLES MAK	GS: LT-P1 RC: None AGENCY AND LIST TITLES WAR MAK Carc but r	GS: LT-P1 RC: None NANO: No AGENCY AND LIST TITLES WARNINGS MAK Carcinogen Group 3E but not sufficient for o

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DA	ATE: 20	020-10-22		
%: 11.0000 - 13.0000	GS: LT-UNK	RC: None	NANO: N	10	SUBSTAN	CE ROLE: B	inder
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS				
None found			No war	rnings f	ound on HP	D Priority H	azard List
SUBSTANCE NOTES: The amou	unt of this component may vary based on p	lant of manuf	acture.				
JNDISCLOSED							
AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DA	ATE: 20	020-10-22		
%: <b>2.0000 - 5.0000</b>	GS: LT-UNK	RC: None	NANO: No	SUE	STANCE R	OLE: Polym	er specie
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS				
None found			No war	rnings f	ound on HP	D Priority Ha	azard List
preserve integrity of formula and	d maintain competitive advantage. The com						
SUBSTANCE NOTES: The amou preserve integrity of formula and							
preserve integrity of formula and	d maintain competitive advantage. The com	nponent CAS	# was used to	o identif	fy associate		
preserve integrity of formula and INDISCLOSED		nponent CAS	# was used to	o identif	fy associate		
preserve integrity of formula and JNDISCLOSED HAZARD SCREENING METHOD: %: 2.0000 - 5.0000	d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-UNK	HAZARD SC RC: None	# was used to CREENING DA NANO: N	o identif	fy associate	d hazards.	
preserve integrity of formula and JNDISCLOSED HAZARD SCREENING METHOD: %: 2.0000 - 5.0000 HAZARD TYPE	d maintain competitive advantage. The com Pharos Chemical and Materials Library	HAZARD SC RC: None	# was used to CREENING DA NANO: N	o identif ATE: 20 Io	fy associate 020-10-22 SUBSTANG	d hazards. CE ROLE: <b>B</b>	inder
preserve integrity of formula and UNDISCLOSED HAZARD SCREENING METHOD: %: 2.0000 - 5.0000 HAZARD TYPE None found	d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	HAZARD SC RC: None WA	# was used to CREENING DA NANO: N RNINGS No war	o identif ATE: 20 Io rnings f	y associate 220-10-22 SUBSTANC	d hazards. CE ROLE: <b>B</b> D Priority Ha	inder azard Lis
preserve integrity of formula and UNDISCLOSED HAZARD SCREENING METHOD: %: 2.0000 - 5.0000 HAZARD TYPE None found SUBSTANCE NOTES: The amou preserve integrity of formula and	d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-UNK	HAZARD SC RC: None WA	# was used to CREENING DA NANO: N NANO: N NO war facture. This p	o identif ATE: 20 Io rnings fo	fy associate 020-10-22 SUBSTANC ound on HP is shown as	d hazards. CE ROLE: <b>B</b> D Priority Ha s undisclose d hazards.	inder azard Lis d to
preserve integrity of formula and JNDISCLOSED HAZARD SCREENING METHOD: %: 2.0000 - 5.0000 HAZARD TYPE None found SUBSTANCE NOTES: The amou preserve integrity of formula and	d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p d maintain competitive advantage. The com	HAZARD SC RC: None WA lant of manuf sponent CAS	# was used to CREENING DA NANO: N RNINGS No war facture. This p # was used to	o identif	fy associate 020-10-22 SUBSTANC bund on HP is shown as fy associate	d hazards. CE ROLE: <b>B</b> D Priority Ha s undisclose d hazards.	inder azard Lis d to
preserve integrity of formula and JNDISCLOSED HAZARD SCREENING METHOD: %: 2.0000 - 5.0000 HAZARD TYPE None found SUBSTANCE NOTES: The amou preserve integrity of formula and LITHIUM CARBONATE	d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p d maintain competitive advantage. The com Pharos Chemical and Materials Library	HAZARD SC RC: None WA lant of manuf iponent CAS	# was used to CREENING DA NANO: N NO war facture. This p # was used to CREENING DA	ATE: 20 ATE: 20 ATE: 20 ATE: 20	fy associate 020-10-22 SUBSTANC ound on HP is shown as fy associate	d hazards. CE ROLE: <b>B</b> D Priority Ha s undisclose d hazards.	inder azard Lis d to D: 554-1:
preserve integrity of formula and UNDISCLOSED HAZARD SCREENING METHOD: %: 2.0000 - 5.0000 HAZARD TYPE None found SUBSTANCE NOTES: The amou preserve integrity of formula and LITHIUM CARBONATE HAZARD SCREENING METHOD: %: 0.4000 - 0.6000	d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-1	HAZARD SC RC: None WA lant of manuf ponent CAS HAZARD SC RC: None	# was used to CREENING DA NANO: N RNINGS No war facture. This p # was used to CREENING DA NANO: No	ATE: 20 ATE: 20 ATE: 20 ATE: 20	fy associate 020-10-22 SUBSTANC ound on HP is shown as fy associate	d hazards. CE ROLE: <b>B</b> D Priority Ha s undisclose d hazards.	inder azard Lis d to D: 554-1:
preserve integrity of formula and UNDISCLOSED HAZARD SCREENING METHOD: %: 2.0000 - 5.0000 HAZARD TYPE None found SUBSTANCE NOTES: The amou preserve integrity of formula and LITHIUM CARBONATE HAZARD SCREENING METHOD: %: 0.4000 - 0.6000 HAZARD TYPE	d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-1 AGENCY AND LIST TITLES	HAZARD SC RC: None WA lant of manuf ponent CAS HAZARD SC RC: None WA	# was used to CREENING DA NANO: N NO war facture. This p # was used to CREENING DA NANO: No	ATE: 20 Io rnings for product o identif ATE: 20 SUBST	fy associate 020-10-22 SUBSTANC ound on HP is shown as fy associate 020-10-22 ANCE ROLE	d hazards.	inder azard Lis d to D: 554-11
preserve integrity of formula and UNDISCLOSED HAZARD SCREENING METHOD: %: 2.0000 - 5.0000 HAZARD TYPE None found SUBSTANCE NOTES: The amou preserve integrity of formula and LITHIUM CARBONATE HAZARD SCREENING METHOD: %: 0.4000 - 0.6000	d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-1	HAZARD SC RC: None WA lant of manuf iponent CAS HAZARD SC RC: None WA 6.8/	# was used to CREENING DA NANO: N RNINGS No war facture. This p # was used to CREENING DA NANO: No	o identif ATE: 2 lo rnings fo product o identif ATE: 2 SUBST. presum	fy associate 020-10-22 SUBSTANC ound on HP is shown as fy associate 020-10-22 ANCE ROLE ed human r	d hazards.	inder azard Lis d to D: 554-13
preserve integrity of formula and UNDISCLOSED HAZARD SCREENING METHOD: %: 2.0000 - 5.0000 HAZARD TYPE None found SUBSTANCE NOTES: The amou preserve integrity of formula and LITHIUM CARBONATE HAZARD SCREENING METHOD: %: 0.4000 - 0.6000 HAZARD TYPE	d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-1 AGENCY AND LIST TITLES	HAZARD SC RC: None WA lant of manuf ponent CAS HAZARD SC RC: None WA 6.8/ dev	# was used to CREENING DA NANO: N RNINGS No war facture. This p # was used to CREENING DA NANO: No RNINGS A - Known or p	o identif ATE: 20 Io rnings fr oroduct o identif ATE: 20 SUBST. presum pxicants	fy associate 220-10-22 SUBSTANC bund on HP is shown as fy associate 220-10-22 ANCE ROLE ed human res	d hazards. CE ROLE: <b>B</b> D Priority Ha s undisclose d hazards.	inder azard Lis d to D: 554-13

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-22
%: 0.3000 - 0.5000	GS: <b>LT-1</b>	RC: None NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - Australia	H350 - May cause cancer
		plant of manufacture. This product is shown as undisclosed to nponent CAS # was used to identify associated hazards.
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-22
%: 0.2000 - 0.5000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
preserve integrity of formula and	d maintain competitive advantage. The con	plant of manufacture. This product is shown as undisclosed to nponent CAS # was used to identify associated hazards.
	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-22
%: 0.2000 - 0.4000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
		plant of manufacture. This product is shown as undisclosed to nponent CAS # was used to identify associated hazards.
UNDISCLOSED		
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-22

%: 0.0000 - 6.0000	GS: LT-UNK	RC: PreC	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warning	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING D	ATE: 2020-10-22
: Impurity/Residual	GS: <b>BM-3</b>	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residu
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lis
SUBSTANCE NOTES: This substraw material and/or be less than	tance is an impurity or residual. This impur 100ppm.	ity/residual m	ay or may no	ot be present based on the source of the
IMESTONE; CALCIUM CARBON	IATE			ID: 1317-6
AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	CREENING D	ATE: 2020-10-22
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residu
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lis
SUBSTANCE NOTES: This subsi raw material and/or be less than	tance is an impurity or residual. This impur 100 ppm.	ity/residual m	ay or may no	ot be present based on the source of the
JNDISCLOSED				ATE: 2020-10-22
	Pharos Chemical and Materials Library	HAZARD SC	CREENING D	
	Pharos Chemical and Materials Library GS: LT-UNK			SUBSTANCE ROLE: Processing regula
AZARD SCREENING METHOD:		RC: None		SUBSTANCE ROLE: Processing regula

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL:	ISSUE DATE: 2020-10- 07	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE
CERTIFICATION AND COMPLIANCE NOTES: LATICRETE®	4-XLT Rapid (Grey) has no	ot been tested for VOC er	nissions.
VOC CONTENT	TDS 251 "Low VOC LAT	ICRETE® Products"	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: https://www.laticrete.com/~/media/support-and- downloads/technical-datasheets/tds251.ashx	ISSUE DATE: 2020-08- 12		CERTIFIER OR LAB: LATICRETE
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v (Tile Adhesive).	4.1 Credit "Low Emitting I	Materials" VOC Content F	lequirements per SCAQMD Rule 1168
LCA	LATICRETE Cement Mo Environmental Product		Product Specific (Type III)
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Applies to All Facilities in North America CERTIFICATE URL: https://laticrete.com/~/media/environmental-product- data-sheets/cement-mortar-for-tile-installation.ashx? la=en	ISSUE DATE: 2016-11- 29	EXPIRY DATE: 2021- 11-28	CERTIFIER OR LAB: UL Environment

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.

### 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### WATER

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: LATICRETE 4-XLT Rapid to be mixed with water only following mix ratio and directions as stated in product data sheet.

### Section 5: General Notes

LATICRETE® 4-XLT Rapid (Grey) meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE 4-XLT Rapid (Grey) does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

#### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

• a method for the assessment of exposure or risk associated with product handling or use,

• a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.