# L&M™ DRESS & SEAL WB30™ by LATICRETE International

**Health Product** Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 298780767232

CLASSIFICATION: 03 05 00 Common Work Results for Concrete

PRODUCT DESCRIPTION: L&M™ DRESS & SEAL WB30™ is a water-based solution that cures, seals and dust proofs concrete without yellowing. This

product is a sprayable liquid which dries clear, is fast-drying and is equally effective on interior as well as exterior surfaces.



## Section 1: Summary

## **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

**Threshold Level** 

C 1,000 ppm C Per GHS SDS

Other

Completed

C Partially Completed

Residuals/Impurities Evaluation

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods. Identified

○ Yes ⊙ No

Provided name and CAS RN or other identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

L&M™ DRESS & SEAL WB30™ [ WATER BM-4 UNDISCLOSED LT-

UNK 1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE LT-

UNK | CAN | AQU UNDISCLOSED LT-UNK | SKI | EYE | AQU

UNDISCLOSED NoGS | AQU | SKI UNDISCLOSED NoGS | AQU | SKI

UNDISCLOSED LT-P1 | EYE UNDISCLOSED LT-UNK | EYE | AQU

UNDISCLOSED BM-2 | END | SKI | EYE | MAM | REP | DEV

UNDISCLOSED BM-2 | END | SKI | MUL | AQU | MAM | EYE

UNDISCLOSED NoGS UNDISCLOSED LT-UNK | SKI | EYE ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 184 Regulatory (g/l): 184

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: CDPH Standard Method - Not tested VOC content: TDS 251 "Low VOC LATICRETE Products"

## **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4 Option 2. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared VERIFIER:

**VERIFICATION #:** 

SCREENING DATE: 2024-03-27 PUBLISHED DATE: 2024-03-27 EXPIRY DATE: 2027-03-27

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

### L&M™ DRESS & SEAL WB30™

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

WATER					ID: <b>7732-18-5</b>
HAZARD DATA SOURCE: P	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2	2024-03-27 7:59:59
%: 65.0000 - 75.0000	GreenScreen: BM-4	RC: None	NANO: <b>No</b>	SUBSTANCE RO	LE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD P	riority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Com EC)	mission (EU	EU - REACH Exer	nptions	
	20)		Exempted from RE safety	EACH Annex IV listing	due to intrinsic

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: P	haros Chemical and Materials Librar	у	HAZARD :	SCREENING DATE: 2024-03-27 7:59:59
%: 20.0000 - 30.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD	SCREENING DATE: 2024-03-27 7:59:59
%: 4.0000 - 6.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		ŭ	up 3A - Evidence of carcinogenic effects to establish MAK/BAT value
AQU	GHS - New Zealand		Hazardous to the	e aquatic environment - chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	lo listings found on Additional Hazard Lists

 ${\small \verb|SUBSTANCE| NOTES|: The amount of this component may vary based on the plant of manufacture.}\\$ 

UNDISCLOSED				ID: Undisclos
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libi	ary	HAZARD	SCREENING DATE: 2024-03-27 7:59:
%: 0.1000 - 0.3000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Dispersant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	EU - GHS (H-Statements) Ar	nnex 6 Table 3-1	H315 - Causes sl Category 2]	kin irritation [Skin corrosion/irritation -
EYE	EU - GHS (H-Statements) Ar	nnex 6 Table 3-1		erious eye irritation [Serious eye ation - Category 2A]
SKI	GHS - New Zealand		Skin irritation cate	egory 2
EYE	GHS - New Zealand		Eye irritation cate	egory 2
SKI	GHS - Australia		H315 - Causes sl Category 2]	kin irritation [Skin corrosion/irritation -
EYE	GHS - Australia			erious eye irritation [Serious eye ation - Category 2A]
EYE	GHS - Japan		H318 - Causes se eye irritation - Ca	erious eye damage [Serious eye damage tegory 1]
SKI	GHS - Japan		H315 - Causes sl Category 2]	kin irritation [Skin corrosion / irritation -
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - chronic category (
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	o listings found on Additional Hazard List

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZA	ARD SCREENING DATE: 2024-03-27 7:59:59
%: 0.1000 - 0.2000	GreenScreen: NoGS	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
AQU	EU - GHS (H-Statements)		H411 - Toxic	to aquatic life with long lasting effects
SKI	EU - GHS (H-Statements)		H317 - May c	ause an allergic skin reaction
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. This component has a CAS# which is not found in the CAS Identifier. Associated hazards were drawn from the SDS for the component.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZA	RD SCREENING DATE: 2024-03-27 8:00:00
%: 0.1000 - 0.2000	GreenScreen: NoGS	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
AQU	EU - GHS (H-Statements)		H411 - Toxic	to aquatic life with long lasting effects
SKI	EU - GHS (H-Statements)		H317 - May c	ause an allergic skin reaction
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. This component has a CAS# which is not found in the CAS Identifier. Associated hazards were drawn from the SDS for the component.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: F	Pharos Chemical and Materials Lib	rary	HAZARD	SCREENING DATE: 2024-03-27 8:00:00
%: 0.0500 - 0.1000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation cate	gory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institu	te (GSPI)	GSPI - Six Classe	es Precautionary List
			Some Solvents	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	AZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-03-27 8:00:00
%: 0.0500 - 0.1000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation cate	gory 2
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-03-27 8:00:00	
%: 0.0500 - 0.1000	GreenScreen: BM-2	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine	Disruptors	Potential Endocri	ne Disruptor
SKI	GHS - New Zealand		Skin irritation cate	egory 2
EYE	GHS - New Zealand		Eye irritation cate	gory 2
SKI	GHS - Australia			evere skin burns and eye damage [Skin n - Category 1A or 1B or 1C]
SKI	GHS - Japan		H315 - Causes sk Category 2]	sin irritation [Skin corrosion / irritation -
MAM	GHS - Japan			e damage to organs [Specific target toxicity following single exposure -
REP	GHS - Japan		•	d of damaging fertility or the unborn child ction - Category 2]
EYE	GHS - Japan		H319 - Causes se eye irritation - Ca	erious eye irritation [Serious eye damage / tegory 2A]
DEV	GHS - Australia		· ·	ed of damaging the unborn child icity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libr	ary	HAZ	ZARD SCREENING DATE: 2024-03-27 8:00:01
%: 0.0300 - 0.0500	GreenScreen: BM-2	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Antimicrobial Pesticide
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	6
END	TEDX - Potential Endocrine I	Disruptors	Potential Er	ndocrine Disruptor
SKI	MAK		Sensitizing	Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances H Waters	lazardous to	Class 3 - Se	evere Hazard to Waters
SKI	EU - GHS (H-Statements) Ar	nnex 6 Table 3-1		ses severe skin burns and eye damage [Skin ritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Ar	nnex 6 Table 3-1	-	toxic to aquatic life [Hazardous to the aquatic acute) - Category 1]
AQU	EU - GHS (H-Statements) Ar	nnex 6 Table 3-1	-	toxic to aquatic life with long lasting effects to the aquatic environment (chronic) -
MAM	EU - GHS (H-Statements) Ar	nnex 6 Table 3-1	H301 - Toxi 3]	ic if swallowed [Acute toxicity (oral) - Category
MAM	EU - GHS (H-Statements) Ar	nnex 6 Table 3-1	H311 - Toxi Category 3]	c in contact with skin [Acute toxicity (dermal) -
EYE	EU - GHS (H-Statements) Ar	nnex 6 Table 3-1		ses serious eye damage [Serious eye e irritation - Category 1]
MAM	EU - GHS (H-Statements) Ar	nnex 6 Table 3-1	H330 - Fata Category 1	al if inhaled [Acute toxicity (inhalation) - or 2]
EYE	GHS - New Zealand		Serious eye	e damage category 1
SKI	GHS - Australia			ses severe skin burns and eye damage [Skin ritation - Category 1A or 1B or 1C]
SKI	GHS - New Zealand		Skin sensiti	sation category 1
MAM	GHS - New Zealand		Acute inhala	ation toxicity category 2
MAM	GHS - New Zealand		Acute oral to	oxicity category 2
AQU	GHS - New Zealand		Hazardous	to the aquatic environment - acute category 1

AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Korea	H310 - Fatal in contact with skin [Acute toxicity (dermal) - Category 1]
MAM	GHS - New Zealand	Acute dermal toxicity category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-27 8:00:00		
%: 0.0200 - 0.0300	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-27 8:00:00		
%: 0.0100 - 0.0200	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Dispersant	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
SKI	GHS - New Zealand		Skin irritation category 2		
EYE	GHS - New Zealand		Eye irritation category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			N	o listings found on Additional Hazard Lists	
•					

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

## **CDPH Standard Method - Not tested**

ISSUE DATE: 2024-03-27 00:00:00

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFIER OR LAB: None

**EXPIRY DATE:** 

**EXPIRY DATE:** 

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: L&M DRESS & SEAL WB 30 has not been tested for VOC emissions.

#### **VOC CONTENT**

#### TDS 251 "Low VOC LATICRETE Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08-12 00:00:00

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities

CERTIFICATE URL:

https://cdn.laticrete.com/~/media/support-anddownloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: L&M™ DRESS & SEAL WB30™ does not meet LEED v4.1 "Low Emitting Materials" VOC content requirements per SCAQMD Rule 1113(Sealers).



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

L&M™ DRESS & SEAL WB30™ meets the Living Building Challenge v4.1 (2024) requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, L&M DRESS & SEAL WB30 does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

#### **MANUFACTURER INFORMATION**

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany, CT 06524 COUNTRY: USA

LATITUDE: **41.3972000**LONGITUDE: **-73.0258000** 

WEBSITE: https://laticrete.com
CONTACT NAME: Mitch Hawkins

TITLE: Director, Customer Experience - Sustainability & Analytics

PHONE: **203-393-4619** 

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

## KEY

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

**Nested Method** / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

