created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 22393** 

CLASSIFICATION: 03 01 00 Maintenance of Concrete

PRODUCT DESCRIPTION: L&M™ DURACRETE™ is a high strength, single component, cement-based patching and resurfacing mortar designed to repair, slope or level structurally sound interior and exterior concrete surfaces. This product is available in two color options; grey and white and produces a strong, durable well bonded surface of desired texture.

# Section 1: Summary

# **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

- C Nested Materials Method
- Basic Method

**Threshold Disclosed Per** 

- Material
- Product

Threshold level

- C 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- O Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

Number of Greenscreen BM-4/BM3 contents ... 1

identify associated hazards of these components.

Contents highest concern GreenScreen

**INVENTORY AND SCREENING NOTES:** 

Benchmark or List translator Score ... BM-1

O Yes Ex/SC O Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

## **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

L&M™ DURACRETE™ [ QUARTZ LT-1 | CAN CALCIUM OXIDE LT-P1 PORTLAND CEMENT LT-P1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK DICALCIUM SILICATE LT-UNK UNDISCLOSED BM-1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED

BM-1 | END | MUL | CAN UNDISCLOSED LT-UNK CALCIUM

CARBONATE BM-3 LIMESTONE, CALCIUM CARBONATE LT-UNK

Regulatory (g/I): N/A

GYPSUM LT-UNK MAGNESIUM OXIDE LT-UNK | CAN ]

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT** 

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

This HPD was created with Basic Inventory. Materials listed as

Undisclosed in Section 2 is done to preserve integrity of formula and

maintain competitive advantage. The component CAS# was used to

listings.

VOC emissions: N/A

Nanomaterial ... No

VOC content: TDS 251 "Low VOC LATICRETE Products"

**CONSISTENCY WITH OTHER PROGRAMS** 

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

Material (g/l): 0.00

No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

**SCREENING DATE: 2020-10-12 PUBLISHED DATE: 2020-10-12** EXPIRY DATE: 2023-10-12



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

#### **L&M™ DURACRETE™**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

**QUARTZ** ID: 14808-60-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-12 %: 60.0000 - 65.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Filler **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS **CANCER US CDC - Occupational Carcinogens** Occupational Carcinogen **CANCER** CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route **CANCER US NIH - Report on Carcinogens** Known to be Human Carcinogen (respirable size occupational setting) **CANCER** MAK Carcinogen Group 1 - Substances that cause cancer in **CANCER** IARC Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources **CANCER IARC** Group 1 - Agent is Carcinogenic to humans **CANCER** GHS - New Zealand 6.7A - Known or presumed human carcinogens **CANCER** Carcinogenicity - Category 1A [H350] GHS - Japan CANCER GHS - Australia H350i - May cause cancer by inhalation

**CALCIUM OXIDE** ID: 1305-78-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-12 %: 19.0000 - 24.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Filler **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

PORTLAND CEMENT ID: 65997-15-1

SUBSTANCE NOTES: The amou	unt of this component may vary based on t	he plant of ma	ınufacture.	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poten	tial Endocrine Dis	sruptor
CANCER	MAK		nogen Group 3B - ot sufficient for cl	- Evidence of carcinogenic effects assification
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
%: 15.0000 - 40.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-12

## UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-10-12
%: 1.0000 - 3.0000	GS: LT-UNK	RC: PreC	NANO: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings for	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	ATE: 2020-10-12
%: 1.0000 - 3.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warnii	ngs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-12

%: 1.0000 - 2.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Buffer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

# UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-12
%: 0.0500 - 0.1000	GS: <b>BM-1</b>	BC: None	NANO: No	SUBSTANCE BOLE: Defoamer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CANCER	IARC	Group 2b - Possibly carcinogenic to humans

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	2020-10-12
%: 0.0100 - 0.0300	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZ	ARD SC	REENING DATE	2020-10-12
%: 0.0010 - 0.0100	GS: <b>BM-1</b>	RC: I	None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
ENDOCRINE	ChemSec - SIN List		Endoc	rine Disruption	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potent	ial Endocrine D	isruptor
MULTIPLE	German FEA - Substances Hazardous t Waters	to	Class	2 - Hazard to W	aters
CANCER	MAK			ogen Group 4 - k under MAK/B	Non-genotoxic carcinogen with AT levels

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-12
%: 0.0000 - 3.0000	GS: LT-UNK	RC: PreC	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings for	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

CALCIUM CARBONATE ID: 471-34-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING [	DATE: <b>2020-10-12</b>
%: Impurity/Residual	GS: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warni	ings found on HPD Priority Hazard Lists
None found			No warni	ings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially

LIMESTONE, CALCIUM CARBOI	ALCIUM CARBONATE			ID: 1317-65-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING [	DATE: 2020-10-12
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warni	ngs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

HAZARD SCREENING METH	OD: Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-10-12
%: <b>0.0000 - 1.0000</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
CANCER	MAK		ogen Group 4 - I k under MAK/BA	Non-genotoxic carcinogen with

greater than 100 ppm.



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-10- EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: L&M™ DURACRETE™ has not been tested for VOC emissions.

VOC CONTENT

#### TDS 251 "Low VOC LATICRETE Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08- EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities

Lab

CERTIFICATE URL:

https://cdn.laticrete.com/~/media/support-anddownloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

**WATER** 

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

L&M™ DURACRETE™ to be mixed with water only following mix ratio and directions as stated on product data sheet.



# Section 5: General Notes

L&M™ DURACRETE™ meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, L&M DURACRETE does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) • Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) • Organotin Compounds • Perfluorinated Compounds (PFCs) • Phthalates (orthophthalates) • Polychlorinated Biphenyls (PCBs) • Polycyclic Aromatic Hydrocarbons (PAH) • Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

#### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

## **KEY**

## **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

END Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

## Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.