# STONETECH® Enhancer Sealer (Canada) by LATICRETE International

# Health Product Declaration v2.2 created via: HPDC Online Builder

# HPD UNIQUE IDENTIFIER: 22463

CLASSIFICATION: 07 19 00 Water Repellents

**PRODUCT DESCRIPTION:** STONETECH® Enhancer Sealer (Canada) is a high performance, water-based enhancing sealer which is ideal for use on interior and exterior installations of unpolished natural stone such as bluestone, flagstone, travertine, limestone, slate, textured stone, flamed stone, and tumbled stone. Also suitable for use on cement grout, masonry and concrete.

# Section 1: Summary

## **CONTENT INVENTORY**

#### Inventory Reporting Format

Nested Materials MethodBasic Method

**Threshold Disclosed Per** 

- C Material
- O Product

Threshold level • 100 ppm • 1,000 ppm • Per GHS SDS • Other

## **Residuals/Impurities**

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes • No

# **Basic Method / Product Threshold**

All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC • Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

# CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

# MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

STONETECH® ENHANCER SEALER (CANADA) [ WATER BM-4 UNDISCLOSED NoGS UNDISCLOSED NoGS UNDISCLOSED NoGS ETHANOL BM-2 | CAN | DEV | END | PHY | REP UNDISCLOSED LT-P1 UNDISCLOSED LT-P1 | AQU | SKI | EYE | MUL UNDISCLOSED BM-2 | MUL | SKI | END | AQU | MAM | EYE ]

# VOLATILE ORGANIC COMPOUND (VOC) CONTENT Material (g/l): 19 Regulatory (g/l): 136

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. STONETECH® Enhancer Sealer (Canada) is a low-solids coating which means VOC content is expressed in grams of VOC per liter of material, not grams of VOC per liter of coating, less water (SCAQMD Rule #1113 Table of Standards (cont.) VOC limits). Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A VOC content: TDS 251 "Low VOC LATICRETE® Products"

# CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

⊙ Yes ⊙ No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-13 PUBLISHED DATE: 2020-10-13 EXPIRY DATE: 2023-10-13 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STONETECH® ENHANCER SEA	ALER (CANADA)				
PRODUCT THRESHOLD: 100 pp	m RESIDI	JALS AND IMF	PURITIES CONSI	DERED: Yes	
RESIDUALS AND IMPURITIES N potentially greater than 100 ppm	IOTES: Residuals and impurities are measure n.	d by quantitati	ve methods and a	are only displayed whe	n they are
OTHER PRODUCT NOTES: See	SDS at www.laticrete.com for occupational e	xposure inform	nation.		
WATER				II	D: 7732-18-5
HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-13	
%: 70.0000 - 90.0000	GS: <b>BM-4</b>	RC: None	NANO: No	SUBSTANCE ROLE:	Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found			No warnings fo	ound on HPD Priority H	lazard Lists
SUBSTANCE NOTES: The an	nount of this component may vary based on t	he plant of ma	nufacture.		
UNDISCLOSED					
HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-13	
%: 6.0000 - 10.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE:	Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found			No warnings fo	ound on HPD Priority H	lazard Lists
	nount of this component may vary based on t				
preserve integrity of formula	and maintain competitive advantage. The cor	nponent CAS#	was used to ider	ntify associated hazard	ls.
1					
UNDISCLOSED					
	D: Pharos Chemical and Materials Library		REENING DATE:		
%: 3.0000 - 6.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE:	Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found			No warnings fo	ound on HPD Priority H	lazard Lists
	nount of this component may vary based on t and maintain competitive advantage. The cor				
UNDISCLOSED					

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2020-10-13
%: 2.0000 - 4.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

# ETHANOL

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZ	ARD SCI	REENING DATE:	2020-10-13
%: 0.1000 - 1.0000	GS: <b>BM-2</b>	RC:	None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
CANCER	IARC		Group	1 - Agent is Care	cinogenic to humans
CANCER	CA EPA - Prop 65		Carcin route	ogen - specific t	o chemical form or exposure
CANCER	МАК			ogen Group 5 - ( isk under MAK/B	Genotoxic carcinogen with very BAT levels
DEVELOPMENTAL	CA EPA - Prop 65		Develo route	pmental - specif	fic to chemical form or exposure
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potent	ial Endocrine Dis	sruptor
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H225 -	Highly flammab	le liquid and vapour
CANCER	GHS - Japan		Carcin	ogenicity - Cate	gory 1A [H350]
REPRODUCTIVE	GHS - Japan		Toxic t	o reproduction -	Category 1A [H360]

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

## UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATI	E: <b>2020-10-13</b>
%: 0.1000 - 0.5000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-13
%: 0.0010 - 0.0100	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Biocide

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	МАК	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZ	ARD SCF	REENING DATE:	2020-10-13
%: 0.0010 - 0.0100	GS: <b>BM-2</b>	RC: I	None	NANO: No	SUBSTANCE ROLE: Biocide
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
MULTIPLE	German FEA - Substances Hazardous t Waters	0	Class	3 - Severe Hazar	d to Waters
SKIN SENSITIZE	МАК		Sensiti	zing Substance	Sh - Danger of skin sensitization
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potent	ial Endocrine Dis	sruptor
ACUTE AQUATIC	EU - GHS (H-Statements)		H400 -	Very toxic to aq	uatic life
CHRON AQUATIC	EU - GHS (H-Statements)		H410 -	Very toxic to aq	uatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Statements)		H301 -	Toxic if swallow	ved
MAMMALIAN	EU - GHS (H-Statements)		H311 -	Toxic in contact	t with skin
SKIN IRRITATION	EU - GHS (H-Statements)		H314 -	Causes severe	skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 -	May cause an a	llergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)		H318 -	Causes serious	eye damage
MAMMALIAN	EU - GHS (H-Statements)		H330 -	Fatal if inhaled	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL:	ISSUE DATE: 2020-10- EXPIRY D 13	DATE: CERTIFIER OR LAB: LATICRETE
CERTIFICATION AND COMPLIANCE NOTES: STONETECH	l® Enhancer & Sealer (Canada) has n	ot been tested for VOC emission.
VOC CONTENT	TDS 251 "Low VOC LATICRETE®	Products"
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: https://www.laticrete.com/~/media/support-and- downloads/technical-datasheets/tds251.ashx	ISSUE DATE: 2020-08- EXPIRY E 12	DATE: CERTIFIER OR LAB: LATICRETE

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

STONETECH® Enhancer Sealer (Canada) meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, STONETECH Enhancer Sealer (Canada) does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

## MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

## KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

#### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.