SPARTACOTE® FLEX PURE CLINICAL PLUS™ by LATICRETE International

HPD UNIQUE IDENTIFIER: 22810

CLASSIFICATION: 09 67 23 Resinous Flooring

PRODUCT DESCRIPTION: A low VOC and minimal odor, fast curing, two part polyaspartic aliphatic polyurea sealer/finish coating for hospitals, veterinary clinics, pharmaceutical facilities, and more... Important characteristics of SPARTACOTE® FLEX PURE CLINICAL PLUS[™] are its rapidcure, its durable, seamless finish, and its antimicrobial properties. This product is low VOC and does not emit strong solvent odors during installation.

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format
- Basic Method
- Threshold Disclosed Per
- C Material
- O Product

Threshold level 100 ppm 1,000 ppm Per GHS SDS O Other

Residuals/Impurities © Considered © Partially Considered

© Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

Basic Method / Product Threshold

All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

 Identified
 O Yes Ex/SC O Yes I No

 One or more substances not disclosed by Name
 (Specific or Generic) and Identifier and/ or one or more

 Special Condition did not follow guidance.
 (Specific or Generic)

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

SPARTACOTE® FLEX PURE CLINICAL PLUS™ [HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER (HDI HOMOPOLYMER) LT-P1 TETRAETHYL N,N'- (METHYLENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-ASPARTATE LT-UNK | SKI BIS(4-(1,2-BIS(ETHOXYCARBONYL)ETHYLAMINO)-3-METHYLCYCLOHEXYL)METHANE LT-UNK | SKI DIPROPYLENE GLYCOL METHYL ETHER ACETATE (DPMA) LT-UNK 2-BUTENEDIOIC ACID (E)-, DIETHYL ESTER LT-UNK COCONUT OIL LT-UNK UNDISCLOSED BM-1 | PBT | MUL UNDISCLOSED NoGS UNDISCLOSED NoGS 1,6-HEXAMETHYLENE DIISOCYANATE LT-UNK | RES | SKI | EYE | MAM UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-P1 | AQU | SKI | END | MUL | PHY]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 61Regulatory (g/l): 61Does the product contain exempt VOCs: NoAre ultra-low VOC tints available: N/A

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A VOC content: TDS 251 "Low VOC LATICRETE Products / LEED Certification"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2020-11-04

SPARTACOTE FLEX PURE CLINICAL PLUS hpdrepository.hpd-collaborative.org

⊙ Yes ⊙ No VERIFIER: VERIFICATION #: PUBLISHED DATE: 2020-11-04 EXPIRY DATE: 2023-11-04 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SPARTACOTE® FLEX PURE CLIN	ICAL PLUS™				
PRODUCT THRESHOLD: 100 ppm	RESI	DUALS AND IN	IPURITIES CONS	SIDERED: Yes	
RESIDUALS AND IMPURITIES NOT potentially greater than 100 ppm.	TES: Residuals and impurities are measured	d by quantitativ	ve methods and a	are only displayed wł	nen they are
OTHER PRODUCT NOTES: See SD	OS at www.laticrete.com for occupational ex	xposure inform	ation.		
HEXAMETHYLENE DIISOCYANA HOMOPOLYMER)					ID: 28182-81-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-11-04	
%: 38.0000 - 45.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROL	E: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS		
None found			No warning	is found on HPD Prio	rity Hazard Lists
SUBSTANCE NOTES: The amou	unt of this component may vary based on the	he plant of ma	nufacture.		
ASPARTATE	EDICYCLOHEXANE-4,1-DIYL)BIS-DL- Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-11-04	ID: 136210-30-5
%: 30.0000 - 36.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE	Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WAP	NINGS		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		1	
SUBSTANCE NOTES: The amou	unt of this component may vary based on t	he plant of mai	nufacture.		
BIS(4-(1,2-BIS(ETHOXYCARBON METHYLCYCLOHEXYL)METHAN					ID: 136210-32-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-11-04	
%: 10.0000 - 15.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE	Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317	' - May cause an	allergic skin reaction	l
SUBSTANCE NOTES: The amou	unt of this component may vary based on th	he plant of ma	nufacture.		

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATI	E: 2020-11-04
%: 8.0000 - 17.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warni	ngs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: The amou	int of this component may vary based on t	he plant of m	anufacture.	
2-BUTENEDIOIC ACID (E)-, DIET	HYL ESTER			ID: 623-91-
	Pharos Chemical and Materials Library	HAZARD S	CREENING DATI	E: 2020-11-04
%: 2.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warni	ngs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: The amou	Int of this component may vary based on t	he plant of m	anufacture.	
	,			
COCONUT OIL				ID: 8001-31-
IAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATI	E: 2020-11-04
%: 1.0000 - 3.0000	GS: LT-UNK	RC: None	NANO: No SU	JBSTANCE ROLE: Processing regulato
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warni	ngs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: The amou	int of this component may vary based on t	he plant of m	anufacture.	
UNDISCLOSED				
	Reves Chemical and Materials Library			E. 2020 11 04
	Pharos Chemical and Materials Library			
%: 1.0000 - 1.5000	GS: BM-1	RC: None	NANO: No SU	E: 2020-11-04 UBSTANCE ROLE: Heat or UV stabilize
%: 1.0000 - 1.5000 HAZARD TYPE	GS: BM-1	RC: None	NANO: No SI IRNINGS	UBSTANCE ROLE: Heat or UV stabilize
%: 1.0000 - 1.5000	GS: BM-1	RC: None WA	NANO: No St RNINGS rsistent, Bioaccu	
%: 1.0000 - 1.5000 HAZARD TYPE	GS: BM-1	RC: None WA Per to t	NANO: No St RNINGS rsistent, Bioaccu	UBSTANCE ROLE: Heat or UV stabilize umulative and inherently Toxic (PBiTE) (based on aquatic organisms)
%: 1.0000 - 1.5000 HAZARD TYPE PBT MULTIPLE SUBSTANCE NOTES: The amou	GS: BM-1 AGENCY AND LIST TITLES EC - CEPA DSL German FEA - Substances Hazardous	RC: None WA Per to 1 to Cla	NANO: No SU RNINGS rsistent, Bioaccu the Environment ss 2 - Hazard to anufacture. This	UBSTANCE ROLE: Heat or UV stabilize umulative and inherently Toxic (PBiTE) (based on aquatic organisms) Waters
%: 1.0000 - 1.5000 HAZARD TYPE PBT MULTIPLE SUBSTANCE NOTES: The amou	GS: BM-1 AGENCY AND LIST TITLES EC - CEPA DSL German FEA - Substances Hazardous Waters Int of this component may vary based on t	RC: None WA Per to 1 to Cla	NANO: No SU RNINGS rsistent, Bioaccu the Environment ss 2 - Hazard to anufacture. This	UBSTANCE ROLE: Heat or UV stabilize umulative and inherently Toxic (PBiTE) (based on aquatic organisms) Waters
%: 1.0000 - 1.5000 HAZARD TYPE PBT MULTIPLE SUBSTANCE NOTES: The amou preserve integrity of formula and	GS: BM-1 AGENCY AND LIST TITLES EC - CEPA DSL German FEA - Substances Hazardous Waters Int of this component may vary based on t	RC: None WA Per to 1 to Cla he plant of m nponent CAS	NANO: No SU RNINGS rsistent, Bioaccu the Environment ss 2 - Hazard to anufacture. This	UBSTANCE ROLE: Heat or UV stabilized umulative and inherently Toxic (PBiTE) (based on aquatic organisms) • Waters • product is shown as undisclosed to dentify associated hazards.

WARNINGS

No warnings found on HPD Priority Hazard Lists

None found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2020-11-04
%: 0.5000 - 1.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

1,6-HEXAMETHYLENE DIISOCYANATE

ID: 822-06-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-11-04
%: 0.2000 - 0.4000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS	
RESPIRATORY	AOEC - Asthmagens	Asth	magen (G) - gene	erally accepted
SKIN IRRITATION	EU - GHS (H-Statements)	H31	5 - Causes skin in	ritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317	7 - May cause an	allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319	9 - Causes seriou	s eye irritation
MAMMALIAN	EU - GHS (H-Statements)	H33 ⁻	I - Toxic if inhaled	d
RESPIRATORY	EU - GHS (H-Statements)		4 - May cause alle thing difficulties i	ergy or asthma symptoms or f inhaled
RESPIRATORY	МАК		sitizing Substance itization	e Sah - Danger of airway & skin

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-11-04
%: 0.1000 - 0.2000	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SCRI	EENING DATE:	2020-11-04
%: 0.0500 - 0.2000	GS: LT-P1	RC: No	one	NANO: No	SUBSTANCE ROLE: Biocide
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS	
ACUTE AQUATIC	EU - GHS (H-Statements)		H400 ·	- Very toxic to a	quatic life
CHRON AQUATIC	EU - GHS (H-Statements)		H410 ·	- Very toxic to a	quatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)		H314 ·	- Causes severe	skin burns and eye damage
ENDOCRINE	TEDX - Potential Endocrine Disruptors	i	Poten	tial Endocrine D	isruptor
MULTIPLE	German FEA - Substances Hazardous Waters	to	Class	3 - Severe Haza	rd to Waters
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H272 ·	- May intensify f	ire; oxidiser

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL:	ISSUE DATE: 2020-10- EXPIRY I 12	DATE: CERTIFIER OR LAB: LATICRETE
CERTIFICATION AND COMPLIANCE NOTES: SPARTACOT	E® FLEX PURE CLINICAL PLUS™ h	as not been tested for VOC emissions.
VOC CONTENT	TDS 251 "Low VOC LATICRETE P	Products / LEED Certification"
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities CERTIFICATE URL: https://cdn.laticrete.com/~/media/support-and- downloads/technical-datasheets/tds251.ashx	ISSUE DATE: 2020-08- EXPIRY I 12	DATE: CERTIFIER OR LAB: LATICRETE

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

SPARTACOTE® FLEX PURE CLINICAL PLUS[™] meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, SPARTACOTE FLEX PURE CLINICAL PLUS does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://spartacote.com

CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

• a method for the assessment of exposure or risk associated with product handling or use,

• a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.