LATICRETE® HYDRO BAN® Quick Cure by LATICRETE International

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22584

CLASSIFICATION: 09 34 00 Waterproofing-Membrane Tiling

PRODUCT DESCRIPTION: LATICRETE® HYDRO BAN® Quick Cure is a rapid curing, thin, liquid applied ready-to-use waterproofing membrane that is ANSI A118.10 compliant. Featuring wet-cure technology, this allows curing even in humid, cold and damp environments and for flood testing in as little as 30 minutes allowing contractors to install a shower system all in one day. Designed for both commercial and residential tile installations. Suited for interior substrates, LATICRETE HYDRO BAN Quick Cure creates a continuous waterproofing barrier with outstanding adhesion.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities

Considered

C Partially Considered

O Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more

Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE® HYDRO BAN® QUICK CURE [POLY(OXY(METHYL-1,2-ETHANEDIYL)), ALPHA-(((3-(TRIMETHOXYSILYL)PROPYL)AMINO)CARBONYL)-OMEGA-((((3-(TRIMETHOXYSILYL)PROPYL)AMINO)CARBONYL)OXY)- NoGS CALCIUM CARBONATE BM-3 UNDISCLOSED NoGS UNDISCLOSED LT-UNK TRIMETHOXYVINYLSILANE BM-1tp UNDISCLOSED BM-1 DEV | PHY | MAM | END | MUL | REP STEARIC ACID LT-P1 | END UNDISCLOSED LT-UNK UNDISCLOSED BM-4 UNDISCLOSED LT-1 | RES | CAN | GEN | REP UNDISCLOSED LT-P1 | PBT UNDISCLOSED NoGS]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 2.39 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: UL/GreenGuard Gold Certified

VOC content: TDS 251 "Low VOC LATICRETE Products"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** **SCREENING DATE: 2020-10-19 PUBLISHED DATE: 2020-10-19** EXPIRY DATE: 2023-10-19

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE® HYDRO BAN® QUICK CURE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at https://laticrete.com for occupational exposure information.

POLY(OXY(METHYL-1,2-ETHANEDIYL)), ALPHA-(((3-(TRIMETHOXYSILYL)PROPYL)AMINO)CARBONYL)-OMEGA-((((3-(TRIMETHOXYSILYL)PROPYL)AMINO)CARBONYL)OXY)-

ID: 216597-12-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-19

%: 58.0000 - 65.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Monomer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

CALCIUM CARBONATE ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-19

%: 29.0000 - 32.0000 GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-19

%: 5.5000 - 6.2000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-19			
%: 2.5000 - 3.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
None found			No warni	ngs found on HPD Priority Hazard Lists	

preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-19

%: 2.0000 - 4.0000 GS: BM-1tp RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:		REENING DATE:	2020-10-19
%: 0.5000 - 1.0000	GS: BM-1	RC: I	RC: None NANO: No		SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNI	NGS	
DEVELOPMENTAL	US NIH - Reproductive & Developmenta Monographs	ctal Clear Evidence of Adverse Effects - Developme Toxicity			rse Effects - Developmental
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour			e liquid and vapour
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed			ed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin			with skin
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled			
ORGAN TOXICANT	EU - GHS (H-Statements)		H370 -	Causes damage	to organs
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potenti	al Endocrine Dis	ruptor
MULTIPLE	German FEA - Substances Hazardous t Waters	0	Class 2	- Hazard to Wa	ters
REPRODUCTIVE	GHS - Japan		Toxic to	reproduction -	Category 1B [H360]
DEVELOPMENTAL	CA EPA - Prop 65		Develo	omental toxicity	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

STEARIC ACID ID: 57-11-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-19

%: 0.5000 - 3.5000	GS: LI-P1	RC: None	NANO: No	SUBSTANCE ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor				
SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.						

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-19			
%: 0.2000 - 0.4000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
None found			No warni	ngs found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-19		
%: 0.1000 - 0.2000	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-19			2020-10-19
%: 0.1000 - 0.5000	GS: LT-1	RC: Non	ne	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted			ally accepted
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinoge man			Considered to be carcinogenic for
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & sk sensitization			Sah - Danger of airway & skin
GENE MUTATION	MAK	Germ Cell Mutagen 3a			
REPRODUCTIVE	GHS - Australia	H360F - May damage fertility			ertility

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:		2020-10-19
%: 0.1000 - 0.2000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
РВТ	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / v Persistent & very Bioaccumulative)		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-19			
%: 0.0000 - 0.5000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	RNINGS		
None found			No warnii	ngs found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party

ISSUE DATE: 2018-05- EXPIRY DATE: 2021-

CERTIFIER OR LAB: UL

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilites.

23

12

07-09

Environment

CERTIFICATE URL:

http://certificates.greenguard.org/default.aspx?

id=113760&t=cs&

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

VOC CONTENT

TDS 251 "Low VOC LATICRETE Products"

ISSUE DATE: 2020-08- EXPIRY DATE:

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL:

https://cdn.laticrete.com/~/media/support-and-

downloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (Waterproofing Sealers).



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

LATICRETE® HYDRO BAN® Quick Cure meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE HYDRO BAN Quick Cure does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents • Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Service

PHONE: 203.393.4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity **GEN** Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.