LATICRETE® HYDRO BAN® Cementitious Waterproofing Membrane by LATICRETE International

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22618

CLASSIFICATION: 09 34 00 Waterproofing-Membrane Tiling

PRODUCT DESCRIPTION: LATICRETE® HYDRO BAN® Cementitious Waterproofing Membrane is a one component, polymer fortified, cement

based waterproofing material that mixes with water.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 1,000 ppm C Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- O Not Considered

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

○ Yes Ex/SC ⊙ Yes ○ No Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE® HYDRO BAN® CEMENTITIOUS WATERPROOFING MEMBRANE [QUARTZ LT-1 | CAN PORTLAND CEMENT LT-P1 | END | CAN UNDISCLOSED LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK UNDISCLOSED LT-UNK | CAN UNDISCLOSED LT-UNK CALCIUM OXIDE LT-P1 UNDISCLOSED BM-1 | DEV | PHY | MAM | END | MUL | REP UNDISCLOSED BM-1 | CAN | PHY | EYE | GEN | MUL | END | REP UNDISCLOSED LT-P1 | CAN | PHY | END | MUL | MAM | GEN UNDISCLOSED LT-UNK | PHY | EYE CALCIUM CARBONATE BM-3 LIMESTONE, CALCIUM CARBONATE LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 2.39 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified (Cementitious

Waterproofing)

VOC content: TDS 251 "Low VOC LATICRETE Products"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-10-22 PUBLISHED DATE: 2020-10-22 EXPIRY DATE: 2023-10-22



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE® HYDRO BAN® CEMENTITIOUS WATERPROOFING MEMBRANE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at https://laticrete.com for occupational exposure information.

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

QUARTZ					ID: 14808-60-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	ARD SC	REENING DATE:	2020-10-22
%: 39.0000 - 80.0000	GS: LT-1	RC: N	None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	NINGS	
CANCER	IARC		Group	1 - Agent is Carc	inogenic to humans
CANCER	US CDC - Occupational Carcinogens		Occup	oational Carcinoge	en
CANCER	CA EPA - Prop 65		Carcir route	nogen - specific to	o chemical form or exposure
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - in from occupational sources			· ·
CANCER	US NIH - Report on Carcinogens			n to be Human Ca pational setting)	rcinogen (respirable size -
CANCER	MAK		Carcir man	nogen Group 1 - S	substances that cause cancer in
CANCER	GHS - New Zealand		6.7A -	Known or presum	ned human carcinogens
CANCER	GHS - Japan		Carcir	nogenicity - Categ	ory 1A [H350]
CANCER	GHS - Australia		H350i	- May cause cand	er by inhalation

PORTLAND CEMENT				ID: 65997-15-1
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-22
%: 20.0000 - 32.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potent	ial Endocrine Dis	sruptor
CANCER	NCER MAK		ogen Group 3B - t sufficient for cl	- Evidence of carcinogenic effects assification

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: 15.0000 - 22.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: 8.0000 - 15.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: 0.2000 - 0.3000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CANCER MAK Carcinogen Group 3B - Evidence of carcinogenic effects

but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: 0.1000 - 0.3000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

CALCIUM OXIDE ID: 1305-78-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: Impurity/Residual	GS: LT-P1	RC: None NANO: No SUB	3STANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings fo	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	prary HAZARD SCREENING DATE: 2020-10-22				22
%: 0.0050 - 0.1000	GS: BM-1	RC: N	lone	NANO: No	SUBSTANCE F	ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES		WAF	RNINGS		
DEVELOPMENTAL	US NIH - Reproductive & Developmenta Monographs	al	Clea		f Adverse Effects	s - Developmental
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H22	5 - Highly flar	nmable liquid an	d vapour
MAMMALIAN	EU - GHS (H-Statements)		H301	- Toxic if sv	vallowed	
MAMMALIAN	EU - GHS (H-Statements)		H311	- Toxic in c	in contact with skin	
MAMMALIAN	EU - GHS (H-Statements)		H331	- Toxic if inl	naled	
ORGAN TOXICANT	EU - GHS (H-Statements)		H370) - Causes da	amage to organs	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Pote	ntial Endocri	ne Disruptor	
MULTIPLE	German FEA - Substances Hazardous t Waters	0	Clas	s 2 - Hazard	to Waters	
REPRODUCTIVE	GHS - Japan		Toxi	c to reproduc	ction - Category	1B [H360]
DEVELOPMENTAL	CA EPA - Prop 65		Deve	elopmental to	exicity	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	: Pharos Chemical and Materials Library HAZA		REENING DATE:	2020-10-22
%: 0.0002 - 0.1000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H224 - Extremely flammable liquid and vapour
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	TEDX - Potential Endocrine Disruptors MAK	Potential Endocrine Disruptor Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
	<u> </u>	Carcinogen Group 5 - Genotoxic carcinogen with very
CANCER	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels Carcinogen Category 1B - Presumed Carcinogen based
CANCER	MAK EU - Annex VI CMRs	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER CANCER GENE MUTATION	MAK EU - Annex VI CMRs GHS - New Zealand	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels Carcinogen Category 1B - Presumed Carcinogen based on animal evidence 6.6A - Known or presumed human mutagens
CANCER CANCER GENE MUTATION CANCER	MAK EU - Annex VI CMRs GHS - New Zealand GHS - Japan	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels Carcinogen Category 1B - Presumed Carcinogen based on animal evidence 6.6A - Known or presumed human mutagens Carcinogenicity - Category 1A [H350]
CANCER CANCER GENE MUTATION CANCER CANCER	MAK EU - Annex VI CMRs GHS - New Zealand GHS - Japan GHS - Japan	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels Carcinogen Category 1B - Presumed Carcinogen based on animal evidence 6.6A - Known or presumed human mutagens Carcinogenicity - Category 1A [H350] Carcinogenicity - Category 1B [H350]
CANCER CANCER GENE MUTATION CANCER CANCER REPRODUCTIVE	MAK EU - Annex VI CMRs GHS - New Zealand GHS - Japan GHS - Japan GHS - Japan	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels Carcinogen Category 1B - Presumed Carcinogen based on animal evidence 6.6A - Known or presumed human mutagens Carcinogenicity - Category 1A [H350] Carcinogenicity - Category 1B [H350] Toxic to reproduction - Category 1A [H360]

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	brary HAZARD SCREENING DATE: 2020-10-22			
%: 0.0002 - 0.1000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
GENE MUTATION	GHS - New Zealand	6.6A - Known or presumed human mutagens

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-22			
%: 0.0002 - 0.1000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour			
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye i		erious eye irritation	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

CALCIUM CARBONATE ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: Impurity/Residual GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-22

%: Impurity/Residual GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100 ppm.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified (Cementitious Waterproofing)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2018-05- EXPIRY DATE: 2021-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities.

23

07-09

Environment

CERTIFICATE URL:

http://certificates.greenguard.org/default.aspx?

id=113759&t=cs&

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

VOC CONTENT

TDS 251 "Low VOC LATICRETE Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08- EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities. **CERTIFICATE URL:**

https://cdn.laticrete.com/~/media/support-anddownloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (Waterproofing Sealers).



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available,

WATER

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE® Cementitious Waterproofing Membrane to be mixed with water only following mix ratio and directions as stated in product data sheet.

Section 5: General Notes

LATICRETE® HYDRO BAN® Cementitious Waterproofing Membrane meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE HYDRO BAN Cementitous Waterproofing Membrane does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues • California Banned Solvents • Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organophosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, US

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Service

PHONE: 203.393.4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.