

L&M™ CITREX™

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Date of Issue: 09/10/2019

Version: 1.0

SECTION 1: IDENTIFICATION

Product Form: Mixture

1.1.

Product Identifier

Product Name: L&M[™] CITREX[™] **Intended Use of the Product** 1.2. Use of the Substance/Mixture: Cleaner. Name, Address, and Telephone of the Responsible Party 1.3. Company LATICRETE International 1 Laticrete Park. N Bethany, CT 06524 T (203)-393-0010 www.laticrete.com **Emergency Telephone Number** 1.4. **Emergency Number** : For Chemical Emergency call ChemTel Inc. day or night: (800)255-3924 (North America) (800)-099-0731 (Mexico) +1 (813)248-0585 (International - collect calls accepted) **SECTION 2: HAZARDS IDENTIFICATION Classification of the Substance or Mixture** 2.1. Flam. Liq. 4 H227 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Skin Sens. 1 H317 Asp. Tox. 1 H304 H400 Aquatic Acute 1 Aquatic Chronic 1 H410 Full text of hazard classes and H-statements : see section 16 2.2. Label Elements **GHS-US Labeling** Hazard Pictograms (GHS-US) Signal Word (GHS-US) : Danger Hazard Statements (GHS-US) : H227 - Combustible liquid. H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H400 - Very toxic to aquatic life. H410 - Very toxic to aquatic life with long lasting effects. **Precautionary Statements (GHS-US)** : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing vapors, mist, or spray. P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, and eye protection. P301+P310 - If swallowed: Immediately call a poison center or doctor. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see section 4 on this SDS).

P331 - Do NOT induce vomiting.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.

P391 - Collect spillage.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS US classification
D-Limonene	(CAS-No.) 5989-27-5	80 - 100	Flam. Liq. 3, H226
			Skin Irrit. 2, H315
			Skin Sens. 1B, H317
			Asp. Tox. 1, H304
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
Poly(oxy-1,2-ethanediyl), .alpha	(CAS-No.) 127087-87-0	0.9 - 1.5	Acute Tox. 4 (Oral), H302
(4-nonylphenyl)omega			Skin Irrit. 2, H315
hydroxy-, branched			Eye Dam. 1, H318
			Aquatic Acute 3, H402
			Aquatic Chronic 2, H411
Polyethylene glycol	(CAS-No.) 25322-68-3	<= 0.15	STOT SE 3, H335

Full text of H-phrases: see section 16

** The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Immediately remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists.

First-aid Measures After Eye Contact: Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Skin sensitization. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: Aspiration into the lungs can occur during ingestion or vomiting and may cause lung injury. **Chronic Symptoms:** None expected under normal conditions of use.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂). Water may be ineffective but water should be used to keep fire-exposed container cool.

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Combustible liquid.

Explosion Hazard: May form flammable or explosive vapor-air mixture.

Reactivity: Reacts violently with strong oxidizers. Increased risk of fire or explosion.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products:** Carbon oxides (CO, CO₂). Sulfur oxides. Hydrocarbons. Nitrogen oxides.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapor, mist, spray). Do not get in eyes, on skin, or on clothing. Avoid all contact with skin, eyes, or clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Eliminate ignition sources.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Handle empty containers with care because residual vapors are flammable.

Precautions for Safe Handling: Avoid contact with skin, eyes and clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Take precautionary measures against static discharge. Use only non-sparking tools.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

Storage Conditions: Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place. Store locked up/in a secure area.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Polymerization catalysts.

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.3. Specific End Use(s)

Cleaner.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

supplier, importer, or the appropriate adv	isory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).	
D-Limonene (5989-27-5)		
USA AIHA WEEL TWA (ppm)	30 ppm	
Polyethylene glycol (25322-68-3)		
USA AIHA WEEL TWA (mg/m ³)	10 mg/m ³ (molecular weight>200-aerosol)	
8.2. Exposure Controls		
Appropriate Engineering Controls Personal Protective Equipment	 Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. 	
Materials for Protective Clothing	: Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.	
Hand Protection	: Wear protective gloves.	
Eye and Face Protection	: Chemical safety goggles.	
Skin and Body Protection	: Wear suitable protective clothing.	
Respiratory Protection	: If exposure limits are exceeded or irritation is experienced, approved respiratory	
	protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory	
	protection.	
Other Information	: When using, do not eat, drink or smoke.	
SECTION 9: PHYSICAL AND CHEMIC		
9.1. Information on Basic Physical		
Physical State	: Liquid	
Appearance	: Water White	
Odor	: Terpene	
Odor Threshold	: No data available	
pH	: Not applicable	
Evaporation Rate	: No data available	
Melting Point	: No data available	
Freezing Point	: No data available	
Boiling Point	: 176 °C (348.8 °F)	
Flash Point	: 93 °C (199.4 °F) Pensky-Martens Closed Cup	
Auto-ignition Temperature	: No data available	
Decomposition Temperature	: No data available	
Flammability (solid, gas)	: Not applicable	
Vapor Pressure	: No data available	
Relative Vapor Density at 20°C	: No data available	
Relative Density	: No data available	
Specific Gravity	: 0.98	
Solubility	: Water: Appreciable	
Partition Coefficient: N-Octanol/Water	: No data available	
09/10/2019	EN (English US) 4/8	

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity	y
-----------	---

9.2.

: No data available

Other Information No additional information available **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity: Reacts violently with strong oxidizers. Increased risk of fire or explosion.

10.2. **Chemical Stability:** Combustible liquid. May form flammable or explosive vapor-air mixture.

10.3. Possibility of Hazardous Reactions: Will polymerize with heat & catalyst.

10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers. Polymerization catalysts.

10.6. Hazardous Decomposition Products: Explosive decomposition may occur if combined with strong acids or strong bases and subjected to elevated temperatures.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

D-Limonene (5989-27-5)		
LD50 Oral Rat	4400 mg/kg	
LD50 Dermal Rabbit	> 5 g/kg	
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched (127087-87-0)		
LD50 Oral Rat	1310 mg/kg	
Polyethylene glycol (25322-68-3)		
LD50 Oral Rat	22 g/kg	
LD50 Dermal Rabbit	> 20 g/kg	
Chine Commenting Humitentians Commendations		

Skin Corrosion/Irritation: Causes skin irritation.

pH: Not applicable

Serious Eye Damage/Irritation: Causes serious eye irritation.

pH: Not applicable

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

D-Limonene (5989-27-5)	
IARC group	3
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: May be fatal if swallowed and enters airways.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: Aspiration into the lungs can occur during ingestion or vomiting and may cause lung injury. Chronic Symptoms: None expected under normal conditions of use.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity		
Ecology - General	: Very toxic to aquatic life with long lasting effects.	
D-Limonene (5989-27-5)		
LC50 Fish 1	0.619 (0.619 - 0.796) mg/l (Exposure time: 96 h - Species: Pimephales promelas	
	[flow-through])	
EC50 Daphnia 1	Daphnia 1 0.421 mg/l	
LC50 Fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched (127087-87-0)		

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Federal Register / Vol. 77, No.	. 58 / Monday, March 26, 2012 / Rules and Regulations		
LC50 Fish 1	11.6 mg/l		
12.2. Persistence and	Persistence and Degradability		
L&M™ CITREX™			
Persistence and Degradabilit	ty May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative			
L&M™ CITREX™			
Bioaccumulative Potential	Not established.		
	No additional information available		
•			
12.5. Other Adverse Ef			
Other Information	: Avoid release to the environment.		
SECTION 13: DISPOSAL C			
13.1. Waste Treatmen			
-	dations: Dispose of contents/container in accordance with local, regional, national, and international		
regulations.	- He such a station of the same have a side of the same and flamma has		
	ndle empty containers with care because residual vapors are flammable.		
of sewers and waterways.	Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out		
SECTION 14: TRANSPOR			
	tated herein were prepared in accordance with certain assumptions at the time the SDS was		
	d on a number of variables that may or may not have been known at the time the SDS was issued.		
14.1. In Accordance wi			
Proper Shipping Name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (D-Limonene; Poly(oxy-1,2-		
	ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched))		
Hazard Class	: 9		
Identification Number	: UN3082		
Label Codes	: 9		
Packing Group	: 111		
Marine Pollutant	: Marine pollutant		
ERG Number	: 171		
14.2. In Accordance wi	ith IMDG		
Proper Shipping Name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D-Limonene; Poly(oxy-1,2-		
	ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched))		
Hazard Class	: 9		
Identification Number	: UN3082		
Packing Group	: 111		
Label Codes	: 9		
EmS-No. (Fire)	: F-A		
EmS-No. (Spillage)	: S-F		
Marine Pollutant	: Marine pollutant		
14.3. In Accordance with	ith IATA		
Proper Shipping Name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D-Limonene; Poly(oxy-1,2- ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched))		
Packing Group	:		
Identification Number	: UN3082		
Hazard Class	azard Class : 9		
Label Codes	: 9		
ERG Code (IATA)	: 9L		
SECTION 15: REGULATO			
15.1. US Federal Regul			
L&M [™] CITREX [™]			

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Health hazard - Aspiration hazard	
D-Limonene (5989-27-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched (127087-87-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Subject to reporting requirements of United States SARA Section 313		
EPA TSCA Regulatory Flag XU - XU - indicates a substance exempt from reporting under the		
	Chemical Data Reporting Rule, (40 CFR 711).	
SARA Section 313 - Emission Reporting	1%	
Polyethylene glycol (25322-68-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the	
	Chemical Data Reporting Rule, (40 CFR 711).	

15.2. US State Regulations Neither this product nor its chemical components appear on any US state lists, or its chemical components are not required to be disclosed

SECTIO	ON 16: OTHER INFORMATION, INCLUDING	G DATE OF PREPARATION OR LAST REVISION
	of Preparation or Latest Revision	: 09/10/2019 : This document has been prepared in accordance with the SDS
		requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200
GHS F	ull Text Phrases:	
	Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
	Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
	Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
	Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
	Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
	Asp. Tox. 1	Aspiration hazard Category 1
	Eye Dam. 1	Serious eye damage/eye irritation Category 1
	Eye Irrit. 2	Serious eye damage/eye irritation Category 2
	Flam. Liq. 3	Flammable liquids Category 3
	Flam. Liq. 4	Flammable liquids Category 4

	, 6,
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Skin corrosion/irritation Category 2

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Skin Irrit. 2

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom)