

SAFETY DATA SHEET

1. Identification

Product identifier	L&M Vivid Dye WB Plus
Other means of identification	None.
Recommended use	Concrete dye.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/I	Distributor information
Company Name	LATICRETE International
Address	1 Laticrete Park, N
	Bethany, CT 06524
Telephone	(203)-393-0010
Contact person	Steve Fine
Website	www.laticrete.com
Emergency phone number	Call CHEMTREC day or night
	USA/Canada - 1.800.424.9300
	Mexico - 1.800.681.9531
	Outside USA/Canada
	1.703.527.3887
2. Hazard(s) identification	

2. Hazard(s) identification

	\wedge	
Label elements		
OSHA defined hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2
Physical hazards	Not classified.	

Signal word	Warning
Hazard statement	Causes serious eye damage.
Precautionary statement	
Prevention	Wash thoroughly after handling. Wear eye/face protection.
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures		
Chemical name	CAS number	%
Proprietary dispersal compound	Proprietary	30 - 60
Proprietary glycol	Proprietary	15 - 40
Proprietary chromium and copper based pigments	Proprietary	10 - 30
Proprietary UV absorber monomer or polymer	Proprietary	0 - 1

Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.
4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention.
Ingestion	Rinse mouth. Do not induce vomiting. Get medical attention if any discomfort continues.
Most important symptoms/effects, acute and delayed	Irritation of eyes and mucous membranes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms may include coughing and nasal discharge.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Irritating and toxic gases or fumes may be released during a fire.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Prevent entry into waterways, sewer, basements or confined areas. Stop leak if you can do it without risk.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Environmental manager must be informed of all major releases.
·	
7. Handling and storage	
Precautions for safe handling	Avoid inhalation of vapors and contact with skin, eyes and clothing. Wash thoroughly after handling. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store in a well-ventilated place.

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form
Proprietary chromium and copper based pigments (CAS Proprietary)	TWA	1 mg/m3	Dust and mist.
Biological limit values	No biological exposure limits noted for th	ne ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Wear safety glasses with side shields (o	r goggles).	
Skin protection			
Hand protection	Wear protective gloves.		
Other	Wear appropriate chemical resistant clot	hing.	
Respiratory protection	In case of insufficient ventilation, wear se	uitable respiratory equipme	nt.
Thermal hazards	Wear appropriate thermal protective clot	hing, when necessary.	
General hygiene considerations	Always observe good personal hygiene and before eating, drinking, and/or smok equipment to remove contaminants.		5

9. Physical and chemical properties

		•
	Appearance	Liquid.
	Physical state	Liquid.
	Form	Liquid.
	Color	Colored.
	Odor	No data available.
	Odor threshold	Not available.
	рН	Not available.
	Melting point/freezing point	Not available.
	Initial boiling point and boiling range	Not available.
	Flash point	Not available.
	Evaporation rate	Not available.
	Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits		losive limits
	Flammability limit - lower (%)	Not available.
	Flammability limit - upper (%)	Not available.
	Vapor pressure	Not available.
	Vapor density	Not available.
	Relative density	Not available.
	Solubility(ies)	
	Solubility (water)	Soluble.
	Partition coefficient (n-octanol/water)	Not available.
	Auto-ignition temperature	Not available.
	Decomposition temperature	Not available.
	Viscosity	Not available.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong bases. Perchloric acid.
Hazardous decomposition products	Carbon monoxide. Carbon dioxide. Nitrogen oxides. Copper compounds. Chromium compounds.

11. Toxicological information

Information on likely routes of exposure

information on likely routes of ex	kposure
Inhalation	In high concentrations, vapors may be irritating to the respiratory system.
Skin contact	May cause skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	May cause discomfort if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes and mucous membranes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms may include coughing and nasal discharge.
Information on toxicological effe	cts
Acute toxicity	May cause discomfort if swallowed.
Skin corrosion/irritation	May cause skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitization	
Respiratory sensitization	No data available.
Skin sensitization	Not a skin sensitizer.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulated Not listed.	d Substances (29 CFR 1910.1001-1050)
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	No data available.
Specific target organ toxicity - repeated exposure	No data available.
Aspiration hazard	Not classified.
Chronic effects	Prolonged contact may cause dryness of the skin. May cause central nervous system effects.
12. Ecological information	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Discoursulative notential	No data available

Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No data available.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations.		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.		
14. Transport information			
DOT			
Not regulated as dangerous g	oods.		
Not regulated as dangerous g	oods.		
Not regulated as dangerous g	loods.		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not available.		
15. Regulatory information	n		
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)		
Not regulated. OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1050)		
Not listed.			
CERCLA Hazardous Substa	d copper based pigments (CAS LISTED		
Proprietary chroman and	Topper based pigments (CAS LISTED		
Superfund Amendments and Re	eauthorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazard	-		
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List		
Not regulated. Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)		
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations			
US. Massachusetts RTK - Substance List			
Not regulated. US. New Jersey Worker and Community Right-to-Know Act			
Proprietary chromium and	d copper based pigments (CAS Proprietary) nd Community Right-to-Know Law		
Not listed			

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	18-February-2015
Revision date	-
Version #	01
NFPA ratings	200

Disclaimer

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.