LATICRETE® MVIS™ Premium Pointing Mortar Base by LATICRETE International

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 28685 CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: a premium, factory-prepared, high performance & fast setting masonry pointing mortar that offers the industry's first dispersible dry pigment solution that can allow for a wide range of colors. It also provides a masonry pointing mortar joint that is dense, hard and color consistent.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Rasic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances. Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified

○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE® MVIS™ PREMIUM POINTING MORTAR BASE [QUARTZ BM-1 | CAN HIGH-ALUMINA CEMENT LT-UNK CALCIUM SULFATE, 1_2-HYDRATE, POWDER LT-UNK UNDISCLOSED NoGS PORTLAND CEMENT LT-P1 | CAN | END PLASTER OF PARIS NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | RES UNDISCLOSED LT-UNK UNDISCLOSED BM-2 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END | MAM UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK CALCIUM CARBONATE BM-3 LIMESTONE; CALCIUM CARBONATE BM-3dg]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/I): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: Environmental Product Declaration (EPD) by UL -

Industry Generic

VOC content: TDS 251 "Low VOC LATICRETE® Products"

LCA: LATICRETE Grout for Tile Installation Product Specific (Type III)

Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2022-06-14 PUBLISHED DATE: 2022-06-14 EXPIRY DATE: 2025-06-14



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE® MVIS™ PREMIUM POINTING MORTAR BASE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

QUARTZ ID: 14808-60-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-14 11:31:14 %: 55.0000 - 65.0000 GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Filler HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CAN **US CDC - Occupational Carcinogens** Occupational Carcinogen CAN CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route CAN US NIH - Report on Carcinogens Known to be Human Carcinogen (respirable size occupational setting) MAK Carcinogen Group 1 - Substances that cause cancer in CAN **IARC** CAN Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources CAN **IARC** Group 1 - Agent is Carcinogenic to humans CAN GHS - Japan H350 - May cause cancer [Carcinogenicity - Category 1A] CAN GHS - Australia H350i - May cause cancer by inhalation [Carcinogenicity -Category 1A or 1B] GHS - New Zealand CAN Carcinogenicity category 1

HIGH-ALUMINA CEMENT					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	EENING DATE:	2022-06-14 11:31:15	
%: 22.0000 - 25.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROL	E: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

PORTLAND CEMENT ID: 65997-15-1 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-14 11:31:16 RC: None SUBSTANCE ROLE: Binder %: 1.0000 - 4.0000 GS: LT-P1 NANO: No **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification **END TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-14 11:31:17

%: 1.0000 - 3.0000

GS: LT-UNK

RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-14 11:31:18

%: 0.5000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-14 11:31:18

%: 0.5000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-14 11:31:19

%: 0.2500 - 0.7500 GS: BM-2 RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-14 11:31:19

%: 0.1000 - 0.2000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-14 11:31:20

%: 0.0500 - 1.5000

GS: LT-UNK

RC: None NANO: No SUBSTANCE ROLE: Defoamer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED	DISCLOSED ID: Undisclose						
HAZARD SCREENING METHOD:	HOD: Pharos Chemical and Materials Library		RD SCF	REENING DATE:	2022-06-14 11:31:20		
%: 0.0500 - 0.1000	GS: LT-P1	RC: None		NANO: No	SUBSTANCE ROLE: Defoamer		
HAZARD TYPE	AGENCY AND LIST TITLES TEDX - Potential Endocrine Disruptors EU - GHS (H-Statements) Annex 6 Table 3-1 EU - GHS (H-Statements) Annex 6 Table 3-1		WARNINGS Potential Endocrine Disruptor				
END							
MAM			repea	`	pe to organs through prolonged or pecific target organ toxicity - Category 1]		
MAM			3-1 H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]				

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED					ID: Undisclosed	
HAZARD SCREENING METHOD:	D: Pharos Chemical and Materials Library		D SCR	REENING DATE:	2022-06-14 11:31:20	
%: 0.0500 - 0.1000	GS: LT-1	RC: No	ne	NANO: No	SUBSTANCE ROLE: Defoamer	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
CAN EU - REACH Annex XVII CMR		Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man				
CAN	EU - Annex VI CMRs ChemSec - SIN List		Carcinogen Category 1B - Presumed Carcinogen based on animal evidence CMR - Carcinogen, Mutagen &/or Reproductive Toxicant			
MUL						
CAN	GHS - Australia		H350 - May cause cancer [Carcinogenicity - Categ or 1B]		ncer [Carcinogenicity - Category 1A	
CAN EU - GHS (H-Statements) Annex 6 Table 3		le 3-1 H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]				

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

None found

No warnings found on HPD Priority Hazard Lists

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-14 11:31:21

%: 0.0500 - 0.1000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-14 11:31:21

%: 0.0000 - 0.3000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

CALCIUM CARBONATE ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-14 11:31:22

%: Impurity/Residual GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-14 11:31:22

%: Impurity/Residual GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS Environmental Product Declaration (EPD) by UL - Industry Generic

CERTIFYING PARTY: Third Party ISSUE DATE: 2016-09- EXPIRY DATE: 2022-CERTIFIER OR LAB: UL APPLICABLE FACILITIES: Applies to All Facilities. 30 08-31 Environment

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as an Industry-Wide EPD.

VOC CONTENT TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared ISSUE DATE: 2020-08- EXPIRY DATE: CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to all facilities.

CERTIFICATE URL:

https://www.laticrete.com/~/media/support-anddownloads/technical-datasheets/tds251.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions and Content Requirements.

LCA LATICRETE Grout for Tile Installation Product Specific (Type III) Environmental **Product Declaration**

CERTIFYING PARTY: Third Party ISSUE DATE: 2016-11-EXPIRY DATE: 2021-CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities in North 11-28 **Environment**

12

America

CERTIFICATE URL:

https://laticrete.com/~/media/environmental-product-

data-sheets/cement-grout-for-tile-and-stone-

installation.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER AND LATICRETE PERMACOLOR SELECT COLOR KIT

HPD URL: https://cdn.laticrete.com/~/media/health-productdatasheets/tsis/permacolor-select-color-kit-hpd.ashx

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE® MVIS™ Premium Pointing Mortar Base to be mixed with water in which the correct amount of LATICRETE PERMACOLOR Select Color Kit packets have been dissolved and following the mix ratio and directions as stated in the product data sheet.

Section 5: General Notes

LATICRETE® MVIS™ Premium Pointing Mortar Base meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE MVIS Premium Pointing Mortar Base does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents • Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic

Hydrocarbons (PAH) •Short-Control Mercury •Wood treatments coproducts) information.				
LATICRETE MVIS Premium Poin	nting Mortar Base		HPD v2 2 created via HPD0	: Builder Page 8 of 9

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins
TITLE: Director, Technical Services

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.