LATICRETE® NXT[™] Level Flow by LATICRETE International

HPD UNIQUE IDENTIFIER: 22586

CLASSIFICATION: 03 54 00 Cast Underlayment

PRODUCT DESCRIPTION: LATICRETE® NXT[™] Level Flow is a pumpable and pourable, low alkali cement-based, premium self-leveling underlayment used to finish interior concrete and level uneven floor surfaces. Apply it over concrete, exterior glue plywood and other types of sound flooring before installing wood, resilient, cork, sports flooring, ceramic, stone, carpet or other flooring systems.

🟮 Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials MethodC Basic Method

Threshold Disclosed Per

- C Material
- O Product

Threshold level • 100 ppm • 1,000 ppm • Per GHS SDS • Other Residuals/Impurities

Considered

Partially ConsideredNot Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

Basic Method / Product Threshold

All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC O Yes O No

 % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes © No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

LATICRETE® NXT[™] LEVEL FLOW [QUARTZ LT-1 | CAN HIGH-ALUMINA CEMENT LT-UNK PORTLAND CEMENT LT-P1 | END | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-P1 | CAN UNDISCLOSED LT-UNK | EYE METHACRYLIC ACID LT-UNK | SKI UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK *CALCIUM CARBONATE* BM-3 *LIMESTONE*, *CALCIUM CARBONATE* LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00Regulatory (g/l): N/ADoes the product contain exempt VOCs: NoAre ultra-low VOC tints available: N/A

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified VOC content: TDS 251 "Low VOC LATICRETE® Products" LCA: LATICRETE Cement Self-Leveling Underlayment Product Specific (Type III) Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

○ Yes○ No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-20 PUBLISHED DATE: 2020-10-20 EXPIRY DATE: 2023-10-20

Health Product Declaration v2.2

created via: HPDC Online Builder

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

• Basic Inventory method with Product-level threshold.

•

- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE® NXT™ LEVEL FLOW PRODUCT THRESHOLD: 100 ppm **RESIDUALS AND IMPURITIES CONSIDERED: Yes** RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm. OTHER PRODUCT NOTES: See SDS at https://laticretesupercap.com for occupational exposure information. **QUARTZ** ID: 14808-60-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-20 %: 53.0000 - 60.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Filler HAZARD TYPE AGENCY AND LIST TITLES WARNINGS IARC CANCER Group 1 - Agent is Carcinogenic to humans CANCER US CDC - Occupational Carcinogens Occupational Carcinogen CANCER Carcinogen - specific to chemical form or exposure route CA EPA - Prop 65 CANCER IARC Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources CANCER US NIH - Report on Carcinogens Known to be Human Carcinogen (respirable size -

		occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

HIGH-ALUMINA CEMENT				ID: 65997-16-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2020-10-20
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS	
None found			No warning	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

CANCER	МАК		rcinogen Group 3B t not sufficient for c	- Evidence of carcinogenic effects classification	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Po	Potential Endocrine Disruptor		
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
%: 2.0000 - 4.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2020-10-20	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

PORTLAND CEMENT

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-20			
%: 0.5000 - 1.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warr	nings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2020-10-20
%: 0.0500 - 0.1500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warning	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

HAZARD SCREENING METH	OD: Pharos Chemical and Materials Library	HAZARD SC	CREENING DA	TE: 2020-10-20
%: 0.0500 - 0.1000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
	TEDX - Potential Endocrine Disruptors amount of this component may vary based on th la and maintain competitive advantage. The com	he plant of ma		is product is shown as undisclosed to
SUBSTANCE NOTES: The	amount of this component may vary based on th	he plant of ma	anufacture. Th	is product is shown as undisclosed to
SUBSTANCE NOTES: The a preserve integrity of formul	amount of this component may vary based on th	he plant of ma	anufacture. Th # was used to	is product is shown as undisclosed to

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

None found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-20			
%: 0.0200 - 0.0500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
None found			No wa	arnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-10-20
%: 0.0100 - 0.1000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warning	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	D SCR	REENING DATE:	2020-10-20
%: 0.0100 - 0.1000	GS: LT-1	RC: No	ne	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES		WARI	NINGS	
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer			ncer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should regarded as if they are Carcinogenic to man			
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxi			Iutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen ba on animal evidence			1B - Presumed Carcinogen based
CANCER	GHS - Australia	H350 - May cause cancer			ncer

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-20

%: 0.0100 - 0.1000	GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: D	efoamer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer			
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which sh regarded as if they are Carcinogenic to man	nould be		
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductiv	/e Toxicant		
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen ba on animal evidence			
CANCER	GHS - Australia	H350 - May cause cancer			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-20			
%: 0.0100 - 0.1000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-20				
%: 0.0100 - 0.0500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation				

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

METHACRYLIC ACID				ID: 79-41-4		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-10-20			
%: 0.0010 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species		
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS			
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage				

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-20

HAZARD TYPE			NANO: No	SUBSTAN	ICE ROLE: Binder
None found	AGENCY AND LIST TITLES	WA	RNINGS		
None lound			No warnir	ngs found on HI	PD Priority Hazard Lists
	of this component may vary based on the aintain competitive advantage. The con				
UNDISCLOSED					
HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SC	REENING DATE	E: 2020-10-20	
%: 0.0000 - 30.0000	GS: LT-UNK	RC: PreC	NANO: No	SUBSTAN	ICE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
None found			No warnir	ngs found on HI	PD Priority Hazard Lists
	of this component may vary based on the aintain competitive advantage. The con				
HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SC	REENING DATE	E: 2020-10-20	
%: Impurity/Residual	GS: BM-3	RC: None	NANO: No	SUBSTANCE R	OLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
HAZARD TTPE					
None found			No warnir	ngs found on HI	PD Priority Hazard Lists
None found	ce is an impurity or residual. This impur 00ppm.	ity/residual m			-
None found SUBSTANCE NOTES: This substan	00ppm.	ity/residual m			-
None found SUBSTANCE NOTES: This substan raw material and/or be less than 10	00ppm.			e present based	d on the source of the
None found SUBSTANCE NOTES: This substan raw material and/or be less than 10	00ppm.		ay or may not be	e present based	d on the source of the ID: 1317-65-3
None found SUBSTANCE NOTES: This substan raw material and/or be less than 10 LIMESTONE, CALCIUM CARBONAT HAZARD SCREENING METHOD: P	D0ppm. TE naros Chemical and Materials Library	HAZARD SC RC: None	ay or may not be	e present based	d on the source of the

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: http://certificates.greenguard.org/default.aspx?	ISSUE DATE: 2020-09- 21	EXPIRY DATE: 2021- 07-09	CERTIFIER OR LAB: UL Environment	

id=181118&t=cs&

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

OC CONTENT TDS 251 "Low VOC LATICRETE® Products"			
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: https://www.laticrete.com/~/media/support-and- downloads/technical-datasheets/tds251.ashx?la=en	ISSUE DATE: 2020-08- E 12	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

LCA	LATICRETE Cement Self-Leveling Underlayment Product Specific (Type III) Environmental Product Declaration			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Applies to All Facilities in North America. CERTIFICATE URL: https://laticrete.com/~/media/environmental-product- data-sheets/cement-self-leveling-underlayment.ashx? la=en	ISSUE DATE: 2016-11- 29	EXPIRY DATE: 2021- 11-28	CERTIFIER OR LAB: UL Environment	

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.

😝 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE SUPERCAP SC500 Sanded to be mixed with water only following mix ratio and directions on product data sheet.

Section 5: General Notes

LATICRETE® NXTTM Level Flow meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE NXT Level Flow does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

• a method for the assessment of exposure or risk associated with product handling or use,

• a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.