LATICRETE® NXT[™] Vapor Reduction Coating by LATICRETE International

Health Product Declaration v2.2 created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22047

CLASSIFICATION: 09 96 56 Epoxy Coatings

PRODUCT DESCRIPTION: LATICRETE® NXTTM Vapor Reduction Coating is a single-coat, 100% solids, liquid applied 2-part epoxy coating specifically designed for controlling the moisture vapor emission rate from new or existing concrete slabs prior to installing LAICRETE NXT underlayments.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method Basic Method
- Basic Method
- Threshold Disclosed Per
- C Material
- Product

Threshold level • 100 ppm • 1,000 ppm

C Other

C Per GHS SDS

Residuals/Impurities

Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

○ Yes Ex/SC ○ Yes ⊙ No

○ Yes Ex/SC ○ Yes ⊙ No

○ Yes Ex/SC ⊙ Yes ○ No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified

Screened

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE NXT VAPOR REDUCTION COATING [BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1 | AQU | SKI | EYE | MUL CARBOMONOCYCLIC ALKYLATED MIXTURES OF POLY-AZA-ALKANES NOT Screened FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL LT-P1 | MUL ALKYL (C12, C14) GLYCIDYL ETHER LT-P1 | SKI | MUL 1,4-BIS(2,3-EPOXYPROPOXY)BUTANE LT-UNK | SKI | EYE UNDISCLOSED BM-2 P-TERT-BUTYLPHENOL LT-| END | AQU | SKI | EYE | REP | MUL 1,3-BENZENEDIMETHANAMINE LT-P1 | MUL | SKI UREA, N, N'-BIS[3-(DIMETHYL-AMINO)PROPYL]- LT-P1 | MUL 1,6-HEXANEDIAMINE, 2,2,4(OR 2,4,4)-TRIMETHYL- LT-P1 | MUL UNDISCLOSED LT-1 | MAM | GEN | CAN | MUL | END BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1 | AQU | SKI | EYE | MUL METHOXYISOPROPYL ACETATE LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 9.4 Regulatory (g/l): 9.4 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

Third Party Verified?

C Yes

No

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: UL GreenGuard Gold (NXT VRC) VOC content: TDS 251 "Low VOC LATICRETE® Products"

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

SCREENING DATE: 2020-10-01 PUBLISHED DATE: 2020-10-01 EXPIRY DATE: 2023-10-01

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE NXT VAPOR REDUCTION COATING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

BISPHENOL A EPICHLOROHYDRIN POLYMER					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01			
%: 40.0000 - 48.0000	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Curing agent	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CHRON AQUATIC	EU - GHS (H-Statements)	EU - GHS (H-Statements)		H411 - Toxic to aquatic life with long lasting effects	
SKIN IRRITATION	EU - GHS (H-Statements)	EU - GHS (H-Statements)		irritation	
SKIN SENSITIZE	EU - GHS (H-Statements)	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction	
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Causes seri	ous eye irritation	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to	Waters	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

CARBOMONOCYCLIC ALKYLATED MIXTURES OF POLY-AZA-ALKANES

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01		
%: 20.0000 - 26.0000	GS: Not Screened	RC: None	NANO: NO	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL					ID: 9003-36-5
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2020-10-0)1	
%: 7.0000 - 12.0000	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Curing agent	
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	s Cl	ass 2 - Hazard to Wa	ters	
SUBSTANCE NOTES: The amount of	f this component may vary based on plant of manufacture.				
ALKYL (C12, C14) GLYCIDYL E	THER				ID: 68609-97-2
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENING I	DATE: 2020-10-01		
%: 5.0000 - 9.0000	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Activator	

%: 5.0000 - 9.0000

LATICRETE NXT Vapor Reduction Coating hpdrepository.hpd-collaborative.org

ID: Not Registered

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

1,4-BIS(2,3-EPOXYPROPOXY)BUTANE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01
%: 2.5000 - 4.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
SKIN SENSITIZE	МАК	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Ch	emical and Materials Library	HAZARD SCREENING	DATE: 2020-10-01	
%: 2.0000 - 4.0000	GS: BM-2	RC: None	NANO: NO	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	v	VARNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

P-TERT-BUTYLPHENOL

HAZARD SCREENING METHOD: Pharos	s Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-01
%: 2.0000 - 3.5000	GS: LT-1 F	RC: None NANO: NO SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	EU - Priority Endocrine Disruptors	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
REPRODUCTIVE	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Water	ors Class 2 - Hazard to Waters
SKIN SENSITIZE	МАК	Sensitizing Substance Sh - Danger of skin sensitization
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent cond	ncern Endocrine Disruptor - Substance of Possible Concern

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

ID: 2425-79-8

ID: 98-54-4

1,3-BENZENEDIMETHANAMINE

ID: 1477-55-0

ID: 52338-87-1

ID: 25513-64-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01		
%: 2.0000 - 3.0000	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MULTIPLE	German FEA - Substances Hazardous to Wat	German FEA - Substances Hazardous to Waters		rs
SKIN SENSITIZE	МАК		Sensitizing Substance Sh - Danger of skin sensitization	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UREA, N, N' -BIS[3-(DIMETHYLAMINO)PROPYL]-

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01		
%: 0.4000 - 0.5000	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

1,6-HEXANEDIAMINE, 2,2,4(OR 2,4,4)-TRIMETHYL-

HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREEN	IING DATE: 2020-10-01	
%: 0.3000 - 0.5000	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	a date: 2020-10-01	
%: 0.1000 - 0.3000	GS: LT-1	RC: None	NANO: NO	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MAMMALIAN	EU - GHS (H-Statements)		H304 - May be fatal if	swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	EU - GHS (H-Statements)		netic defects
CANCER	EU - GHS (H-Statements)		H350 - May cause car	ncer
CANCER	EU - REACH Annex XVII CMRs		Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man	
GENE MUTATION	EU - REACH Annex XVII CMRs		Mutagen Category 2 - Mutagenic to man	Substances which should be regarded as if they are
MULTIPLE	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine D	isruptor
MULTIPLE	German FEA - Substances Hazardous to V	Vaters	Class 3 - Severe Haza	rd to Waters
CANCER	EU - Annex VI CMRs		Carcinogen Category	1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs		Mutagen - Category 1	В
GENE MUTATION	GHS - Australia		H340 - May cause ger	netic defects
CANCER	GHS - Australia		H350 - May cause car	ncer

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01				
%: Impurity/Residual	GS: LT-P1 RC: None NA		NANO: NO	SUBSTANCE ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES	AGENCY AND LIST TITLES				
CHRON AQUATIC	EU - GHS (H-Statements)		H411 - Toxic	H411 - Toxic to aquatic life with long lasting effects		
SKIN IRRITATION	EU - GHS (H-Statements)	EU - GHS (H-Statements)		H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - May o	cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	- GHS (H-Statements)		es serious eye irritation		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters			

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100 ppm.

METHOXYISOPROPYL ACETATE

METHOXYISOPROPYL ACETATE					ID: 108-65-6
HAZARD SCREENING METHOD: Pharos Chemica	I and Materials Library	HAZARD SCREENING	DATE: 2020-10-01		
%: 0.0100 - 0.0150	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Defoamer	
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
None found				No warnings found on HPD Priority	y Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL GreenGuard Gold (NXT VRC)			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: http://certificates.ulenvironment.com/default.aspx? id=57410&t=cs CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit	ISSUE DATE: 2009-07-07	EXPIRY DATE: 2021-07-09	CERTIFIER OR LAB: UL Environment	
accordance with California Department of Public Health (0	•	•	
	0	nd classroom environment	•	

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (Waterproofing Sealers).

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.

Section 5: General Notes

LATICRETE® NXTTM Vapor Reduction Coating does not meet Living Building Challenge requirements because it does contain a component which is found on the Red Listed Materials or Chemicals v4.0. Specifically, LATICRETE NXT Vapor Reduction Coating contains Bisphenol A Epichlorohydrin Polymer as stated in Section 2 of this HPD in an amount greater than the LBC Small Component Clause maximum threshold.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203.393.4619 EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.