STONETECH® Semi Gloss Finish & Sealer by LATICRETE International

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 23944

CLASSIFICATION: 07 19 00 Water Repellents

PRODUCT DESCRIPTION: STONETECH® Semi Gloss Finish & Sealer is an easy-to-use, water-based formula which leaves a light sheen and protects against stains on interior applications of slate, Saltillo and concrete floors.

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format
- C Nested Materials Method
- Basic Method
- Threshold Disclosed Per
- C Material
- O Product

- Threshold level © 100 ppm © 1,000 ppm © Per GHS SDS © Other
- Residuals/Impurities © Considered © Partially Considered © Not Considered Explanation(s) provided for Residuals/Impurities? © Yes © No

Basic Method / Product Threshold

All Substances Above the Characterized	Threshold Indicated Are: ○ Yes Ex/SC ⊙ Yes ○ No				
% weight and role provide					
Screened	C Yes Ex/SC 💿 Yes C No				
All substances screened using Priority Hazard Lists with results disclosed.					
Identified	○ Yes Ex/SC ○ Yes ⊙ No				
One or more substances not disclosed by Name					

(Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

STONETECH® SEMI GLOSS FINISH & SEALER [WATER BM-4 UNDISCLOSED NoGS SODIUM DODECYLBENZENE SULFONATE LT-P1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | AQU | SKI | RES | MUL UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED BM-2 | CAN | END | DEV | REP | PHY DIPROPYLENE GLYCOL N-BUTYL ETHER (DPNB) LT-UNK UNDISCLOSED LT-P1 | AQU | SKI | MUL | EYE UNDISCLOSED BM-2 | AQU | END | SKI | MUL | MAM | EYE]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT Material (g/l): 52 Regulatory (g/l): 52

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A VOC content: TDS 251 "Low VOC LATICRETE® Products"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

○ Yes○ No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2021-02-25 PUBLISHED DATE: 2021-02-25 EXPIRY DATE: 2024-02-25 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STONETECH® SEMI GLOSS FINIS	SH & SEALER				
PRODUCT THRESHOLD: 100 ppm	RESIDI	JALS AND IMI	PURITIES CONS	IDERED: Yes	
RESIDUALS AND IMPURITIES NO potentially greater than 100 ppm.	TES: Residuals and impurities are measure	d by quantitat	ive methods and	l are only displaye	d when they are
OTHER PRODUCT NOTES: See SI	DS at www.laticrete.com for occupational e	xposure inform	nation.		
WATER					ID: 7732-18-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	: 2021-02-25	
%: 80.0000 - 90.0000	GS: BM-4	RC: None	NANO: No	SUBSTANCE F	ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS		
None found			No warnings f	found on HPD Price	ority Hazard Lists
SUBSTANCE NOTES: The amo	unt of this component may vary based on t	he plant of ma	anufacture.		
UNDISCLOSED					ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	: 2021-02-25	
%: 11.0000 - 20.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE R	OLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS		
None found			No warnings f	found on HPD Prio	ority Hazard Lists
	unt of this component may vary based on t				
preserve integrity of formula an	id maintain competitive advantage. The cor	nponent CAS#	# was used to ide	entify associated i	nazards.
				0001 00 05	ID: 25155-30-0
	Pharos Chemical and Materials Library				
%: 0.5000 - 5.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE RC	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
MUL	German FEA - Substances Hazardous t Waters	o Class	2 - Hazard to Wa	aters	
SUBSTANCE NOTES: The amo	unt of this component may vary based on t	he plant of ma	anufacture.		
•					
UNDISCLOSED					ID: Undisclosed

HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-02-25
%: 0.1000 - 0.3000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Matting a
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warning	gs found on HPD Priority Hazard
	ount of this component may vary based on t nd maintain competitive advantage. The cor	•		-
JNDISCLOSED				ID: Undis
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-02-25
%: 0.1000 - 0.3000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Matting a
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warning	gs found on HPD Priority Hazard
	ount of this component may vary based on t nd maintain competitive advantage. The cor			
JNDISCLOSED				ID: Undise
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-02-25
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binde
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warning	gs found on HPD Priority Hazard
JNDISCLOSED	ount of this component may vary based on p Pharos Chemical and Materials Library			ID: Undiso TE: 2021-02-25
%: 0.0500 - 0.0800	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfact
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
AQU	EU - GHS (H-Statements)	H40	0 - Very toxic to	o aquatic life
SKI	EU - GHS (H-Statements)	H314	4 - Causes seve	ere skin burns and eye damage
				ensitizer-induced
RES	AOEC - Asthmagens	Asth	magen (Rs) - se	
	AOEC - Asthmagens German FEA - Substances Hazardous t Waters		magen (Rs) - so s 2 - Hazard to	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

AZARD SCREENING METHO	OD: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	2021-02-25	
: 0.0500 - 0.1500	GS: NoGS	RC: None	NANO: No	SUBSTANCE F	ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found			No warnings	found on HPD P	riority Hazard List
	mount of this component may vary based on the and maintain competitive advantage. The con				
NDISCLOSED					ID: Undisclose
AZARD SCREENING METHO	OD: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	2021-02-25	
: 0.0500 - 0.1000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE I	ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found			No warnings	found on HPD P	riority Hazard List
	mount of this component may vary based on the and maintain competitive advantage. The con				
NDISCLOSED					ID: Undisclos
AZARD SCREENING METHO	OD: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	2021-02-25	
o: 0.0100 - 0.0500	GS: NoGS	RC: None	NANO: No	SUBSTANCE I	ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found			No warnings	found on HPD P	riority Hazard List
	mount of this component may vary based on the and maintain competitive advantage. The con	•		•	
NDISCLOSED					ID: Undisclos
AZARD SCREENING METHO	OD: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	2021-02-25	
				SUBSTANCE	ROLE: Solvent
o: 0.0100 - 0.0150	GS: BM-2	RC: None	NANO: No	CODOTANOL	
o: 0.0100 - 0.0150	GS: BM-2	RC: None	NANO: NO	OBBITANOL	
o: 0.0100 - 0.0150	GS: BM-2	RC: None	NANO: No	UDD TANGE	
o: 0.0100 - 0.0150	GS: BM-2	RC: None	NANO: No		
o: 0.0100 - 0.0150	GS: BM-2	RC: None	NANO: No		
o: 0.0100 - 0.0150	GS: BM-2	RC: None	NANO: No		
o: 0.0100 - 0.0150	GS: BM-2	RC: None	NANO: No		
o: 0.0100 - 0.0150	GS: BM-2	RC: None	NANO: No		
o: 0.0100 - 0.0150	GS: BM-2	RC: None	NANO: No		

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	МАК	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
DEV	CA EPA - Prop 65	Developmental - specific to chemical form or exposure route
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]
REP	GHS - Japan	Toxic to reproduction - Category 1A [H360]
РНҮ	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021		2021-02-25
%: 0.0100 - 2.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: The amou	nt of this component may vary based on t	he plant of ma	anufacture.	
UNDISCLOSED				ID: Undisclose
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2021-02-25
%: 0.0050 - 0.0150	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Biocide
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
AQU	EU - GHS (H-Statements)	H400	- Very toxic to aq	uatic life
SKI	MAK	Sens	tizing Substance	Sh - Danger of skin sensitization
SKI	EU - GHS (H-Statements)	H315	- Causes skin irrit	ation
MUL	German FEA - Substances Hazardous t Waters	o Class	2 - Hazard to Wa	ters
SKI	EU - GHS (H-Statements)	H317	- May cause an a	llergic skin reaction

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZ	ARD SCF	REENING DATE:	2021-02-25
%: 0.0050 - 0.0200	GS: BM-2	RC: I	None	NANO: No	SUBSTANCE ROLE: Biocide
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
AQU	EU - GHS (H-Statements)		H400 -	Very toxic to aq	uatic life
AQU	EU - GHS (H-Statements)		H410 -	Very toxic to aq	uatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors		Potent	ial Endocrine Dis	sruptor
SKI	МАК		Sensiti	zing Substance	Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous t Waters	o	Class	3 - Severe Hazar	d to Waters
MAM	EU - GHS (H-Statements)		H301 -	Toxic if swallow	ed
MAM	EU - GHS (H-Statements)		H311 -	Toxic in contact	t with skin
SKI	EU - GHS (H-Statements)		H314 -	Causes severe	skin burns and eye damage
MAM	EU - GHS (H-Statements)		H330 -	Fatal if inhaled	
SKI	EU - GHS (H-Statements)		H317 -	May cause an a	llergic skin reaction
EYE	EU - GHS (H-Statements)		H318 -	Causes serious	eye damage

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A						
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL:	ISSUE DATE: 2020-10- EXPIRY DATE: CERTIFIER OR LAB: LATICRE 16	TE					
CERTIFICATION AND COMPLIANCE NOTES: STONETECH	CERTIFICATION AND COMPLIANCE NOTES: STONETECH® Semi Gloss Finish & Sealer has not been tested for VOC emissions.						
VOC CONTENT	TDS 251 "Low VOC LATICRETE® Products"						
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: https://www.laticrete.com/~/media/support-and- downloads/technical-datasheets/tds251.ashx	ISSUE DATE: 2021-02- EXPIRY DATE: CERTIFIER OR LAB: LATICRE 25	TE					
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED 1113 (Tile and Stone Sealers).	v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rul	le					

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

STONETECH® Semi Gloss Finish & Sealer meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, STONETECH Semi Gloss Finish & Sealer does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated Polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins TITLE: Technical Services Manager PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.