

# **ICC-ES PMG Product Certificate**

**PMG-1229** 

Effective Date: April 2021

This listing is subject to re-examination in one year.

www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING

Section: 22 40 00—Plumbing Fixtures (Shower Pan Liner)

DIVISION: 09 00 00—FINISHES Section: 09 30 00—Tiling

## Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: HYDRO BAN® Sheet Membrane

Listee: LATICRETE International, Inc

One LATICRETE Park North

Bethany, CT 06524 www.laticrete.com

## Compliance with the following codes:

2021, 2018, 2015, 2012, 2009 and 2006 International Residential Code<sup>®</sup> (IRC) 2021, 2018, 2015, 2012, 2009 and 2006 International Plumbing Code<sup>®</sup> (IPC) 2021, 2018, 2015, 2012, 2009 and 2006 Uniform Plumbing Code<sup>®</sup> (UPC)\*

\*Copyrighted publication if the International Association of Plumbing and Mechanical Officials

## Compliance with the following standard:

ANSI A118.10-2014(R19) American National Standard Specification for Load Bearing, Bonded, Waterproof Membranes fir Thin-Set Ceramic Tile and Dimension Stone Installation ICC-ES AC 115-2016 Acceptance Criteria for Waterproof membranes for Flooring and Shower Lining

### Identification:

Each roll shall be clearly labelled. The label shall include at a minimum the manufacturer's name or Trademark as well as the ICC-ES PMG certification mark.

## Installation:

LATICRETE Sheet Membrane shall be installed in accordance with the manufacturer's published instructions and the applicable code(s).

Ceramic tile must comply with ANSI A137.1



When provided with a clamping ring with open weep holes, the drains shall be installed in accordance with ASME A112.6.3 or ASME A112.18.2/CSA B125.2 (latest edition) as applicable.

#### Models:

<u>HYDRO BAN Sheet Membrane:</u> Composite sheet membrane comprised of an inner layer of polyethylene between two outer layers of polypropylene nonwovens

<u>HYDRO BAN Sealing Tape</u>: Composite sheet membrane comprised of an inner layer of polyethylene between two outer layers of polypropylene nonwovens

<u>HYDRO BAN Corners</u>: Pre-formed interior and exterior angles comprised of an inner layer of polyethylene between two outer layers of polypropylene nonwovens

<u>HYDRO BAN Collars</u>: Flashings for pipe penetrations formed from an interior layer of polyurethane and two exterior polypropylene nonwovens

## Conditions of Listing:

- 1. Application is limited to use as shower sub-pans or lining for showers or tub surrounds in steam rooms and steam showers, bathrooms and commercial and residential kitchens, backsplashes on walls and floors in wet areas.
- 2. Product is manufactured under a quality control program with annual surveillance inspections by ICC-ES.