SPARTACOTE[™] GRIP Traction Additive by LATICRETE International

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22058

CLASSIFICATION: 09 67 23 Resinous Flooring

PRODUCT DESCRIPTION: SPARTACOTE GRIP Traction Additive is an ultra-durable yet high strength, lightweight pulverized resin that is designed for use in clear and pigmented SPARTACOTE FLEX polyaspartic concrete floor coatings. A viable alternative to heavy aluminum aggregates, SPARTACOTE GRIP Traction Additive can be dispersed and suspended evenly directly into coatings or broadcast depending on the application. This material is commonly used to improve traction coefficients.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Threshold Disclosed Per

C Material Product Threshold level © 100 ppm © 1,000 ppm © Per GHS SDS © Other **Residuals/Impurities**

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

Basic Method / Product Threshold

All Substances Above the Threshold Indicated Are:

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

Screened Organization Yes Ex/SC Organ No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

SPARTACOTE™ GRIP TRACTION ADDITIVE [DIALLYL DIGLYCOL CARBONATE LT-P1 | MUL]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1 Nanomaterial ... No INVENTORY AND SCREENING NOTES: This HPD was Created with Basic Inventory.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: N/A VOC content: N/A

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified? O Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-06-10 PUBLISHED DATE: 2020-10-02 EXPIRY DATE: 2023-06-10 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SPARTACOTE™ GRIP TRACTION ADDITIVE PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm. OTHER PRODUCT NOTES: See SDS at https://laticrete.com for occupational exposure information. DIALLYL DIGLYCOL CARBONATE ID: 142-22-3 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-06-10 %: 100.0000 - 100.0000 GS: LT-P1 RC: None NANO: **NO** SUBSTANCE ROLE: Surface modifier HAZARD TYPE AGENCY AND LIST TITLES WARNINGS MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: The material stated above represents 100% of the product content.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A			
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL:	ISSUE DATE: 2020-06-10	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE	
CERTIFICATION AND COMPLIANCE NOTES: SPARTACOTE® (GRIP Traction Additive has not b	een tested for VOC I	Emissions.	
VOC CONTENT	N/A			
CERTIFYING PARTY: Self-declared Applicable facilities: Applies to All Facilities. CERTIFICATE URL:	ISSUE DATE: 2020-06-10	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE	
CERTIFICATION AND COMPLIANCE NOTES: SPARTACOTE G	RIP Traction Additive is a dry pro	duct and does not re	equire VOC content.	
Section 4: Accessories				
This section lists related products or materials that the man operations. For information relating to the contents of these	-			
SPARTACOTE™ FLEX SB		HPD URL: https://cdn.laticrete.com/~/media/health-product- datasheets/spartacote/flex-sb-hpd.ashx		
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES Use in top coat of SPARTACOTE™ FLEX SB as direct		GRIP Traction Additiv	ve.	
SPARTACOTE™ FLEX PURE™		nttps://cdn.laticrete.c ets/spartacote/flex-p	om/~/media/health-product- ure-hpd.ashx	
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES		COTE GRIP Traction A	Additive.	
SPARTACOTE™ FLEX PURE™ CLINICAL PLUS			om/~/media/health-product- ure-clinical-plus-hpd.ashx	
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES Use in top coat of SPARTACOTE™ FLEX PURE™ Clin		for SPARTACOTE GR	IP Traction Additive.	
SPARTACOTE™ FLEX XPL LOW GLOSS		•	om/~/media/health-product- acote-flex-xpl-low-gloss-hpd-v211.ashx	
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES Use in top coat of SPARTACOTE™ FLEX XPL Low Glo		PARTACOTE GRIP Tra	action Additive.	
SPARTACOTE™ FLEX XPL		-	om/~/media/health-product- acote-flex-xpl-hpd.ashx	
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES Use in top coat of SPARTACOTE TM FLEX XPL as direct		E GRIP Traction Addit	tive.	
SPARTACOTE™ FLEX XPL CLINICAL PLUS		-	om/~/media/health-product- acote-flex-pure-xpl-clinical-plus.ashx	
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES Use in top coat of SPARTACOTE™ FLEX XPL Clinical		SPARTACOTE GRIP T	raction Additive.	

SPARTACOTE™ SURFACE BUILD TOP COAT UV

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES

Use in top coat of SPARTACOTE™ Surface Build Top Coat UV as directed on data sheet for SPARTACOTE GRIP Traction Additive.

SPARTACOTE™ URETHANE FLOOR SEALER WB

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Use in top coat of SPARTACOTE™ Urethane Floor Sealer WB as directed on data sheet for SPARTACOTE GRIP Traction Additive.

Section 5: General Notes

SPARTACOTE® GRIP Traction Additive meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, SPARTACOTE GRIP Traction Additive does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203.393.4619 EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.