



# SPARTACOTE® WB Epoxy Primer Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 02/04/2022

Version: 1.0

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** SPARTACOTE® WB Epoxy Primer Part B

#### 1.2. Intended Use of the Product

Primer

#### 1.3. Name, Address, and Telephone of the Responsible Party

##### Company

LATICRETE International

1 Laticrete Park, N

Bethany, CT 06524

T (203)-393-0010

[www.laticrete.com](http://www.laticrete.com)

##### Company

LATICRETE Canada ULC

PO Box 129, Emeryville, Ontario, Canada

NOR-1A0

(833)-254-9255

#### 1.4. Emergency Telephone Number

**Emergency Number** : For Chemical Emergency call ChemTel Inc. day or night:

(800)255-3924 (North America)

(800)-099-0731 (Mexico)

+1 (813)248-0585 (International - collect calls accepted)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

##### GHS-US/CA Classification

Skin Sens. 1 H317

Repr. 1B H360

Aquatic Acute 3 H402

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label Elements

##### GHS-US/CA Labeling

##### Hazard Pictograms (GHS-US/CA)



GHS07

GHS08

##### Signal Word (GHS-US/CA)

: Danger

##### Hazard Statements (GHS-US/CA)

: H317 - May cause an allergic skin reaction.  
H360 - May damage fertility or the unborn child.  
H402 - Harmful to aquatic life.

##### Precautionary Statements (GHS-US/CA)

: P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P261 - Avoid breathing vapors, mist, or spray.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, and eye protection.  
P302+P352 - IF ON SKIN: Wash with plenty of water.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P321 - Specific treatment (see section 4 on this SDS).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P405 - Store locked up.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

# SPARTACOTE® WB Epoxy Primer Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US/CA)

No additional information available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
2-Propanol, 1-methoxy-	(CAS-No.) 107-98-2	10-30	Flam. Liq. 3, H226 STOT SE 3, H336
2-Methoxy-1-propanol	(CAS-No.) 1589-47-5	0.1-1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 Repr. 1B, H360 STOT SE 3, H335
Tetraethylenepentamine	(CAS-No.) 112-57-2	0.1-1	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Diethylenetriamine	(CAS-No.) 111-40-0	0.1-1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402

Full text of H-statements: see section 16

\*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Wash affected area with soap and water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists. If exposed or concerned: Get medical advice/attention.

**Eye Contact:** Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for at least 15 minutes. Obtain medical attention.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** Skin sensitization. May damage fertility. May damage the unborn child.

**Inhalation:** Prolonged exposure may cause irritation.

**Skin Contact:** May cause an allergic skin reaction.

**Eye Contact:** May cause slight irritation to eyes.

**Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** May damage fertility or the unborn child. May produce an allergic reaction.

# SPARTACOTE® WB Epoxy Primer Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides.

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

### 5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothing.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers.

### 7.3. Specific End Use(s)

Primer

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

# SPARTACOTE® WB Epoxy Primer Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

<b>2-Propanol, 1-methoxy- (107-98-2)</b>		
<b>USA ACGIH</b>	ACGIH OEL TWA [ppm]	50 ppm
<b>USA ACGIH</b>	ACGIH OEL STEL [ppm]	100 ppm
<b>USA ACGIH</b>	ACGIH chemical category	Not Classifiable as a Human Carcinogen
<b>USA NIOSH</b>	NIOSH REL (TWA)	360 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL TWA [ppm]	100 ppm
<b>USA NIOSH</b>	NIOSH REL (STEL)	540 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL STEL [ppm]	150 ppm
<b>Alberta</b>	OEL STEL	553 mg/m <sup>3</sup>
<b>Alberta</b>	OEL STEL [ppm]	150 ppm
<b>Alberta</b>	OEL TWA	369 mg/m <sup>3</sup>
<b>Alberta</b>	OEL TWA [ppm]	100 ppm
<b>British Columbia</b>	OEL STEL [ppm]	100 ppm
<b>British Columbia</b>	OEL TWA [ppm]	50 ppm
<b>Manitoba</b>	OEL STEL [ppm]	100 ppm
<b>Manitoba</b>	OEL TWA [ppm]	50 ppm
<b>New Brunswick</b>	OEL STEL	553 mg/m <sup>3</sup>
<b>New Brunswick</b>	OEL STEL [ppm]	150 ppm
<b>New Brunswick</b>	OEL TWA	369 mg/m <sup>3</sup>
<b>New Brunswick</b>	OEL TWA [ppm]	100 ppm
<b>Newfoundland &amp; Labrador</b>	OEL STEL [ppm]	100 ppm
<b>Newfoundland &amp; Labrador</b>	OEL TWA [ppm]	50 ppm
<b>Nova Scotia</b>	OEL STEL [ppm]	100 ppm
<b>Nova Scotia</b>	OEL TWA [ppm]	50 ppm
<b>Nunavut</b>	OEL STEL [ppm]	150 ppm
<b>Nunavut</b>	OEL TWA [ppm]	100 ppm
<b>Northwest Territories</b>	OEL STEL [ppm]	150 ppm
<b>Northwest Territories</b>	OEL TWA [ppm]	100 ppm
<b>Ontario</b>	OEL STEL [ppm]	100 ppm
<b>Ontario</b>	OEL TWA [ppm]	50 ppm
<b>Prince Edward Island</b>	OEL STEL [ppm]	100 ppm
<b>Prince Edward Island</b>	OEL TWA [ppm]	50 ppm
<b>Québec</b>	VECD (OEL STEL)	553 mg/m <sup>3</sup>
<b>Québec</b>	VECD (OEL STEL) [ppm]	150 ppm
<b>Québec</b>	VEMP (OEL TWA)	369 mg/m <sup>3</sup>
<b>Québec</b>	VEMP (OEL TWA) [ppm]	100 ppm
<b>Saskatchewan</b>	OEL STEL [ppm]	150 ppm
<b>Saskatchewan</b>	OEL TWA [ppm]	100 ppm
<b>Yukon</b>	OEL STEL	450 mg/m <sup>3</sup>
<b>Yukon</b>	OEL STEL [ppm]	150 ppm
<b>Yukon</b>	OEL TWA	360 mg/m <sup>3</sup>
<b>Yukon</b>	OEL TWA [ppm]	100 ppm
<b>2-Methoxy-1-propanol (1589-47-5)</b>		
<b>British Columbia</b>	OEL STEL [ppm]	40 ppm
<b>British Columbia</b>	OEL TWA [ppm]	20 ppm
<b>Tetraethylenepentamine (112-57-2)</b>		
<b>USA AIHA</b>	WEEL TWA	5 mg/m <sup>3</sup>
<b>USA AIHA</b>	AIHA chemical category	skin notation, Skin sensitizer

# SPARTACOTE® WB Epoxy Primer Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Diethylenetriamine (111-40-0)		
USA ACGIH	ACGIH OEL TWA [ppm]	1 ppm
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route
USA NIOSH	NIOSH REL (TWA)	4 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL TWA [ppm]	1 ppm
Alberta	OEL TWA	4.2 mg/m <sup>3</sup>
Alberta	OEL TWA [ppm]	1 ppm
British Columbia	OEL TWA [ppm]	1 ppm
Manitoba	OEL TWA [ppm]	1 ppm
New Brunswick	OEL TWA	4.2 mg/m <sup>3</sup>
New Brunswick	OEL TWA [ppm]	1 ppm
Newfoundland & Labrador	OEL TWA [ppm]	1 ppm
Nova Scotia	OEL TWA [ppm]	1 ppm
Nunavut	OEL STEL [ppm]	2 ppm
Nunavut	OEL TWA [ppm]	1 ppm
Northwest Territories	OEL STEL [ppm]	2 ppm
Northwest Territories	OEL TWA [ppm]	1 ppm
Ontario	OEL TWA [ppm]	1 ppm
Prince Edward Island	OEL TWA [ppm]	1 ppm
Québec	VEMP (OEL TWA)	4.2 mg/m <sup>3</sup>
Québec	VEMP (OEL TWA) [ppm]	1 ppm
Saskatchewan	OEL STEL [ppm]	2 ppm
Saskatchewan	OEL TWA [ppm]	1 ppm
Yukon	OEL STEL	4 mg/m <sup>3</sup>
Yukon	OEL STEL [ppm]	1 ppm
Yukon	OEL TWA	4 mg/m <sup>3</sup>
Yukon	OEL TWA [ppm]	1 ppm

## 8.2. Exposure Controls

**Appropriate Engineering Controls:** Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear protective gloves.

**Eye and Face Protection:** Chemical safety goggles.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Whitish
Odor	: Odorless
Odor Threshold	: No data available
pH	: 4.5 – 7.5
Evaporation Rate	: No data available

# SPARTACOTE® WB Epoxy Primer Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

<b>Melting Point</b>	: No data available
<b>Freezing Point</b>	: No data available
<b>Boiling Point</b>	: 100 °C (212 °F)
<b>Flash Point</b>	: > 100 °C (212 °F)
<b>Auto-ignition Temperature</b>	: No data available
<b>Decomposition Temperature</b>	: No data available
<b>Flammability (solid, gas)</b>	: Not applicable
<b>Lower Flammable Limit</b>	: No data available
<b>Upper Flammable Limit</b>	: No data available
<b>Vapor Pressure</b>	: 23 hPa (17.3 mmHg)
<b>Relative Vapor Density at 20°C</b>	: No data available
<b>Relative Density</b>	: 1.08 (Water=1)
<b>Specific Gravity</b>	: No data available
<b>Solubility</b>	: No data available
<b>Partition Coefficient: N-Octanol/Water</b>	: No data available
<b>Viscosity</b>	: No data available
<b>VOC content</b>	: 0 %

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity:

Hazardous reactions will not occur under normal conditions.

### 10.2. Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

### 10.4. Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

### 10.5. Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

### 10.6. Hazardous Decomposition Products:

Not expected to decompose under ambient conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects - Product

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

**LD50 and LC50 Data:**

No additional information available

**Skin Corrosion/Irritation:** Not classified

**pH:** 4.5 – 7.5

**Eye Damage/Irritation:** Not classified

**pH:** 4.5 – 7.5

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** May damage fertility or the unborn child.

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** May damage fertility or the unborn child. May produce an allergic reaction.

# SPARTACOTE® WB Epoxy Primer Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### 11.2. Information on Toxicological Effects - Ingredient(s)

#### LD50 and LC50 Data:

<b>2-Propanol, 1-methoxy- (107-98-2)</b>	
LD50 Oral Rat	5000 mg/kg
LD50 Dermal Rabbit	13 g/kg
LC50 Inhalation Rat	27.3 mg/l/4h
LC50 Inhalation Rat	> 7559 ppm (Exposure time: 6 h)
<b>2-Methoxy-1-propanol (1589-47-5)</b>	
LD50 Oral Rat	5710 mg/kg
LD50 Dermal Rabbit	5660 mg/kg
<b>Tetraethylenepentamine (112-57-2)</b>	
LD50 Dermal Rabbit	660 – 1260 mg/kg
<b>Diethylenetriamine (111-40-0)</b>	
LD50 Oral Rat	1080 mg/kg
LD50 Dermal Rabbit	1045 mg/kg
LC50 Inhalation Rat	0.07 mg/l/4h

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecology - General: Harmful to aquatic life.

<b>2-Propanol, 1-methoxy- (107-98-2)</b>	
LC50 Fish 1	20.8 g/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	23300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
<b>Tetraethylenepentamine (112-57-2)</b>	
LC50 Fish 1	420 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])
EC50 - Crustacea [1]	24.1 mg/l (Exposure time: 48 h - Species: Daphnia magna)
ErC50 algae	0.12 mg/l
<b>Diethylenetriamine (111-40-0)</b>	
LC50 Fish 1	248 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])
EC50 - Crustacea [1]	16 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	1014 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [semi-static])
NOEC Chronic Crustacea	5.6 mg/l

### 12.2. Persistence and Degradability

<b>SPARTACOTE® WB Epoxy Primer Part B</b>	
Persistence and Degradability	Not established.

### 12.3. Bioaccumulative Potential

<b>SPARTACOTE® WB Epoxy Primer Part B</b>	
Bioaccumulative Potential	Not established.
<b>2-Propanol, 1-methoxy- (107-98-2)</b>	
BCF Fish 1	< 2
Partition coefficient n-octanol/water (Log Pow)	-0.437
<b>Tetraethylenepentamine (112-57-2)</b>	
BCF Fish 1	(no bioaccumulation expected)
Partition coefficient n-octanol/water (Log Pow)	< 1
<b>Diethylenetriamine (111-40-0)</b>	
BCF Fish 1	0.3 – 1.7
Partition coefficient n-octanol/water (Log Pow)	-1.3

# SPARTACOTE® WB Epoxy Primer Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### 12.4. Mobility in Soil

No additional information available

### 12.5. Other Adverse Effects

**Other Information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### 14.1. In Accordance with DOT

Not regulated for transport

### 14.2. In Accordance with IMDG

Not regulated for transport

### 14.3. In Accordance with IATA

Not regulated for transport

### 14.4. In Accordance with TDG

Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

SPARTACOTE® WB Epoxy Primer Part B	
SARA Section 311/312 Hazard Classes	Health hazard - Respiratory or skin sensitization Health hazard - Reproductive toxicity
<b>2-Propanol, 1-methoxy- (107-98-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
<b>2-Methoxy-1-propanol (1589-47-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
<b>Tetraethylenepentamine (112-57-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
<b>Diethylenetriamine (111-40-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	

### 15.2. US State Regulations

SPARTACOTE® WB Epoxy Primer Part B()	
State or local regulations	
<b>2-Propanol, 1-methoxy- (107-98-2)</b>	
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List	
<b>Tetraethylenepentamine (112-57-2)</b>	
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List	
<b>Diethylenetriamine (111-40-0)</b>	
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List	

### 15.3. Canadian Regulations



# SPARTACOTE® WB Epoxy Primer Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

<b>2-Propanol, 1-methoxy- (107-98-2)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>2-Methoxy-1-propanol (1589-47-5)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>Tetraethylenepentamine (112-57-2)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>Diethylenetriamine (111-40-0)</b>
Listed on the Canadian DSL (Domestic Substances List)

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** : 02/04/2022

**Revision**

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

### GHS Full Text Phrases:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 3	Flammable liquids Category 3
Repr. 1B	Reproductive toxicity Category 1B
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H330	Fatal if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H360	May damage fertility or the unborn child
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

# SPARTACOTE® WB Epoxy Primer Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

---

NA GHS SDS 2015 (Can, US)