

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous

Products Regulation (February 11, 2015).

Revision Date: 09/24/2021 Date of Issue: 06/15/2020 Version: 2.1

SECTION 1: IDENTIFICATION

1.1. Product Identifier Product Form: Mixture

Product Name: SPARTACOTE® General Primer Part B

1.2. Intended Use of the Product

Primer.

1.3. Name, Address, and Telephone of the Responsible Party

Company Company

LATICRETE International LATICRETE Canada ULC

1 Laticrete Park, N PO Box 129, Emeryville, Ontario, Canada

Bethany, CT 06524 NOR-1A0 T (203)-393-0010 (833)-254-9255

www.laticrete.com

1.4. Emergency Telephone Number

Emergency Number: For Chemical Emergency call ChemTel Inc. day or night:

(800)255-3924 (North America) (800)-099-0731 (Mexico)

+1 (813)248-0585 (International - collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Acute Tox. 4 (Oral) H302 Skin Corr. 1B H314 Eye Dam. 1 H318 Skin Sens. 1 H317 Repr. 1B H360 STOT SE 3 H335 STOT RE 2 H373 H401 Aquatic Acute 2 H411 Aquatic Chronic 2

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)









Signal Word (GHS-US/CA) : Danger

Hazard Statements (GHS-US/CA) : H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H335 - May cause respiratory irritation.

H360 - May damage fertility or the unborn child.

H373 - May cause damage to organs (Kidney) through prolonged or repeated exposure

(oral).

H401 - Toxic to aquatic life.

H411 - Toxic to aquatic life with long lasting effects.

09/24/2021 EN (English US) 1/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

- Precautionary Statements (GHS-US/CA): P201 Obtain special instructions before use.
 - P202 Do not handle until all safety precautions have been read and understood.
 - P260 Do not breathe mist, vapors, spray.
 - P264 Wash hands, forearms, and other exposed areas thoroughly after handling.
 - P270 Do not eat, drink or smoke when using this product.
 - P271 Use only outdoors or in a well-ventilated area.
 - P272 Contaminated work clothing should not be allowed out of the workplace.
 - P273 Avoid release to the environment.
 - P280 Wear protective gloves, protective clothing, and eye protection.
 - P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
 - P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 - P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 - P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P308+P313 If exposed or concerned: Get medical advice/attention.
 - P310 Immediately call a POISON CENTER or doctor.
 - P314 Get medical advice/attention if you feel unwell.
 - P321 Specific treatment (see section 4 on this SDS).
 - P330 Rinse mouth.
 - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 - P362+P364 Take off contaminated clothing and wash it before reuse.
 - P391 Collect spillage.
 - P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 - P405 Store locked up.
 - P501 Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA) 2.4.

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. **Substance**

Not applicable

3.2. Mixture

Name	Product Identifier % * GHS Ingredient Classificat		GHS Ingredient Classification
Tall oil fatty acids, reaction product	(CAS-No.) 68953-36-6	17 - 33	Skin Irrit. 2, H315
with Tetraethylene pentamine			Eye Irrit. 2A, H319
			Skin Sens. 1A, H317
			STOT SE 3, H335
Formaldehyde, polymer with	(CAS-No.) 135108-88-2	> 27	Acute Tox. 4 (Oral), H302
benzenamine, hydrogenated			Skin Corr. 1C, H314
			Skin Sens. 1, H317
			STOT RE 2, H373
			Aquatic Acute 3, H402
			Aquatic Chronic 3, H412
Benzyl alcohol	(CAS-No.) 100-51-6	< 27	Flam. Liq. 4, H227
			Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Inhalation:dust,mist), H332
			Eye Irrit. 2A, H319
			Aquatic Acute 2, H401

2/12 11/30/2020 EN (English US)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

1-Piperazineethanamine	(CAS-No.) 140-31-8	2 - 13	Flam. Liq. 4, H227
			Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Dermal), H312
			Skin Corr. 1B, H314
			Eye Dam. 1, H318
			Skin Sens. 1, H317
			Aquatic Acute 3, H402
			Aquatic Chronic 3, H412
Tetraethylenepentamine	(CAS-No.) 112-57-2	3 - 7	Acute Tox. 4 (Oral), H302
			Acute Tox. 3 (Dermal), H311
			Skin Corr. 1B, H314
			Eye Dam. 1, H318
			Skin Sens. 1, H317
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
Cyclohexanamine, 4,4'-	(CAS-No.) 1761-71-3	< 3	Acute Tox. 4 (Oral), H302
methylenebis-			Skin Corr. 1B, H314
			Eye Dam. 1, H318
			Skin Sens. 1B, H317
			STOT RE 2, H373
2,4,6-	(CAS-No.) 90-72-2	< 3	Acute Tox. 4 (Oral), H302
Tri(dimethylaminomethyl)phenol			Acute Tox. 4 (Dermal), H312
			Skin Corr. 1C, H314
			Eye Dam. 1, H318
			Skin Sens. 1B, H317
			Aquatic Acute 3, H402
Bisphenol A	(CAS-No.) 80-05-7	1 - 2	Eye Dam. 1, H318
			Skin Sens. 1, H317
			Repr. 1B, H360
			STOT SE 3, H335
			Aquatic Acute 2, H401
			Aquatic Chronic 2, H411
			Comb. Dust

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

Skin Contact: Immediately remove contaminated clothing. Immediately flush skin with plenty of water for at least 30 minutes. Get immediate medical advice/attention.

Eye Contact: Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: May cause respiratory irritation. May cause damage to organs (Kidney) through prolonged or repeated exposure (Oral). Skin sensitization. May damage fertility. May damage the unborn child. Harmful if swallowed. Causes severe skin burns and eye damage.

Inhalation: Irritation of the respiratory tract and the other mucous membranes. May be corrosive to the respiratory tract.

11/30/2020 EN (English US) 3/12

^{*}Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Skin Contact: May cause an allergic skin reaction. Causes severe irritation which will progress to chemical burns.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: May damage fertility or the unborn child. May cause damage to organs (Kidney) through prolonged or repeated exposure (Oral).

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen oxides. Nitrous fumes. Aldehydes.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges. Do not breathe vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Eliminate ignition sources.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools. Cautiously neutralize spilled liquid.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: May release corrosive vapors.

11/30/2020 EN (English US) 4/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist, spray, vapors. Handle empty containers with care because they may still present a hazard. Do not get in eyes, on skin, or on clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area. Store in original container or corrosive resistant and/or lined container. Keep container closed when not in use.

Incompatible Materials: Strong oxidizers. Organic acids. Mineral acids. Sodium hypochlorite. Peroxides. Nitrosating agents. Product slowly corrodes copper, aluminum, zinc, and galvanized surfaces. Isocyanates. Halogens.

7.3. Specific End Use(s)

Primer.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Benzyl alcohol (100-51-6)					
USA AIHA	WEEL TWA [ppm]	10 ppm			
Bisphenol A (80-05-7)	Bisphenol A (80-05-7)				
Yukon	OEL Ceiling (mg/m³)	2.8 mg/m³			
Yukon	OEL Ceiling (ppm)	0.05 ppm			
Tetraethylenepentamine (112-57-2)					
USA AIHA	WEEL TWA (mg/m³)	5 mg/m³			
USA AIHA	AIHA chemical category	skin notation,Skin sensitizer			

8.2. Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. Face shield.











Materials for Protective Clothing: Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing. Corrosion-proof clothing.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles and face shield. **Skin and Body Protection:** Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State : Liquid
Appearance : Clear, yellow

11/30/2020 EN (English US) 5/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Odor : Amine
Odor Threshold : Not available
pH : Not available
Evaporation Rate : Not available
Melting Point : Not available
Freezing Point : Not available
Boiling Point : Not available

Flash Point : 110.5 °C (230.9 °F) ASTM D93

Auto-ignition Temperature Not available **Decomposition Temperature** Not available Flammability (solid, gas) Not applicable **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available Not available **Vapor Pressure** Relative Vapor Density at 20°C Not available **Relative Density** Not available

Specific Gravity : 1.01

Solubility: Not availablePartition Coefficient: N-Octanol/Water: Not availableViscosity: Not available

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity:** May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.
- **10.2.** Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- **10.3.** Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- **10.5. Incompatible Materials:** Strong oxidizers. Organic acids. Mineral acids. Sodium hypochlorite. Peroxides. Nitrosating agents. Product slowly corrodes copper, aluminum, zinc, and galvanized surfaces. Isocyanates. Halogens.
- **10.6. Hazardous Decomposition Products:** Thermal decomposition may produce: Nitric acid. Ammonia. Aldehydes. Corrosive vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Harmful if swallowed.
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data:

SPARTACOTE® General Primer Part B	
ATE US/CA (oral)	710.41 mg/kg body weight

Skin Corrosion/Irritation: Causes severe skin burns. **Eye Damage/Irritation:** Causes serious eye damage.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): May cause damage to organs through prolonged or repeated exposure.

Reproductive Toxicity: May damage fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Irritation of the respiratory tract and the other mucous membranes. May be corrosive to the respiratory tract.

11/30/2020 EN (English US) 6/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Causes severe irritation which will progress to chemical burns

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: May damage fertility or the unborn child. May cause damage to organs (Kidney) through prolonged or repeated exposure (Oral).

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

2,4,6-Tri(dimethylaminomethyl)phenol (90-72-2)					
LD50 Oral Rat	1200 mg/kg				
LD50 Dermal Rat	1280 mg/kg				
Cyclohexanamine, 4,4'-methylenebis- (1761-71-3)	Cyclohexanamine, 4,4'-methylenebis- (1761-71-3)				
LD50 Oral Rat	1000 mg/kg				
LD50 Dermal Rabbit	2110 mg/kg (Species: New Zealand White)				
Benzyl alcohol (100-51-6)					
LD50 Oral Rat	1230 mg/kg				
LD50 Dermal Rabbit	> 2000 mg/kg				
LD50 Intravenous Rat	53 mg/kg				
LC50 Inhalation Rat	> 4.178 mg/l/4h				
ATE US/CA (dust, mist)	1.50 mg/l/4h				
Formaldehyde, polymer with benzenamine, hydrogenated (135108-88-2)					
LD50 Oral Rat 368 mg/kg					
Bisphenol A (80-05-7)					
LD50 Oral Rat	3300 mg/kg				
LD50 Dermal Rabbit 3 ml/kg					
LC50 Inhalation Rat > 170 mg/m³ (Exposure time: 6 h)					
ATE US/CA (dermal) 3,120.00 mg/kg body weight					
1-Piperazineethanamine (140-31-8)					
LD50 Oral Rat	2140 μl/kg				
LD50 Dermal Rabbit	880 μl/kg				
ATE US/CA (oral)	500.00 mg/kg body weight				
ATE US/CA (dermal)	1,100.00 mg/kg body weight				
Tetraethylenepentamine (112-57-2)					
LD50 Dermal Rabbit	660 – 1260 mg/kg				
ATE US/CA (oral) 500.00 mg/kg body weight					

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Toxic to aquatic life with long lasting effects.

2,4,6-Tri(dimethylaminomethyl)phenol (90-72-2)			
ErC50 (algae)	84 mg/l		
NOEC Chronic Algae	6.25 g/l		
Benzyl alcohol (100-51-6)			
LC50 Fish 1	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 Daphnia 1	23 mg/l (Exposure time: 48 h - Species: water flea)		
LC50 Fish 2	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
ErC50 (algae)	770 mg/l		
Formaldehyde, polymer with benzenamine, hydrogenated (135108-88-2)			
LC50 Fish 1	63 mg/l Exposure time: 96 h - Species: Poecilia reticulata)		
EC50 Daphnia 1	15.4 mg/l (Exposure time: 48 h - Species: Daphnia magna)		

11/30/2020 EN (English US) 7/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

ErC50 (algae)	43.94 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)		
Bisphenol A (80-05-7)			
LC50 Fish 1	3.6 (3.6 – 5.4) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
EC50 Daphnia 1	10.2 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 Fish 2	4 (4 – 5.5) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 Daphnia 2	3.9 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
NOEC Chronic Fish	0.16 mg/l		
1-Piperazineethanamine (140-31-8)			
LC50 Fish 1	1950 – 2460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
EC50 Daphnia 1	32 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 Fish 2	> 1000 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [semi-static])		
Tetraethylenepentamine (112-57-2)			
LC50 Fish 1	420 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])		
EC50 Daphnia 1	24.1 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
ErC50 (algae)	0.12 mg/l		

12.2. Persistence and Degradability

SPARTACOTE® General Primer Part B	
Persistence and Degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

SPARTACOTE® General Primer Part B			
Bioaccumulative Potential	Not established.		
Cyclohexanamine, 4,4'-methylenebis- (1	Cyclohexanamine, 4,4'-methylenebis- (1761-71-3)		
Partition coefficient n-octanol/water	2.03		
(Log Pow)			
Benzyl alcohol (100-51-6)			
Partition coefficient n-octanol/water	1.1		
(Log Pow)			
Bisphenol A (80-05-7)			
BCF Fish 1	5.1 – 13.8		
Partition coefficient n-octanol/water	2.2		
(Log Pow)			
1-Piperazineethanamine (140-31-8)			
BCF Fish 1	(no bioaccumulation expected)		
Partition coefficient n-octanol/water	-1.48		
(Log Pow)			
Tetraethylenepentamine (112-57-2)			
BCF Fish 1	(no bioaccumulation expected)		
Partition coefficient n-octanol/water	<1		
(Log Pow)			

12.4. Mobility in Soil Not available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Additional Information: Handle empty containers with care because residual vapors are flammable.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

11/30/2020 EN (English US) 8/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Amines, liquid, corrosive, n.o.s.

Proper Shipping Name : POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Tetraethylenepentamine, 1-Piperazineethanamine)

Hazard Class : 8 Identification Number : UN2735

Label Codes : 8
Packing Group : II

Marine Pollutant : Marine pollutant

ERG Number : 153 **14.2.** In Accordance with IMDG

Proper Shipping Name : AMINES, LIQUID, CORROSIVE, N.O.S. (Tetraethylenepentamine, 1-Piperazineethanamine)

Hazard Class : 8

Identification Number : UN2735

Label Codes: 8Packing Group: IIEmS-No. (Fire): F-AEmS-No. (Spillage): S-B

Marine pollutant : Marine pollutant

14.3. In Accordance with IATA

Proper Shipping Name : AMINES, LIQUID, CORROSIVE, N.O.S. (Tetraethylenepentamine, 1-Piperazineethanamine)

Hazard Class : 8

Identification Number: UN2735

Label Codes: 8Packing Group: IIERG Code (IATA): 8L

14.4. In Accordance with TDG

Proper Shipping Name : AMINES, LIQUID, CORROSIVE, N.O.S. (Tetraethylenepentamine, 1-Piperazineethanamine)

Hazard Class : 8
Identification Number : UN2735
Label Codes : 8

Packing Group : II

Marine Pollutant (TDG) : Marine pollutant

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

SPARTACOTE® General Primer Part B		
SARA Section 311/312 Hazard Classes	Health hazard - Specific target organ toxicity (single or repeated exposure) Health hazard - Respiratory or skin sensitization Health hazard - Reproductive toxicity Health hazard - Acute toxicity (any route of exposure) Health hazard - Serious eye damage or eye irritation Health hazard - Skin corrosion or Irritation	

2,4,6-Tri(dimethylaminomethyl)phenol (90-72-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Cyclohexanamine, 4,4'-methylenebis- (1761-71-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Benzyl alcohol (100-51-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

11/30/2020 EN (English US) 9/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Formaldehyde, polymer with benzenamine, hydrogenated (135108-88-2)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
EPA TSCA Regulatory Flag PMN - PMN - indicates a commenced PMN substance.			
	XU - XU - indicates a substance exempt from reporting under the		
Chemical Data Reporting Rule, (40 CFR 711).			
Bisphenol A (80-05-7)			
Listed on the United States TSCA (Toxic Substances Control Act	t) inventory		
Subject to reporting requirements of United States SARA Section 313			
SARA Section 313 - Emission Reporting 1 %			
1-Piperazineethanamine (140-31-8)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Tetraethylenepentamine (112-57-2)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Tall oil fatty acids, reaction product with Tetraethylene pentamine (68953-36-6)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			

15.2. US State Regulations

California Proposition 65



WARNING: This product can expose you to Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Bisphenol A (80-05-7)			X	

Benzyl alcohol (100-51-6)

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Bisphenol A (80-05-7)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

1-Piperazineethanamine (140-31-8)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Tetraethylenepentamine (112-57-2)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

15.3. Canadian Regulations

2,4,6-Tri(dimethylaminomethyl)phenol (90-72-2)

Listed on the Canadian DSL (Domestic Substances List)

Cyclohexanamine, 4,4'-methylenebis- (1761-71-3)

Listed on the Canadian DSL (Domestic Substances List)

Benzyl alcohol (100-51-6)

Listed on the Canadian DSL (Domestic Substances List)

Formaldehyde, polymer with benzenamine, hydrogenated (135108-88-2)

Listed on the Canadian DSL (Domestic Substances List)

Bisphenol A (80-05-7)

Listed on the Canadian DSL (Domestic Substances List)

11/30/2020 EN (English US) 10/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

1-Piperazineethanamine (140-31-8)

Listed on the Canadian DSL (Domestic Substances List)

Tetraethylenepentamine (112-57-2)

Listed on the Canadian DSL (Domestic Substances List)

Tall oil fatty acids, reaction product with Tetraethylene pentamine (68953-36-6)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest

Revision

: 09/24/2021

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4	Acute toxicity (inhalation:dust,mist) Category 4
(Inhalation:dust,mist)	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Repr. 1B	Reproductive toxicity Category 1B
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, category 1A
Skin Sens. 1B	Skin sensitization, category 1B
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

11/30/2020 EN (English US) 11/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

H360	May damage fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)

11/30/2020 EN (English US) 12/12