# LATICRETE® SPECTRALOCK® PRO Premium Translucent Grout by LATICRETE International

#### HPD UNIQUE IDENTIFIER: 22837

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: LATICRETE® SPECTRALOCK® PRO Premium Translucent Grout is a patented, high performance epoxy grout that offers a unique opaque color that diffuses light and makes any design look more vibrant.

## Section 1: Summary

#### **CONTENT INVENTORY**

- Inventory Reporting Format
- Nested Materials Method
   Basic Method
- Threshold Disclosed Per
- C Material
- Product

- Threshold level • 100 ppm • 1,000 ppm • Per GHS SDS • Other
- Residuals/Impurities
  Considered
  Partially Considered
  Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes • No

# **Basic Method / Product Threshold**

All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC O Yes O No

 % weight and role provided for all substances.

Screened © Yes Ex/SC © Yes © No All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

#### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

LATICRETE® SPECTRALOCK® PRO PREMIUM TRANSLUCENT **GROUT [ SOLID GLASS AND GLASS / MINERAL FIBER (SEE** VARIANTS) (SOLID GLASS AND GLASS / MINERAL FIBER) LT-UNK **BISPHENOL A DIGLYCIDYL ETHER (BADGE) LT-P1 | END** FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL LT-P1 | MUL BENZYL ALCOHOL BM-2 CYCLOHEXANEMETHANAMINE, 5-AMINO-1,3,3-TRIMETHYL-, REACTION PRODUCTS WITH BISPHENOL A DIGLYCIDYL ETHER HOMOPOLYMER LT-P1 | MUL ALKYL (C12, C14) GLYCIDYL ETHER LT-P1 | SKI | MUL BUTANEDIOLDIGLYCIDYL ETHER LT-UNK | SKI | EYE AMINOETHYLPIPERAZINE LT-P1 | SKI | MUL 4-NONYLPHENOL (BRANCHED) LT-1 | MUL | AQU | SKI | REP | PBT | END | DEV TRIMETHYLHEXAMETHYLENEDIAMINE LT-P1 | MUL DIAMINOPOLYPROPYLENE GLYCOL LT-P1 | MUL ISOPHORONE DIAMINE LT-P1 | SKI | MUL ETHYL 4-[[(METHYLPHENYLAMINO)METHYLENE]AMINO]BENZOATE LT-P1 | MUL UNDISCLOSED LT-P1 | MUL UREA, N, N' -BIS[3-(DIMETHYLAMINO)PROPYL]- LT-P1 | MUL SILOXANES AND SILICONES, DI-ME, REACTION PRODUCTS WITH SILICA LT-UNK UNDISCLOSED LT-1 | MAM | GEN | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | MAM | GEN | CAN | MUL | END UNDISCLOSED LT-P1 | MUL UNDISCLOSED BM-1 | PBT | MUL (2-AMINOETHYL)ETHANOLAMINE LT-1 | RES | SKI | DEV | MUL | REP DINONYL PHENOL LT-P1 | MUL | AQU | SKI | REP | DEV | END ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

LATICRETE SPECTRALOCK PRO Premium Translucent Grout hpdrepository.hpd-collaborative.org

Material (g/l): 59

Regulatory (g/l): N/A

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

VOC emissions: N/A VOC content: TDS 251 "Low VOC LATICRETE® Products"

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? <sup>O</sup> Yes <sup>©</sup> No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-11-06 PUBLISHED DATE: 2020-11-06 EXPIRY DATE: 2023-11-06 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE® SPECTRALOCK® PF	RO PREMIUM TRANSLUCENT GROUT			
PRODUCT THRESHOLD: 100 ppm		RE	ESIDUALS AND IM	PURITIES CONSIDERED: Yes
RESIDUALS AND IMPURITIES NOT potentially greater than 100 ppm.	ES: Residuals and impurities are measure	d by quantita	ative methods and	are only displayed when they are
OTHER PRODUCT NOTES: See SD	S at https://laticrete.com for occupational	exposure in	formation.	
SOLID GLASS AND GLASS / MIN GLASS AND GLASS / MINERAL F	ERAL FIBER (SEE VARIANTS) (SOLID FIBER)			ID: 65997-17-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2020-11-06
%: 75.0000 - 85.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found			No warning	s found on HPD Priority Hazard Lists
SUBSTANCE NOTES: The amou	nt of this component may vary based on p	lant of manu	ufacture.	
•				
BISPHENOL A DIGLYCIDYL ETH	ER (BADGE)			ID: 25085-99-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2020-11-06
%: 6.0000 - 9.0000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
ENDOCRINE	EU - Priority Endocrine Disruptors		tegory 2 - In vitro e Endocrine Disrupt	evidence of biological activity related
SUBSTANCE NOTES: The amou	nt of this component may vary based on p	lant of manu	ufacture.	
•				
FORMALDEHYDE, POLYMER WI PHENOL	TH 2-(CHLOROMETHYL)OXIRANE AND			ID: 9003-36-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2020-11-06
%: 1.0000 - 3.5000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
MULTIPLE	German FEA - Substances Hazardous Waters	to Cla	ass 2 - Hazard to V	Vaters
SUBSTANCE NOTES: The amou	nt of this component may vary based on p	lant of manu	ufacture.	

BENZYL ALCOHOL					ID: 100-51-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE:	2020-11-06	
%: 0.8000 - 2.0000	GS: <b>BM-2</b>	RC: None	NANO: No	SUBSTANCE RO	LE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS		
None found			No warnings	s found on HPD Prio	rity Hazard Lists
SUBSTANCE NOTES: The amou	int of this component may vary based on p	lant of manufact	ure.		
CYCLOHEXANEMETHANAMINE, REACTION PRODUCTS WITH BIS HOMOPOLYMER	5-AMINO-1,3,3-TRIMETHYL-, SPHENOL A DIGLYCIDYL ETHER				ID: 68609-08-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE:	2020-11-06	
%: 0.8000 - 2.0000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE	: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS		
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2	e - Hazard to W	aters	
ALKYL (C12, C14) GLYCIDYL ETI	HER				ID: 68609-97-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE:	2020-11-06	
%: 0.6000 - 3.0000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE	: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 -	Causes skin irr	ritation	
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 -	May cause an	allergic skin reactior	1
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2	e - Hazard to W	aters	
SUBSTANCE NOTES: The amou	int of this component may vary based on p	lant of manufact	ure.		
BUTANEDIOLDIGLYCIDYL ETHE	R				ID: 2425-79-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE:	2020-11-06	
%: <b>0.6000 - 1.2000</b>	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE RO	LE: Diluent
		WARNI	NGS		
HAZARD TYPE	AGENCY AND LIST TITLES				
HAZARD TYPE SKIN IRRITATION	AGENCY AND LIST TITLES EU - GHS (H-Statements)		Causes skin irr	ritation	
		H315 -		itation allergic skin reactior	1
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - H317 -		allergic skin reactior	1

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

AMINOETHYLPIPERAZINE					ID: <b>140-31</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	) SCF	REENING DATE	2020-11-06
%: 0.5000 - 1.5000	GS: <b>LT-P1</b>	RC: Non	e	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	,	WAR	NINGS	
SKIN IRRITATION	EU - GHS (H-Statements)		H314	- Causes seve	re skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	I	H317	- May cause a	n allergic skin reaction
MULTIPLE	German FEA - Substances Hazardous Waters	to (	Class	s 2 - Hazard to \	Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

### 4-NONYLPHENOL (BRANCHED)

ID: 84852-15-3

	-	
6: <b>0.5000 - 1.5000</b>	GS: <b>LT-1</b>	RC: None NANO: No SUBSTANCE ROLE: Activato
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in developme
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effective
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
REPRODUCTIVE	EU - GHS (H-Statements)	H361fd - Suspected of damaging fertility. Suspected damaging the unborn child
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxic
РВТ	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / ve Persistent & very Bioaccumulative)
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 3 - Severe Hazard to Waters
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
CHRON AQUATIC	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects
ENDOCRINE	EU - SVHC Authorisation List	Equivalent Concern - Candidate List
РВТ	OSPAR - Priority PBTs & EDs & equiva concern	lent PBT - Substance of Possible Concern
ENDOCRINE	OSPAR - Priority PBTs & EDs & equiva concern	lent Endocrine Disruptor - Chemical for Priority Action

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

TRIMETHYLHEXAMETHYLENED	IAMINE		ID: 25620-58-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE	E: 2020-11-06
%: 0.3000 - 0.4000	GS: <b>LT-P1</b>	RC: None NANO: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to	Waters
SUBSTANCE NOTES: The amou	unt of this component may vary based on p	plant of manufacture.	
DIAMINOPOLYPROPYLENE GLY	′COL		ID: 9046-10-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE	E: 2020-11-06
%: 0.3000 - 1.0000	GS: <b>LT-P1</b>	RC: None NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to	Waters
SUBSTANCE NOTES: The amou	unt of this component may vary based on p	plant of manufacture.	
ISOPHORONE DIAMINE			ID: 2855-13-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE	E: 2020-11-06
%: 0.1500 - 0.5000	GS: <b>LT-P1</b>	RC: None NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes seve	ere skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause a	n allergic skin reaction
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to	Waters
SKIN SENSITIZE	МАК	Sensitizing Substan	ce Sh - Danger of skin sensitization
SUBSTANCE NOTES: The amou	unt of this component may vary based on p	plant of manufacture.	
ETHYL 4-[[(METHYLPHENYLAM	INO)METHYLENE]AMINO]BENZOATE		ID: 57834-33-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE	E: 2020-11-06
%: <b>0.1000 - 0.4000</b>	GS: <b>LT-P1</b>	RC: None NANO: No SU	IBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to	Waters
SUBSTANCE NOTES: The amou	unt of this component may vary based on p	plant of manufacture.	
1			
UNDISCLOSED			

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DA	ATE: 2020-11-06
%: 0.0600 - 0.0800	GS: <b>LT-P1</b>	RC: None NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2 - Hazard	to Waters
preserve integrity of formula and	Int of this component may vary based on t d maintain competitive advantage. The con		
UREA, N, N' -BIS[3-(DIMETHYLA			ID: 52338-87-
%: 0.0500 - 0.1500	Pharos Chemical and Materials Library GS: LT-P1	RC: None NANO: N	
%: 0.0500 - 0.1500	GS: L1-P1	RC: NORE NANO: NO	50BSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2 - Hazard	to Waters
SUBSTANCE NOTES: The amou	int of this component may vary based on p	lant of manufacture.	
SILOXANES AND SILICONES, DI SILICA	-ME, REACTION PRODUCTS WITH		ID: 67762-90-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DA	ATE: 2020-11-06
%: 0.0500 - 0.1500	GS: LT-UNK	RC: None NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No war	nings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: The amou	int of this component may vary based on p	lant of manufacture.	
UNDISCLOSED			
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DA	ATE: 2020-11-06
%: 0.0300 - 0.0400	GS: <b>LT-1</b>	RC: None NANO: N	o SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MULTIPLE		Class 2 - Hazard to Waters Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
	Waters	Carcinogen Category 1B - Presumed Carcinogen based
CANCER	Waters EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER GENE MUTATION	Waters EU - Annex VI CMRs EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence Mutagen - Category 1B
CANCER GENE MUTATION GENE MUTATION	Waters EU - Annex VI CMRs EU - Annex VI CMRs GHS - Malaysia	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence Mutagen - Category 1B H340 - May cause genetic defects

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### UNDISCLOSED

HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-11-06
%: 0.0300 - 0.0400	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warning	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-11-06
%: 0.0200 - 0.0300	GS: <b>LT-1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	GHS - Australia	H340 - May cause genetic defects
CANCER	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	CREENING [	DATE: 2020-11-06
%: 0.0040 - 0.0400	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
MULTIPLE	German FEA - Substances Hazardous Waters	to Cl	ass 2 - Hazar	d to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-11-06
%: 0.0040 - 0.0400	GS: <b>BM-1</b>	RC: None NANO: No SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-11-06
%: 0.0000 - 0.1000	GS: <b>LT-1</b>	RC: None NANO: No SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
DEVELOPMENTAL	EU - GHS (H-Statements)	H360Df - May damage the unborn child. Suspected of damaging fertility
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
REPRODUCTIVE	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
DEVELOPMENTAL	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

### **DINONYL PHENOL**

ID: 1323-65-5

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-11-06
%: 0.0000 - 0.0100	GS: <b>LT-P1</b>	RC: None NANO: No SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
REPRODUCTIVE	EU - GHS (H-Statements)	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
CHRON AQUATIC	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects
ENDOCRINE	OSPAR - Priority PBTs & EDs & equiva concern	ent Endocrine Disruptor - Chemical for Priority Action

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL:	ISSUE DATE: 2020-10- EXPIRY DATE: CERTIFIER OR LAB: LATICRETE 16	)20-10- EXPIRY DATE: CERTIFIER OR LAB: LATIC
CERTIFICATION AND COMPLIANCE NOTES: SPECTRALO		
VOC CONTENT	TDS 251 "Low VOC LATICRETE® Products"	/OC LATICRETE® Products"
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: https://cdn.laticrete.com/~/media/support-and- downloads/technical-datasheets/tds251.ashx	ISSUE DATE: 2020-10- EXPIRY DATE: CERTIFIER OR LAB: LATICRETE 13	J20-10- EXPIRY DATE: CERTIFIER OR LAB: LATIC
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED 1168 (Tile Adhesive).	v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule	mitting Materials" VOC Content Requirements per SCAQMD I

## 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

LATICRETE® SPECTRALOCK® PRO Premium Translucent Grout does not meet Living Building Challenge v4.0 requirements because it does contain components which are found on the LBC Red Listed Materials or Chemicals v4.0. Specifically, LATICRETE SPECTRALOCK PRO Premium Translucent Grout contains Bisphenol A Diglycidyl Ether (BADGE), 4-Nonylphenol (Branched) and cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with bisphenol A diglycidal ether homopolymer as stated in Section 2 of this HPD in amounts greater than the LBC Small Component Clause maximum threshold.

## MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203.393.4619 EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

# KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

#### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content mulative, and toxic LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.