# STONETECH® Stone & Tile Cleaner (Ready-To-Use) by LATICRETE International

## HPD UNIQUE IDENTIFIER: 22539

CLASSIFICATION: 09 01 30 Maintenance of Tiling

**PRODUCT DESCRIPTION:** STONETECH® Stone & Tile Cleaner (Ready-To-Use) is an easy-to-use, neutral pH, water-based, ready-to-use product for everyday use in cleaning countertops and stone / tile floors. Ideal for use with marble, granite, limestone, travertine, slate, sandstone, flagstone, and ceramic and porcelain tile.

# Section 1: Summary

### CONTENT INVENTORY

#### Inventory Reporting Format

Nested Materials MethodBasic Method

Threshold Disclosed Per

- C Material
- O Product

Threshold level • 100 ppm • 1,000 ppm • Per GHS SDS • Other

## **Residuals/Impurities**

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

# **Basic Method / Product Threshold**

All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

STONETECH® STONE & TILE CLEANER (READY-TO-USE) [ WATER BM-4 UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL | RES ISOPROPYL ALCOHOL BM-2 | EYE | PHY ]

# VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 692Regulatory (g/l): 692Does the product contain exempt VOCs: NoAre ultra-low VOC tints available: N/A

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

# INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

# **CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listings. VOC emissions: N/A VOC content: TDS 251 "Low VOC LATICRETE Products / LEED Certification"

# CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified? O Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-15 PUBLISHED DATE: 2020-10-15 EXPIRY DATE: 2023-10-15 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

#### STONETECH® STONE & TILE CLEANER (READY-TO-USE)

#### PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

WATER				ID: 7732-18-5	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2020-10-15	
%: 97.0000 - 99.0000	GS: <b>BM-4</b>	RC: None	NANO: No	SUBSTANCE ROLE: Diluent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	INGS		
None found			No warnings f	ound on HPD Priority Hazard Lists	
SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.					
UNDISCLOSED					
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2020-10-15	
%: 0.0500 - 0.1500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Detergent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS		
None found			No warnings f	ound on HPD Priority Hazard Lists	
UNDISCLOSED	I maintain competitive advantage. The con	-			
	Pharos Chemical and Materials Library				
%: 0.0100 - 0.0500	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Detergent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS		
MULTIPLE	German FEA - Substances Hazardous t Waters	o Class 2 - Hazard to Waters			
RESPIRATORY	AOEC - Asthmagens	Asthma	agen (Rs) - sens	itizer-induced	
SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.					
ISOPROPYL ALCOHOL				ID: 67-63-0	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2020-10-15	
%: 0.0000 - 2.0000	GS: <b>BM-2</b>	RC: None	NANO: No	SUBSTANCE ROLE: Solvent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour			
SUBSTANCE NOTES: The amou	nt of this component may vary based on t	ne plant of mar	nufacture.		

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A				
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL:	ISSUE DATE: 2020-10- EXPIRY DATE: 15	CERTIFIER OR LAB: LATICRETE			
CERTIFICATION AND COMPLIANCE NOTES: STONETECH® Stone & Tile Cleaner (Ready-To-Use) has not been tested for VOC emissions.					
VOC CONTENT	TDS 251 "Low VOC LATICRETE Products / LEED Certification"				
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities CERTIFICATE URL: https://cdn.laticrete.com/~/media/support-and- downloads/technical-datasheets/tds251.ashx? la=en&vs=1&d=20171127T140453Z	ISSUE DATE: 2020-10- EXPIRY DATE: 13	CERTIFIER OR LAB: LATICRETE			

CERTIFICATION AND COMPLIANCE NOTES: There are no guidelines for maximum VOC content for cleaners in LEED v4.1. Please take note of the VOC content as stated in Section 1: VOLATILE ORGANIC COMPOUND (VOC) CONTENT. The Consumer Product VOC is 1.0%.

# 😝 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

STONETECH® Stone & Tile Cleaner (Ready-To-Use) meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, STONETECH Stone & Tile Cleaner (Ready-To-Use) does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information. Consumer product VOC is 1.00%.

#### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

## KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

#### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.