LATICRETE® SUPERCAP® Moisture Vapor Control by LATICRETE International

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22121

CLASSIFICATION: 09 96 56 Epoxy Coatings

PRODUCT DESCRIPTION: LATICRETE® SUPERCAP® Moisture Vapor Control is a single-coat, 100% solids, liquid applied 2-part epoxy coating specifically designed for controlling the moisture vapor emission rate from new or existing concrete slabs prior to installing LATICRETE SUPERCAP underlayment.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method Rasic Method

Threshold Disclosed Per

C Material

Product

Threshold level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities

Considered

C Partially Considered

C Not Considered

Explanation(s) provided • Yes • No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances.

○ Yes Ex/SC ○ Yes ○ No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified

C Yes Ex/SC C Yes € No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE SUPERCAP MOISTURE VAPOR CONTROL [BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1 | AQU | SKI | EYE | MUL CARBOMONOCYCLIC ALKYLATED MIXTURES OF POLY-AZA-ALKANES Not Screened FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL LT-P1 | MUL ALKYL (C12, C14) GLYCIDYL ETHER LT-P1 | SKI | MUL 1,4-BIS(2,3-EPOXYPROPOXY)BUTANE LT-UNK | SKI | EYE UNDISCLOSED BM-2 P-TERT-BUTYLPHENOL LT-1 | END | AQU | SKI | EYE | REP | MUL 1,3-BENZENEDIMETHANAMINE LT-P1 | MUL | SKI UREA, N, N' -BIS[3-(DIMETHYLAMINO)PROPYL]- LT-P1 | MUL 1,6-HEXANEDIAMINE, 2,2,4(OR 2,4,4)-TRIMETHYL- LT-P1 | MUL UNDISCLOSED LT-1 | MAM | GEN | CAN | MUL | END BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1 | AQU | SKI | EYE | MUL METHOXYISOPROPYL ACETATE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 9.4 Regulatory (g/l): 9.4 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGUard Gold (SUPERCAP MVC) VOC content: TDS 251 "Low VOC LATICRETE® Products"

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

C Yes No
No
■
No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #:

SCREENING DATE: 2020-10-05 PUBLISHED DATE: 2020-10-05 EXPIRY DATE: 2023-10-05



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE SUPERCAP MOISTURE VAPOR CONTROL

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at laticretesupercap.com for occupational exposure information.

BISPHENOL A EPICHLOROHYDRIN POLYMER ID: 25068-38-6 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-05 %: 40.0000 - 48.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Curing agent HAZARD TYPE AGENCY AND LIST TITLES WARNINGS **CHRON AQUATIC** EU - GHS (H-Statements) H411 - Toxic to aquatic life with long lasting effects SKIN IRRITATION EU - GHS (H-Statements) H315 - Causes skin irritation SKIN SENSITIZE EU - GHS (H-Statements) H317 - May cause an allergic skin reaction **FYF IRRITATION** EU - GHS (H-Statements) H319 - Causes serious eye irritation MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

CARBOMONOCYCLIC ALKYLATED MIXTURES OF POLY-AZA-ALKANES

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

ID: Not Registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 20.0000 - 26.0000 GS: Not Screened		RC: None	nano: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL

ID: 9003-36-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-05		
%: 7.0000 - 12.0000	gs: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Curing agent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
MULTIPLE	German FEA - Substances Hazardous to	Waters Clas	s 2 - Hazard to Wa	aters	
SUBSTANCE NOTES. The amount of this component may vary based on plant of manufacture					

ALKYL (C12, C14) GLYCIDYL ETHER

ID: 68609-97-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-10-05

%: 5.0000 - 9.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Curing agent		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
SKIN IRRITATION	EU - GHS (H-Statements)	EU - GHS (H-Statements)		H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	EU - GHS (H-Statements)		an allergic skin reaction		
MULTIPLE	German FEA - Substances Hazardous to	German FEA - Substances Hazardous to Waters		o Waters		
SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.						

1,4-BIS(2,3-EPOXYPROPOXY)BUTANE	ID: 2425-79-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05			
%: 2.5000 - 4.0000	GS: LT-UNK	RC: None		nano: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction		skin reaction
EYE IRRITATION	EU - GHS (H-Statements)		H319 - C	auses serious eye irrit	ation
SKIN SENSITIZE	MAK		Sensitizi	ng Substance Sh - Dai	nger of skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-05		
%: 2.0000 - 4.0000	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Activator	
HAZARD TYPE	AGENCY AND LIST TITLES	,	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

P-TERT-BUTYLPHENOL ID: 98-54-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05
%: 2.0000 - 3.5000	gs: LT-1 RG	RC: None NANO: No SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	EU - Priority Endocrine Disruptors	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
REPRODUCTIVE	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	cs Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent conce	cern Endocrine Disruptor - Substance of Possible Concern

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

1,3-BENZENEDIMETHANAMINE ID: 1477-55-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 2.0000 - 3.0000	gs: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
SKIN SENSITIZE	MAK		Sensitizing Substance Sh	- Danger of skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UREA, N, N' -BIS[3-(DIMETHYLAMINO)PROPYL]-

ID: **52338-87-1**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.4000 - 0.5000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	S

 $\hbox{\scriptsize SUBSTANCE NOTES: } \textbf{The amount of this component may vary based on the plant of manufacture.}$

1,6-HEXANEDIAMINE, 2,2,4(OR 2,4,4)-TRIMETHYL-

ID: 25513-64-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.3000 - 0.5000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DAT	E: 2020-10-05	
%: 0.1000 - 0.3000	GS: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Defoamer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways	
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects	
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer	
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man	
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man	
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters	
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence	
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B	
GENE MUTATION	GHS - Australia	H340 - May cause genetic defects	
CANCER	GHS - Australia	H350 - May cause cancer	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed topreserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

BISPHENOL A EPICHLOROHYDRIN POLYMER

ID: 25068-38-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05			
%: 0.0100 - 1.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Residual	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CHRON AQUATIC	EU - GHS (H-Statements)		H411 - Toxic to aquatic life with long lasting effects		
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Causes serious eye irritation		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

METHOXYISOPROPYL ACETATE ID: 108-65-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-05		
%: 0.0100 - 0.0150	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Defoamer	
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed topreserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL GreenGUard Gold (SUPERCAP MVC)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2009-07-07

EXPIRY DATE: 2021-07-09

CERTIFIER OR LAB: UL Environment

APPLICABLE FACILITIES: Applies to All Facilities.

http://certificates.ulenvironment.com/default.aspx?

id=57411&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

VOC CONTENT

TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08-12

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL: https://www.laticrete.com/~/media/support-

and-downloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (Waterproofing Sealers).



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.

Section 5: General Notes

LATICRETE® SUPERCAP® Moisture Vapor Control does not meet Living Building Challenge v4.0 requirements because it does contain a component which is found on the Red Listed Materials or Chemicals. Specifically, LATICRETE SUPERCAP Moisture Vapor Control contains Bisphenol A Epichlorohydrin Polymer as stated in Section 2 of this HPD in an amount greater than the LBC Small Component Clause maximum threshold.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: https://laticretesupercap.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203.393.4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge

LAN Land toxicity

NEU Neurotoxicity

OZO Ozone depletion

MUL Multiple

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eve irritation/corrosivity **GEN** Gene mutation

GLO Global warming

PBT Persistent, bioaccumulative, and toxic

NF Not found on Priority Hazard Lists

MAM Mammalian/systemic/organ toxicity

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.