

HPD UNIQUE IDENTIFIER: 31138

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: A multi-use, polymer fortified adhesive mortar which offers tremendous utility including non-sag wall installations, large, heavy tile (medium bed) build up of up to 3/4" (19 mm) and thin-set applications of floors.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

| | | | |
|--|--|---|--|
| Inventory Reporting Format | Threshold Level | Residuals/Impurities Evaluation | <i>For all contents above the threshold, the manufacturer has:</i> |
| <input checked="" type="radio"/> Nested Materials Method | <input checked="" type="radio"/> 100 ppm | <input checked="" type="radio"/> Completed | Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No |
| <input checked="" type="radio"/> Basic Method | <input type="radio"/> 1,000 ppm | <input type="radio"/> Partially Completed | <i>Provided weight and role.</i> |
| Threshold Disclosed Per | <input type="radio"/> Per GHS SDS | <input type="radio"/> Not Completed | Screened <input checked="" type="radio"/> Yes <input type="radio"/> No |
| <input type="radio"/> Material | <input type="radio"/> Other | Explanation(s) provided : | <i>Provided screening results using HPDC-approved methods.</i> |
| <input checked="" type="radio"/> Product | | <input checked="" type="radio"/> Yes <input type="radio"/> No | Identified <input type="radio"/> Yes <input checked="" type="radio"/> No |
| | | | <i>Provided name and CAS RN or other identifier.</i> |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

LATICRETE® 4-XLT (WHITE) [QUARTZ (PRIMARY CASRN IS 14808-60-7) BM-1* | CAN | MAM | GEN LIME BM-2 | SKI | MAM | EYE QUARTZ BM-1 | CAN | MAM | GEN LIME BM-2 | SKI | MAM | EYE FERRIC OXIDE BM-1 | CAN | MAM | EYE | SKI SULFUR TRIOXIDE BM-2 | MAM UNDISCLOSED LT-UNK FERRIC OXIDE BM-1 | CAN | MAM | EYE | SKI SULFUR TRIOXIDE BM-2 | MAM ALUMINUM OXIDE BM-2 | MAM CALCIUM CARBONATE BM-3 | EYE LIMESTONE; CALCIUM CARBONATE BM-3dg UNDISCLOSED LT-UNK | CAN UNDISCLOSED LT-UNK UNDISCLOSED BM-3 | EYE]

Number of Greenscreen BM-4/BM3 contents ... 3

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): N/A

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

LCA: Environmental Product Declaration (EPD) by UL - Industry Generic

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-01-25

PUBLISHED DATE: 2023-01-25

EXPIRY DATE: 2026-01-25

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

LATICRETE® 4-XLT (WHITE)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at <https://laticrete.com> for occupational exposure information.

QUARTZ (PRIMARY CASRN IS 14808-60-7)

ID: 87347-84-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-25 12:48:59

#: 65.0000 - 75.0000 GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Filler

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen** |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route** |
| CAN | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting)** |
| CAN | MAK | Carcinogen Group 1 - Substances that cause cancer in man** |
| CAN | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources** |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans** |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A]** |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]** |
| CAN | GHS - New Zealand | Carcinogenicity category 1** |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]** |
| GEN | GHS - Japan | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]** |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]** |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1** |

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This raw material is added as a stand-alone component and as a sub-component used in the manufacturing of portland cement.

****Form-Specific Hazard:** This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

This substance is part of a powder or aerosol; however, its potential for respiration is limited, as demonstrated by this [report or certification](#)

LIME

ID: 1305-78-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-01-25 12:48:59**%: **32.0000 - 45.0000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---------------------------------------|---|
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| SKI | GHS - New Zealand | Skin corrosion category 1C |
| EYE | GHS - New Zealand | Serious eye damage category 1 |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| EYE | GHS - Australia | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals Antimicrobials |

SUBSTANCE NOTES: The amount of this material may vary based on plant of manufacture. This raw material is added as a sub-component used in the manufacturing of portland cement.

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-01-25 12:49:00**%: **29.0000 - 43.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CAN | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| CAN | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A] |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B] |
| CAN | GHS - New Zealand | Carcinogenicity category 1 |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| GEN | GHS - Japan | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2] |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1 |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The amount of this material may vary based on plant of manufacture. Some of the total content of this raw material is added as a sub-component used in the manufacturing of portland cement.

LIME

ID: 1305-78-8

| | | | | |
|---|--|----------|----------|------------------------|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2023-01-25 12:49:00 | | | |
| %, 15.0000 - 23.0000 | GreenScreen: BM-2 | RC: None | NANO: No | SUBSTANCE ROLE: Binder |

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---------------------------------------|---|
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| SKI | GHS - New Zealand | Skin corrosion category 1C |
| EYE | GHS - New Zealand | Serious eye damage category 1 |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| EYE | GHS - Australia | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals Antimicrobials |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This raw material is added as a sub-component used in the manufacturing of portland cement.

FERRIC OXIDE

ID: 1309-37-1

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2023-01-25 12:49:01 | | |
|---|--------------------------|---|-----------------|-------------------------------|
| #: 0.5000 - 6.0000 | GreenScreen: BM-1 | RC: None | NANO: No | SUBSTANCE ROLE: Binder |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification | | |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] | | |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] | | |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |

SUBSTANCE NOTES: The amount of this material may vary based on plant of manufacture. This raw material is added as a sub-component used in the manufacturing of portland cement.

SULFUR TRIOXIDE

ID: 7446-11-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-01-25 12:49:00**%: **0.5000 - 6.0000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|--|
| MAM | US EPA - EPCRA Extremely Hazardous Substances | Extremely Hazardous Substances |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The amount of this material may vary based on plant of manufacture. This raw material is added as a sub-component used in the manufacturing of portland cement.

UNDISCLOSEDID: **Undisclosed**HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-01-25 12:49:01**%: **1.5000 - 4.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|----------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

FERRIC OXIDE

ID: 1309-37-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-01-25 12:49:01**%: **0.3000 - 3.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|----------------------|---|
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This raw material is added as a sub-component used in the manufacturing of portland cement.

SULFUR TRIOXIDE

ID: 7446-11-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-01-25 12:49:02**

#: **0.3000 - 3.0000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|--|
| MAM | US EPA - EPCRA Extremely Hazardous Substances | Extremely Hazardous Substances |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This raw material is added as a sub-component used in the manufacturing of portland cement.

ALUMINUM OXIDE

ID: 1344-28-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-01-25 12:49:03**

#: **0.5000 - 2.5000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|---|
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This raw material is added as a sub-component used in the manufacturing of portland cement.

CALCIUM CARBONATE

ID: 471-34-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-01-25 12:49:02**

#: **Impurity/Residual** GreenScreen: **BM-3** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|---------------------------|
| EYE | GHS - New Zealand | Eye irritation category 2 |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

LIMESTONE; CALCIUM CARBONATE ID: 1317-65-3

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2023-01-25 12:49:02 | | |
|--|----------------------------|---|-----------------|--|
| %: Impurity/Residual | GreenScreen: BM-3dg | RC: None | NANO: No | SUBSTANCE ROLE: Impurity/Residual |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

UNDISCLOSED ID: Undisclosed

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2023-01-25 12:49:03 | | |
|--|----------------------------|--|-----------------|---|
| %: 0.2000 - 0.8000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Viscosity modifier |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2023-01-25 12:49:04 | | |
|--|----------------------------|---|-----------------|---|
| %: 0.2000 - 0.5000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Processing regulator |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-01-25 12:49:04**

#: **0.1000 - 0.5000** GreenScreen: **BM-3** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|---|
| EYE | GHS - New Zealand | Eye irritation category 2 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE Safer Chemicals Ingredients list (SCIL) Enzymes and Stabilizers - Green Circle (Verified Low Concern) |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Applies to All Facilities.
CERTIFICATE URL:
<https://cdn.laticrete.com/~media/product-documents/greenguard-certificates/93-4-xlt-greenguard.ashx>

ISSUE DATE: 2015-06-09
EXPIRY DATE: 2023-07-09

CERTIFIER OR LAB: UL
Environment

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: Applies to All Facilities.
CERTIFICATE URL:
<https://cdn.laticrete.com/~media/support-and-downloads/technical-datasheets/tds251.ashx>

ISSUE DATE: 2023-01-23
EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

CERTIFICATION AND COMPLIANCE NOTES: Technical Data Sheet 251 "Low VOC LATICRETE Products". Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

LCA

Environmental Product Declaration (EPD) by UL - Industry Generic

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Applies to All Facilities.
CERTIFICATE URL:
<https://cdn.laticrete.com/~media/environmental-product-data-sheets/cement-mortar-for-tile-and-stone-installation---industry-wide.ashx>

ISSUE DATE: 2023-01-01
EXPIRY DATE: 2027-12-31

CERTIFIER OR LAB: UL
Environment

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as an Industry Wide (Type III) EPD.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD Available

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: LATICRETE 4-XLT to be mixed with water only following mix ratio and directions as stated in product data sheet.

Section 5: General Notes

LATICRETE® 4-XLT (White) meets the Living Building Challenge v4.0 (January 2022) requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE 4-XLT (White) does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene

(CSPE), Polyvinylidene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

Contains no respirable silica levels that exceed the OSHA action level.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International
ADDRESS: 1 Laticrete Park North
 Bethany CT 06524, USA
WEBSITE: <https://laticrete.com>

CONTACT NAME: Mitch Hawkins
TITLE: Director, Technical Services
PHONE: 203-393-4619
EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible 1 (Possible Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | NoGS No GreenScreen. |
| BM-U Benchmark Unspecified (due to insufficient data) | |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.