

HPD UNIQUE IDENTIFIER: 288541089792

CLASSIFICATION: 07 19 00 Water Repellents

PRODUCT TYPE: Cementitious Setting Material (Tile)

PRODUCT DESCRIPTION: STONETECH® Bulletproof® Sealer is an ultra high performance, water-based sealer for use on interior and exterior applications of natural stone such as honed or textured marble, granite, limestone, travertine, sandstone, saltillo, and bluestone.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

| Inventory Reporting Format | Threshold Level | Residuals/Impurities Evaluation | For all contents above the threshold, the manufacturer has: |
|--|---|--|---|
| <input type="radio"/> Nested Materials Method <input checked="" type="radio"/> Basic Method | <input checked="" type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other | <input checked="" type="radio"/> Completed <input type="radio"/> Partially Completed <input type="radio"/> Not Completed | Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No <i>Provided weight and role.</i> |
| Threshold Disclosed Per <input type="radio"/> Material <input checked="" type="radio"/> Product | | Explanation(s) provided : <input checked="" type="radio"/> Yes <input type="radio"/> No | Screened <input checked="" type="radio"/> Yes <input type="radio"/> No <i>Provided screening results using HPDC-approved methods.</i> |
| | | | Identified <input type="radio"/> Yes <input checked="" type="radio"/> No <i>Provided name and CAS RN or other identifier.</i> |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

STONETECH® BULLETPROOF® SEALER [WATER BM-4
BUTOXYPROPANOL BM-3 | SKI | EYE UNDISCLOSED LT-UNK
DIPROPYLENE GLYCOL N-BUTYL ETHER (DPNB) LT-UNK | EYE C4
PERFLUORINATED SURFACTANT NoGS UNDISCLOSED NoGS
UNDISCLOSED LT-P1 | SKI | MAM | EYE UNDISCLOSED BM-2 | CAN |
END | DEV | REP | PHY | MAM | EYE PYRITHIONE ZINC BM-1 | REP |
MUL | MAM | AQU | EYE | DEV | SKI UNDISCLOSED LT-P1 | SKI | MUL |
AQU | EYE | MAM UNDISCLOSED BM-2 | END | SKI | MUL | AQU | MAM
| EYE UNDISCLOSED BM-1 | END | MUL | AQU | MAM | REP]

Number of Greenscreen BM-4/BM3 contents ... 2
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
LT-P1, BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. STONETECH® Bulletproof® Sealer is a low-solids coating which means VOC content is expressed in grams of VOC per liter of material, not grams of VOC per liter of coating, less water (SCAQMD Rule #1113 Table of Standards (cont.) VOC limits). Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 12 Regulatory (g/l): 380
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

| | | |
|---|---|---|
| Third Party Verified? <input type="radio"/> Yes <input checked="" type="radio"/> No | PREPARER: Self-Prepared VERIFIER: VERIFICATION #: | SCREENING DATE: 2024-05-28 PUBLISHED DATE: 2024-06-28 EXPIRY DATE: 2027-05-28 |
|---|---|---|

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

STONETECH® BULLETPROOF® SEALER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-28 7:08:24**

%: **90.0000 - 98.0000**

GreenScreen: **BM-4**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Diluent**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

EXEMPT

European Union / European Commission (EU EC)

EU - REACH Exemptions

Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

BUTOXYPROPANOL

ID: 5131-66-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-28 7:08:25**

%: **0.0000 - 2.0000**

GreenScreen: **BM-3**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|--|
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| EYE | EU - GHS (H-Statements) Annex 6 Table 3-1 | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] |
| SKI | GHS - New Zealand | Skin irritation category 2 |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| EYE | GHS - Australia | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List Some Solvents |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-28 7:08:25**

%: **0.7500 - 1.2000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List PFAS |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions |
| RESTRICTED LIST | International Living Future Institute (ILFI) | Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards. This material is listed on the LBC Red List.

DIPROPYLENE GLYCOL N-BUTYL ETHER (DPNB)

ID: 29911-28-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-28 7:08:25**

%: **0.0500 - 0.3000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---------------------------------------|--|
| EYE | GHS - New Zealand | Eye irritation category 2 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List Some Solvents |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

C4 PERFLUORINATED SURFACTANT

ID: 172616-04-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-28 7:08:25**

%: **0.0500 - 0.1000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List PFAS |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions |
| RESTRICTED LIST | International Living Future Institute (ILFI) | Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards. This material is on the LBC Red List.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-28 7:08:25**

#: **0.0100 - 0.1000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-28 7:08:25**

#: **0.0500 - 0.0800** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Buffer**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|---|--|
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| EYE | GHS - New Zealand | Serious eye damage category 1 |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1] |
| SKI | GHS - Australia | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| SKI | GHS - Korea | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1] |
| SKI | GHS - New Zealand | Skin corrosion category 1B |
| SKI | GHS - Malaysia | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| EYE | GHS - Malaysia | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|---|---|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-28 7:08:25**

#: **0.0020 - 0.0200**

GreenScreen: **BM-2**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|---|
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans |
| CAN | MAK | Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels |
| DEV | CA EPA - Prop 65 | Developmental - specific to chemical form or exposure route |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A] |
| REP | GHS - Japan | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A] |
| PHY | EU - GHS (H-Statements) Annex 6 Table 3-1 | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2] |
| MAM | GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| EYE | GHS - Australia | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| PHY | GHS - New Zealand | Flammable liquids category 2 |
| PHY | GHS - Japan | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2] |
| PHY | GHS - Malaysia | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2] |
| PHY | GHS - Australia | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

PYRITHIONE ZINC

ID: 13463-41-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-28 7:08:26**

%: **0.0100 - 0.0200**

GreenScreen: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Antimicrobial Pesticide**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|-------------------------------------|
| REP | EU - Annex VI CMRs | Reproductive Toxicity - Category 1B |

| | | |
|-----|---|---|
| MUL | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| REP | GHS - Japan | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B] |
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| AQU | EU - GHS (H-Statements) Annex 6 Table 3-1 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | EU - GHS (H-Statements) Annex 6 Table 3-1 | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3] |
| EYE | EU - GHS (H-Statements) Annex 6 Table 3-1 | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2] |
| DEV | EU - GHS (H-Statements) Annex 6 Table 3-1 | H360D - May damage the unborn child [Reproductive toxicity - Category 1A or 1B] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| AQU | GHS - Japan | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | GHS - Japan | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU | GHS - Australia | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| MAM | GHS - Australia | H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3] |
| MAM | GHS - Australia | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2] |
| EYE | GHS - Australia | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| MAM | GHS - Japan | H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2] |

| | | |
|---------------------|---|--|
| MAM | GHS - Japan | H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3] |
| REP | EU - REACH Annex XVII CMRs | Reproductive toxicants: Category 1B |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List Antimicrobials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-28 7:08:26**

%: **0.0050 - 0.0100**

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Antimicrobial Pesticide**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|---|
| SKI | MAK | Sensitizing Substance Sh - Danger of skin sensitization |
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| AQU | EU - GHS (H-Statements) Annex 6 Table 3-1 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| EYE | EU - GHS (H-Statements) Annex 6 Table 3-1 | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| SKI | GHS - New Zealand | Skin irritation category 2 |
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| EYE | GHS - New Zealand | Serious eye damage category 1 |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| SKI | GHS - New Zealand | Skin sensitisation category 1 |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - acute category 1 |
| MAM | GHS - Japan | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2] |
| AQU | GHS - Japan | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | GHS - Japan | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 1 |
| EYE | GHS - Australia | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| AQU | GHS - Australia | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| MAM | GHS - Japan | H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List Antimicrobials |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-28 7:08:26**

%: **0.0050 - 0.0100** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antimicrobial Pesticide**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|---|---|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| SKI | MAK | Sensitizing Substance Sh - Danger of skin sensitization |
| MUL | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| AQU | EU - GHS (H-Statements) Annex 6 Table 3-1 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | EU - GHS (H-Statements) Annex 6 Table 3-1 | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3] |
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3] |
| EYE | EU - GHS (H-Statements) Annex 6 Table 3-1 | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2] |
| EYE | GHS - New Zealand | Serious eye damage category 1 |
| SKI | GHS - Australia | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| SKI | GHS - New Zealand | Skin sensitisation category 1 |
| MAM | GHS - New Zealand | Acute inhalation toxicity category 2 |
| MAM | GHS - New Zealand | Acute oral toxicity category 2 |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - acute category 1 |
| AQU | GHS - Australia | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 1 |
| AQU | GHS - Korea | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | GHS - Korea | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |

| | | |
|---------------------|--|---|
| SKI | GHS - Korea | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1] |
| SKI | GHS - New Zealand | Skin corrosion category 1B |
| MAM | GHS - Korea | H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3] |
| MAM | GHS - Australia | H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3] |
| MAM | GHS - Australia | H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3] |
| MAM | GHS - Korea | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2] |
| MAM | GHS - Australia | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2] |
| MAM | GHS - Korea | H310 - Fatal in contact with skin [Acute toxicity (dermal) - Category 1] |
| MAM | GHS - New Zealand | Acute dermal toxicity category 2 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List Antimicrobials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-28 7:08:26**

%: **0.0010 - 0.0100**

GreenScreen: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Antimicrobial Pesticide**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|--|--|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| AQU | EU - GHS (H-Statements) Annex 6 Table 3-1 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | EU - GHS (H-Statements) Annex 6 Table 3-1 | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - acute category 1 |
| AQU | GHS - Japan | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | GHS - Japan | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU | GHS - Australia | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 1 |
| REP | GHS - Japan | H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List Antimicrobials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | CDPH Standard Method - Not tested | |
|---|-----------------------------------|------------------------|
| CERTIFYING PARTY: Self-declared | ISSUE DATE: 2024-06-28 00:00:00 | CERTIFIER OR LAB: None |
| APPLICABLE FACILITIES: Applies to All Facilities | EXPIRY DATE: | |
| CERTIFICATE URL: | | |
| CERTIFICATION AND COMPLIANCE NOTES: STONETECH® BulletProof® Sealer has not been tested for VOC emissions. | | |

| VOC CONTENT | EPA Method 24 - Volatile Matter Content (EPA 24) | |
|--|--|-----------------------------|
| CERTIFYING PARTY: Self-declared | ISSUE DATE: 2024-05-09 00:00:00 | CERTIFIER OR LAB: LATICRETE |
| APPLICABLE FACILITIES: Applies to All Facilities. | EXPIRY DATE: | |
| CERTIFICATE URL: https://cdn-global.laticrete.com/-/media/project/laticrete-international/shared/files/support-and-downloads/technical-datasheets/tds251.pdf | | |
| CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (Low-Solids Coating). | | |

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

STONETECH® BulletProof® Sealer does not meet Living Building Challenge v4.0 requirements because it does contain two components which are found on the Red Listed Materials or Chemicals one of which is in an amount greater than the maximum threshold. These CAS #'s for these fluorochemicals are proprietary from the chemical manufacturer, and, as such are trade secrets and not divulged.

MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**
 ADDRESS: **1 Laticrete Park North**
Bethany, CT 06524
 COUNTRY: **USA**
 LATITUDE: **41.3958000**
 LONGITUDE: **-73.0013000**

WEBSITE: **https://laticrete.com**
 CONTACT NAME: **Mitch Hawkins**
 TITLE: **Director, Customer Experience - Sustainability & Analytics**
 PHONE: **203-393-4619**
 EMAIL: **wmhawkins@laticrete.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible 1 (Possible Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | NoGS No GreenScreen. |
| BM-U Benchmark Unspecified (due to insufficient data) | |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.