

HPD UNIQUE IDENTIFIER: 857543177216

CLASSIFICATION: 03 05 00 Common Work Results for Concrete

PRODUCT DESCRIPTION: L&M™ E-CON™ is a concentrated, odorless, water-based polymer liquid that, when placed on fresh concrete, helps to control the rate of evaporation and extend workability. When applied to fresh concrete, L&M E-CON reduces contractor field problems with exposed exterior concrete by minimizing surface crusting and plastic shrinkage cracks.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
<input type="radio"/> Nested Materials Method <input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other	<input checked="" type="radio"/> Completed <input type="radio"/> Partially Completed <input type="radio"/> Not Completed Explanation(s) provided : <input checked="" type="radio"/> Yes <input type="radio"/> No	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No <i>Provided weight and role.</i> Screened <input checked="" type="radio"/> Yes <input type="radio"/> No <i>Provided screening results using HPDC-approved methods.</i> Identified <input type="radio"/> Yes <input checked="" type="radio"/> No <i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
L&M™ E-CON™ | WATER BM-4 UNDISCLOSED LT-P1 | MUL | SKI
UNDISCLOSED BM-2 | SKI | MAM | EYE UNDISCLOSED LT-P1 | PBT |
MUL UNDISCLOSED BM-2 | END | SKI | MUL | AQU | MAM | EYE]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 63 Regulatory (g/l): 63
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method - Not tested
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4 Option 2.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2023-03-07

PUBLISHED DATE: 2024-07-12

EXPIRY DATE: 2026-03-07

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

L&M™ E-CON™

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2023-03-07 11:42:01

%: 90.0000 - 96.0000

GreenScreen: **BM-4**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Diluent**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

EXEMPT

European Union / European Commission (EU EC)

EU - REACH Exemptions

Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2023-03-07 11:42:02

%: 2.0000 - 4.0000

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

MUL

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SKI

GHS - Australia

H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-03-07 11:42:03**

%: **0.5000 - 1.0000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Diluent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - New Zealand	Skin corrosion category 1B
SKI	GHS - Malaysia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-03-07 11:42:03**

%: **0.5000 - 0.6000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSEDID: **Undisclosed**HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2023-03-07 11:42:04**%: **0.0500 - 0.1000**GreenScreen: **BM-2**RC: **None**NANO: **No**SUBSTANCE ROLE: **Antimicrobial Pesticide**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Korea	H310 - Fatal in contact with skin [Acute toxicity (dermal) - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-07-12 00:00:00

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: Applies to All Facilities.

EXPIRY DATE:

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: L&M™ E-CON™ has not been tested for VOC emissions.

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-05-09 00:00:00

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

EXPIRY DATE:

CERTIFICATE URL: <https://cdn-global.laticrete.com/-/media/project/laticrete-international/shared/files/support-and-downloads/technical-datasheets/tds251.pdf>

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (Primers, Sealers and Undercoaters).

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER

MANUFACTURER (OR GENERIC): **Generic**

HPD URL: No HPD Available

ACCESSORY TYPE: **Other**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: L&M™ E-CON™ to be diluted with water per mix ratio and directions as stated on product data sheet.

Section 5: General Notes

L&M™ E-CON™ meets the Living Building Challenge v4.1 (March 2022) requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, L&M E-CON does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**
 ADDRESS: **1 Laticrete Park North**
Bethany, CT 06524
 COUNTRY: **USA**
 LATITUDE: **41.3973000**
 LONGITUDE: **-73.0027000**

WEBSITE: **https://laticrete.com**
 CONTACT NAME: **Mitch Hawkins**
 TITLE: **Director, Customer Experience - Sustainability & Analytics**
 PHONE: **203-393-4619**
 EMAIL: **wmhawkins@laticrete.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.