

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 04/23/2020 Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: STONETECH® KlenzAll™ Cleaner RTU

1.2. Intended Use of the Product

Cleaner for natural stone & tile surfaces.

1.3. Name, Address, and Telephone of the Responsible Party

Company Company

LATICRETE International LATICRETE Canada ULC

1 Laticrete Park, N PO Box 129, Emeryville, Ontario, Canada

Bethany, CT 06524 NOR-1A0 T (203)-393-0010 (833)-254-9255

www.laticrete.com

1.4. Emergency Telephone Number

Emergency Number: For Chemical Emergency call ChemTel Inc. day or night:

(800)255-3924 (North America) (800)-099-0731 (Mexico)

+1 (813)248-0585 (International - collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Not classified

2.2. Label Elements

GHS-US/CA Labeling

No labeling applicable according to 29 CFR 1910.1200 and the Hazardous Products Regulations (HPR) SOR/2015-17.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Ethanolamine	(CAS-No.) 141-43-5	0.5 - 0.6	Flam. Liq. 4, H227
			Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Dermal), H312
			Acute Tox. 4 (Inhalation:vapour), H332
			Skin Corr. 1B, H314
			Eye Dam. 1, H318
			STOT SE 3, H335
			Aquatic Acute 2, H401
			Aquatic Chronic 3, H412
Potassium hydroxide	(CAS-No.) 1310-58-3	0.04	Met. Corr. 1, H290
			Acute Tox. 3 (Oral), H301
			Skin Corr. 1A, H314
			Eye Dam. 1, H318
			STOT SE 1. H370

04/23/2020 EN (English US) 1/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Diethanolamine	(CAS-No.) 111-42-2	0.001 - 0.01	Acute Tox. 4 (Oral), H302
			Skin Irrit. 2, H315
			Eye Dam. 1, H318
			Carc. 2, H351
			STOT RE 2, H373
			Aquatic Acute 2, H401
			Aquatic Chronic 3, H412

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: May cause slight irritation to eyes. **Ingestion:** Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂).

5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

04/23/2020 EN (English US) 2/9

^{*}Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizer, water reactive materials.

7.3. Specific End Use(s)

Cleaner for natural stone & tile surfaces.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Ethanolamine (141-43-5)		
USA ACGIH	ACGIH TWA (ppm)	3 ppm
USA ACGIH	ACGIH STEL (ppm)	6 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	3 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	8 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	3 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	15 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)	6 ppm
USA IDLH	US IDLH (ppm)	30 ppm
Alberta	OEL STEL (mg/m³)	15 mg/m³
Alberta	OEL STEL (ppm)	6 ppm
Alberta	OEL TWA (mg/m³)	7.5 mg/m ³
Alberta	OEL TWA (ppm)	3 ppm
British Columbia	OEL STEL (ppm)	6 ppm
British Columbia	OEL TWA (ppm)	3 ppm
Manitoba	OEL STEL (ppm)	6 ppm
Manitoba	OEL TWA (ppm)	3 ppm
New Brunswick	OEL STEL (mg/m³)	15 mg/m³
New Brunswick	OEL STEL (ppm)	6 ppm
New Brunswick	OEL TWA (mg/m³)	7.5 mg/m ³

04/23/2020 EN (English US) 3/9

Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

New Brunswick OEL TWA (ppm) S ppm		. 30 / Worlday, Waren 20, 2012 / Naics / Ma Negalations / Ma /	According to the Hazardous Products Regulation (February 11, 2015).
Newfoundland & Labrador			
Nova Scotia OEL STEL (ppm) S ppm			
Nova Soctia OEL TWA (ppm) 3 ppm	Newfoundland & Labrador	OEL TWA (ppm)	3 ppm
Nunavut	Nova Scotia	OEL STEL (ppm)	6 ppm
Nunavut	Nova Scotia	OEL TWA (ppm)	3 ppm
Northwest Territories OEL STEL (ppm) 6 ppm Northwest Territories OEL TWA (ppm) 3 ppm Ontario OEL TWA (ppm) 3 ppm Ontario OEL TWA (ppm) 3 ppm Prince Edward Island OEL TWA (ppm) 3 ppm Québec VECD (ppm) 6 ppm Québec VECD (ppm) 6 ppm Québec VEMP (mg/m³) 7.5 mg/m³ Québec VEMP (ppm) 3 ppm Saskatchewan OEL STEL (ppm) 6 ppm Saskatchewan OEL TWA (ppm) 3 ppm Saskatchewan OEL TWA (ppm) 3 ppm Yukon OEL STEL (mg/m³) 12 mg/m³ Yukon OEL STEL (mg/m³) 12 mg/m³ Yukon OEL STEL (mg/m³) 3 ppm Potassium hydroxide (1310-58-3) VIII 2 mg/m³ USA ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ British Columbia OEL Cei	Nunavut	OEL STEL (ppm)	6 ppm
Northwest Territories	Nunavut	OEL TWA (ppm)	3 ppm
Ontario OEL STEL (ppm) 6 ppm Ontario OEL TWA (ppm) 3 ppm Prince Edward Island OEL TWA (ppm) 6 ppm Prince Edward Island OEL TWA (ppm) 3 ppm Québec VECD (mg/m²) 15 mg/m³ Québec VEMP (mg/m²) 7.5 mg/m³ Québec VEMP (ppm) 3 ppm Saskatchewan OEL STEL (ppm) 6 ppm Saskatchewan OEL TSTEL (ppm) 3 ppm Yukon OEL STEL (ppm) 6 ppm Yukon OEL STEL (ppm) 6 mg/m³ Yukon OEL TWA (mg/m²) 6 mg/m³ Yukon OEL TWA (mg/m²) 6 mg/m³ Yukon OEL TWA (mg/m²) 2 mg/m³ Potassium hydroxide (1310-58-3) USA AICSH ACGIH Celling (mg/m²) 2 mg/m³ USA NIOSH NIOSH RE (celling) (mg/m²) 2 mg/m³ Jaberta OEL Celling (mg/m²) 2 mg/m³ Prince Durance OEL Celling (mg/m²) 2 mg/m³ New Brunswick OEL Celling (mg/m²) 2 mg/m³	Northwest Territories	OEL STEL (ppm)	6 ppm
Ontario OEL TWA (ppm) 3 ppm Prince Edward Island OEL STEL (ppm) 6 ppm Prince Edward Island OEL TWA (ppm) 3 ppm Québec VECD (mg/m³) 15 mg/m³ Québec VECD (ppm) 6 ppm Québec VEMP (mg/m²) 7.5 mg/m³ Québec VEMP (ppm) 3 ppm Saskatchewan OEL STEL (ppm) 6 ppm Saskatchewan OEL TSEL (ppm) 6 ppm Yukon OEL STEL (mg/m²) 12 mg/m³ Yukon OEL STEL (ppm) 6 ppm Yukon OEL STEL (ppm) 6 ppm Yukon OEL TWA (ppm) 3 ppm Potassium hydroxide (1310-58-3) 3 ppm USA ACGIH ACGIH Celling (mg/m²) 2 mg/m³ USA ACGIH ACGIH Celling (mg/m²) 2 mg/m³ USA NIOSH NIOSH REL (celling (mg/m²) 2 mg/m³ M	Northwest Territories	OEL TWA (ppm)	3 ppm
Prince Edward Island OEL STEL (ppm) 6 ppm Prince Edward Island OEL TWA (ppm) 3 ppm Québec VECD (ppm) 6 ppm Québec VEMP (ppm) 7.5 mg/m³ Québec VEMP (ppm) 3 ppm Québec VEMP (ppm) 3 ppm Saskatchewan OEL STEL (ppm) 6 ppm Saskatchewan OEL STEL (ppm) 3 ppm Yukon OEL STEL (ppm) 6 ppm Yukon OEL TWA (mg/m³) 6 ppm Yukon OEL TWA (mg/m³) 6 ppm Yukon OEL TWA (ppm) 3 ppm Potassium hydroxide (1310-58-3) 3 ppm USA ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ New Furnswick OEL Ceiling (mg/m³) 2 mg/m³ New Foundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ New foundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories	Ontario	OEL STEL (ppm)	6 ppm
Prince Edward Island OEL TWA (ppm) 3 ppm Québec VECD (mg/m²) 15 mg/m³ Québec VECM (ppm) 6 ppm Québec VEMP (mg/m³) 7.5 mg/m³ Québec VEMP (ppm) 3 ppm Saskatchewan OEL STEL (ppm) 6 ppm Saskatchewan OEL TWA (ppm) 3 ppm Yukon OEL STEL (mg/m³) 12 mg/m³ Yukon OEL STEL (ppm) 6 ppm Yukon OEL TWA (mg/m³) 6 mg/m³ Yukon OEL TWA (mg/m³) 6 mg/m³ Yukon OEL TWA (mg/m³) 6 mg/m³ Yukon OEL TWA (mg/m³) 2 mg/m³ Yukon OEL TWA (mg/m³) 2 mg/m³ Yukon OEL TWA (mg/m³) 2 mg/m³ Vukon OEL TWA (ppm) 3 ppm Potassium hydroxide (1310-58-3) VERTON 2 mg/m³ USA NCGH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NCGH NIOSH REL (ceiling (mg/m³) 2 mg/m³ Mairiba OEL Ceiling (mg/m³) 2 mg/m³ <th>Ontario</th> <th>OEL TWA (ppm)</th> <th>3 ppm</th>	Ontario	OEL TWA (ppm)	3 ppm
Québec VECD (pm/m³) 15 mg/m³ Québec VECD (pm) 6 ppm Québec VEMP (pmg/m³) 7.5 mg/m³ Québec VEMP (ppm) 3 ppm Saskatchewan OEL STEL (ppm) 6 ppm Saskatchewan OEL STEL (mg/m³) 12 mg/m³ Yukon OEL STEL (ppm) 6 ppm Yukon OEL TWA (mg/m³) 6 ppm Yukon OEL TWA (mg/m³) 6 ppm Yukon OEL TWA (ppm) 3 ppm Potassium hydroxide (1310-58-3) USA ROGH A CGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ Jaberta OEL Ceiling (mg/m³) 2 mg/m³ Alberta OEL Ceiling (mg/m³) 2 mg/m³ Manitoba OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ New Foundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Numavut OEL Ceiling (mg/m³) 2 mg/m³	Prince Edward Island	OEL STEL (ppm)	6 ppm
Québec VECD (ppm) 6 ppm Québec VEMP (mg/m²) 7.5 mg/m² Québec VEMP (ppm) 3 ppm Saskatchewan OEL STEL (ppm) 6 ppm Saskatchewan OEL TWA (ppm) 3 ppm Yukon OEL STEL (mg/m²) 12 mg/m³ Yukon OEL TWA (mg/m³) 6 mg/m³ Yukon OEL TWA (ppm) 3 ppm Potassium hydroxide (1310-58-3) 3 USA ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ New Foundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest	Prince Edward Island	OEL TWA (ppm)	3 ppm
Québec VEMP (mg/m³) 7.5 mg/m³ Québec VEMP (ppm) 3 ppm Saskatchewan OEL STEL (ppm) 6 ppm Saskatchewan OEL STEL (mg/m³) 12 mg/m³ Yukon OEL STEL (ppm) 6 ppm Yukon OEL STEL (ppm) 6 mg/m³ Yukon OEL TWA (ppm) 3 ppm Yukon OEL TWA (ppm) 3 ppm Potassium hydroxide (1310-58-3) USA ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³ USA AICH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ New Foundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ New Foundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ New Foundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Norance	Québec	VECD (mg/m³)	15 mg/m³
Québec VEMP (ppm) 3 ppm Saskatchewan OEL STEL (ppm) 6 ppm Saskatchewan OEL TWA (ppm) 3 ppm Yukon OEL STEL (mg/m³) 12 mg/m³ Yukon OEL STEL (ppm) 6 ppm Yukon OEL TWA (mg/m³) 6 mg/m³ Yukon OEL TWA (ppm) 3 ppm Potassium hydroxide (1310-58-3) USA NGCH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ Manitoba OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ New Foundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³	Québec	VECD (ppm)	6 ppm
Saskatchewan OEL STEL (ppm) 6 ppm Saskatchewan OEL TWA (ppm) 3 ppm Yukon OEL STEL (mg/m³) 12 mg/m³ Yukon OEL STEL (ppm) 6 ppm Yukon OEL TWA (mg/m³) 6 mg/m³ Yukon OEL TWA (mg/m³) 3 ppm Potassium hydroxide (1310-58-3) USA ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³ USA ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ ABritish Columbia OEL Ceiling (mg/m³) 2 mg/m³ Manitoba OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ New Foundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ New Foundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Pr	Québec	VEMP (mg/m³)	7.5 mg/m ³
Saskatchewan OEL TWA (ppm) 3 ppm Yukon OEL STEL (mg/m²) 12 mg/m³ Yukon OEL STEL (ppm) 6 ppm Yukon OEL TWA (mg/m²) 6 mg/m³ Yukon OEL TWA (ppm) 3 ppm Potassium hydroxide (1310-58-3) USA ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ Alberta OEL Ceiling (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ Manitoba OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ Newfoundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Norawut OEL Ceiling (mg/m³) 2 mg/m³ Norativest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Ouébec PLAFOND (mg/m³) 2 mg/m³ Saskatc	Québec	VEMP (ppm)	3 ppm
Saskatchewan OEL TWA (ppm) 3 ppm Yukon OEL STEL (mg/m³) 12 mg/m³ Yukon OEL STEL (ppm) 6 ppm Yukon OEL TWA (mg/m³) 6 mg/m³ Yukon OEL TWA (ppm) 3 ppm Potassium hydroxide (1310-58-3) USA ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ Alberta OEL Ceiling (mg/m²) 2 mg/m³ British Columbia OEL Ceiling (mg/m²) 2 mg/m³ Manitoba OEL Ceiling (mg/m²) 2 mg/m³ New Brunswick OEL Ceiling (mg/m²) 2 mg/m³ New Foundland & Labrador OEL Ceiling (mg/m²) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m²) 2 mg/m³ Norawut OEL Ceiling (mg/m²) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m²) 2 mg/m³ Ontario OEL Ceiling (mg/m²) 2 mg/m³ Ortice Edward Island OEL Ceiling (mg/m²) 2 mg/m³ Outario OEL Ceiling (mg/m²) 2 mg/m³	Saskatchewan	OEL STEL (ppm)	6 ppm
Yukon OEL STEL (ppm) 6 ppm Yukon OEL TWA (mg/m³) 6 mg/m³ Yukon OEL TWA (ppm) 3 ppm Potassium hydroxide (1310-58-3) TUSA ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ Manitoba OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Yukon	Saskatchewan	OEL TWA (ppm)	3 ppm
Yukon OEL TWA (mg/m³) 6 mg/m³ Yukon OEL TWA (ppm) 3 ppm Potassium hydroxide (1310-58-3) USA ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ Alberta OEL Ceiling (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ Newfoundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nora Swatia OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 1 mg/m³ <t< th=""><th>Yukon</th><th>OEL STEL (mg/m³)</th><th>12 mg/m³</th></t<>	Yukon	OEL STEL (mg/m³)	12 mg/m³
Yukon OEL TWA (ppm) 3 ppm Potassium hydroxide (1310-58-3) USA ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ Alberta OEL Ceiling (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ Manitoba OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ Newfoundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) VISA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category	Yukon	OEL STEL (ppm)	6 ppm
Potassium hydroxide (1310-58-3) USA ACGIH ACGIH (Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ Alberta OEL Ceiling (mg/m³) 2 mg/m³ Alberta OEL Ceiling (mg/m³) 2 mg/m³ Manitoba OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ Newfoundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Ortario OEL Ceiling (mg/m³) 2 mg/m³ Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Vukon OEL Ceiling (mg/m³) 1 mg/m³ USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH CACGIH CA	Yukon	OEL TWA (mg/m³)	6 mg/m³
USA ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³ USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ Alberta OEL Ceiling (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ Manitoba OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ Newfoundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta <th< th=""><th>Yukon</th><th>OEL TWA (ppm)</th><th>3 ppm</th></th<>	Yukon	OEL TWA (ppm)	3 ppm
USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ Alberta OEL Ceiling (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ Manitoba OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ New foundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	Potassium hydroxide (1310-	58-3)	
USA NIOSH NIOSH REL (ceiling) (mg/m³) 2 mg/m³ Alberta OEL Ceiling (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ Manitoba OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ New foundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	•		2 mg/m³
Alberta OEL Ceiling (mg/m³) 2 mg/m³ British Columbia OEL Ceiling (mg/m³) 2 mg/m³ Manitoba OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ Newfoundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL T	USA NIOSH		
British Columbia OEL Ceiling (mg/m³) 2 mg/m³ Manitoba OEL Ceiling (mg/m³) 2 mg/m³ New Brunswick OEL Ceiling (mg/m³) 2 mg/m³ Newfoundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m² (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	Alberta		
ManitobaOEL Ceiling (mg/m³)2 mg/m³New BrunswickOEL Ceiling (mg/m³)2 mg/m³Newfoundland & LabradorOEL Ceiling (mg/m³)2 mg/m³Nova ScotiaOEL Ceiling (mg/m³)2 mg/m³NunavutOEL Ceiling (mg/m³)2 mg/m³Northwest TerritoriesOEL Ceiling (mg/m³)2 mg/m³OntarioOEL Ceiling (mg/m³)2 mg/m³Prince Edward IslandOEL Ceiling (mg/m³)2 mg/m³QuébecPLAFOND (mg/m³)2 mg/m³SaskatchewanOEL Ceiling (mg/m³)2 mg/m³YukonOEL Ceiling (mg/m³)2 mg/m³Diethanolamine (111-42-2)Visha ACGIHACGIH TWA (mg/m³)1 mg/m³ (inhalable fraction and vapor)USA ACGIHACGIH chemical categorySkin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to HumansUSA NIOSHNIOSH REL (TWA) (mg/m³)15 mg/m³USA NIOSHNIOSH REL (TWA) (ppm)3 ppmAlbertaOEL TWA (mg/m³)2 mg/m³	British Columbia	OEL Ceiling (mg/m³)	
Newfoundland & Labrador OEL Ceiling (mg/m³) 2 mg/m³ Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	Manitoba	OEL Ceiling (mg/m³)	2 mg/m³
Nova Scotia OEL Ceiling (mg/m³) 2 mg/m³ Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	New Brunswick	OEL Ceiling (mg/m³)	2 mg/m³
Nunavut OEL Ceiling (mg/m³) 2 mg/m³ Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route,Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	Newfoundland & Labrador	OEL Ceiling (mg/m³)	2 mg/m³
Northwest Territories OEL Ceiling (mg/m³) 2 mg/m³ Ontario OEL Ceiling (mg/m³) 2 mg/m³ Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	Nova Scotia	OEL Ceiling (mg/m³)	2 mg/m³
Ontario OEL Ceiling (mg/m³) 2 mg/m³ Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	Nunavut	OEL Ceiling (mg/m³)	2 mg/m³
Prince Edward Island OEL Ceiling (mg/m³) 2 mg/m³ Québec PLAFOND (mg/m³) 2 mg/m³ Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	Northwest Territories	OEL Ceiling (mg/m³)	2 mg/m ³
QuébecPLAFOND (mg/m³)2 mg/m³SaskatchewanOEL Ceiling (mg/m³)2 mg/m³YukonOEL Ceiling (mg/m³)2 mg/m³Diethanolamine (111-42-2)USA ACGIHACGIH TWA (mg/m³)1 mg/m³ (inhalable fraction and vapor)USA ACGIHACGIH chemical categorySkin - potential significant contribution to overall exposure by the cutaneous route,Confirmed Animal Carcinogen with Unknown Relevance to HumansUSA NIOSHNIOSH REL (TWA) (mg/m³)15 mg/m³USA NIOSHNIOSH REL (TWA) (ppm)3 ppmAlbertaOEL TWA (mg/m³)2 mg/m³	Ontario	OEL Ceiling (mg/m³)	2 mg/m³
Saskatchewan OEL Ceiling (mg/m³) 2 mg/m³ Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	Prince Edward Island	OEL Ceiling (mg/m³)	2 mg/m³
Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	Québec	PLAFOND (mg/m³)	2 mg/m³
Yukon OEL Ceiling (mg/m³) 2 mg/m³ Diethanolamine (111-42-2) USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	Saskatchewan	OEL Ceiling (mg/m³)	-
USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	Yukon		
USA ACGIH ACGIH TWA (mg/m³) 1 mg/m³ (inhalable fraction and vapor) USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	Diethanolamine (111-42-2)		
USA ACGIH ACGIH chemical category Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³		ACGIH TWA (mg/m³)	1 mg/m³ (inhalable fraction and vapor)
by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	USA ACGIH		- :
USA NIOSH NIOSH REL (TWA) (mg/m³) 15 mg/m³ USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³		<i>,</i>	
USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³			'
USA NIOSH NIOSH REL (TWA) (ppm) 3 ppm Alberta OEL TWA (mg/m³) 2 mg/m³	USA NIOSH	NIOSH REL (TWA) (mg/m³)	15 mg/m³
Alberta OEL TWA (mg/m³) 2 mg/m³	USA NIOSH		
	Alberta	OEL TWA (mg/m³)	
	British Columbia		
ManitobaOEL TWA (mg/m³)1 mg/m³ (inhalable fraction and vapor)	Manitoba	OEL TWA (mg/m³)	1 mg/m³ (inhalable fraction and vapor)
New Brunswick OEL TWA (mg/m³) 2 mg/m³	New Brunswick	OEL TWA (mg/m³)	2 mg/m³
New Brunswick OEL TWA (ppm) 0.46 ppm	New Brunswick	OEL TWA (ppm)	0.46 ppm

04/23/2020 EN (English US) 4/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Newfoundland & Labrador	OEL TWA (mg/m³)	1 mg/m³ (inhalable fraction and vapor)
Nova Scotia	OEL TWA (mg/m³)	1 mg/m³ (inhalable fraction and vapor)
Nunavut	OEL STEL (mg/m³)	4 mg/m³
Nunavut	OEL TWA (mg/m³)	2 mg/m³
Northwest Territories	OEL STEL (mg/m³)	4 mg/m³
Northwest Territories	OEL TWA (mg/m³)	2 mg/m³
Ontario	OEL TWA (mg/m³)	1 mg/m³ (inhalable fraction and vapor)
Prince Edward Island	OEL TWA (mg/m³)	1 mg/m³ (inhalable fraction and vapor)
Québec	VEMP (mg/m³)	13 mg/m³
Québec	VEMP (ppm)	3 ppm
Saskatchewan	OEL STEL (mg/m³)	4 mg/m³
Saskatchewan	OEL TWA (mg/m³)	2 mg/m ³

8.2. **Exposure Controls**

Appropriate Engineering Controls: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles.







Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Not available

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.	Information on Basic Physical and	Chemic	al Properties
Physica	l State	:	Liquid

Appearance Light yellow Odor Mild

Odor Threshold Not available рΗ 10.5 - 11.5 **Evaporation Rate** Not available **Melting Point** Not available

Freezing Point Boiling Point 100 °C (212 °F) **Flash Point** Not applicable Not available **Auto-ignition Temperature Decomposition Temperature** Not available Flammability (solid, gas) Not applicable **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available Not available **Vapor Pressure**

Relative Vapor Density at 20°C Not available **Relative Density** Not available

Specific Gravity 1

Solubility Not available

04/23/2020 EN (English US) 5/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Partition Coefficient: N-Octanol/Water : Not available Viscosity : Not available

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity: Hazardous reactions will not occur under normal conditions.
- **10.2.** Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4.** Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizer, water reactive materials.
- 10.6. Hazardous Decomposition Products: Not expected to decompose under ambient conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified
LD50 and LC50 Data: Not available
Skin Corrosion/Irritation: Not classified

pH: 10.5 - 11.5

Eye Damage/Irritation: Not classified

pH: 10.5 - 11.5

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. **Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes. Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. Chronic Symptoms: None expected under normal conditions of use.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Ethanolamine (141-43-5)		
LD50 Oral Rat	1720 mg/kg	
LD50 Dermal Rabbit	1025 mg/kg	
ATE US/CA (dermal)	1,025.00 mg/kg body weight	
ATE US/CA (vapors)	11.00 mg/l/4h	
Potassium hydroxide (1310-58-3)		
LD50 Oral Rat	284 mg/kg	
Diethanolamine (111-42-2)		
LD50 Oral Rat	1820 mg/kg	
LD50 Dermal Rabbit	11.9 ml/kg	
ATE US/CA (dermal)	11,900.00 mg/kg body weight	
Diethanolamine (111-42-2)		
IARC Group	2B	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	

04/23/2020 EN (English US) 6/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Not classified.

Ethanolamine (141-43-5)	
LC50 Fish 1	227 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	65 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	3684 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
ErC50 (algae)	2.5 mg/l
Diethanolamine (111-42-2)	
LC50 Fish 1	4460 (4460 - 4980) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-
	through])
EC50 Daphnia 1	55 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	1200 (1200 - 1580) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Other Aquatic Organisms 2	2.1 (2.1 - 2.3) mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)
ErC50 (algae)	2.2 mg/l (Exposure time: 96 h - Species: Pseudokirchnerella subcapitata [Static])
NOEC Chronic Crustacea	0.78 mg/l

12.2. Persistence and Degradability

STONETECH® KlenzAll™ Cleaner RTU	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

STONETECH® KlenzAll™ Cleaner RTU	
Bioaccumulative Potential	Not established.
Ethanolamine (141-43-5)	
Log Pow	-1.91 (at 25 °C)
Potassium hydroxide (1310-58-3)	
Log Pow	0.65
Diethanolamine (111-42-2)	
BCF Fish 1	(no significant bioconcentration)
Log Pow	-2.18 (at 25 °C)

12.4. Mobility in Soil Not available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT
 14.2. In Accordance with IMDG
 14.3. In Accordance with IATA
 14.4. In Accordance with TDG
 Not regulated for transport
 Not regulated for transport
 Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Ethanolamine (141-43-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

04/23/2020 EN (English US) 7/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Potassium hydroxide (1310-58-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory
CERCLA RQ 1000 lb	
Diethanolamine (111-42-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ 100 lb	
SARA Section 313 - Emission Reporting 1 %	

15.2. US State Regulations

California Proposition 65



WARNING: This product can expose you to Diethanolamine, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Diethanolamine (111-42-2)	X			

Ethanolamine (141-43-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Potassium hydroxide (1310-58-3)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Diethanolamine (111-42-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

15.3. Canadian Regulations

Ethanolamine (141-43-5)

Listed on the Canadian DSL (Domestic Substances List)

Potassium hydroxide (1310-58-3)

Listed on the Canadian DSL (Domestic Substances List)

Diethanolamine (111-42-2)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest

Revision

: 04/23/2020

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products

Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2

04/23/2020 EN (English US) 8/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3		
Carc. 2	Carcinogenicity Category 2		
Eye Dam. 1	Serious eye damage/eye irritation Category 1		
Flam. Liq. 4	Flammable liquids Category 4		
Met. Corr. 1	Corrosive to metals Category 1		
Skin Corr. 1A	Skin corrosion/irritation Category 1A		
Skin Corr. 1B	Skin corrosion/irritation Category 1B		
Skin Irrit. 2	Skin corrosion/irritation Category 2		
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2		
STOT SE 1	Specific target organ toxicity (single exposure) Category 1		
STOT SE 3	Specific target organ toxicity (single exposure) Category 3		
H227	Combustible liquid		
H290	May be corrosive to metals		
H301	Toxic if swallowed		
H302	Harmful if swallowed		
H312	Harmful in contact with skin		
H314	Causes severe skin burns and eye damage		
H315	Causes skin irritation		
H318	Causes serious eye damage		
H332	Harmful if inhaled		
H335	May cause respiratory irritation		
H351	Suspected of causing cancer		
H370	Causes damage to organs		
H373	May cause damage to organs through prolonged or repeated exposure		
H401	Toxic to aquatic life		
H412	Harmful to aquatic life with long lasting effects		

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)

04/23/2020 EN (English US) 9/9