

HPD UNIQUE IDENTIFIER: 913484800

CLASSIFICATION: 04 05 00 Common Work Results for Masonry

PRODUCT DESCRIPTION: LATICRETE® MVIS™ Lite Wall Float contains carefully selected polymers, portland cement and lightweight aggregates. LATICRETE MVIS Lite Wall Float contains no silica sand and does not require the use of latex admix to make a superior quality, easy-to-use wall float.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and screening options (Characterized, Screened, Identified).

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

Number of Greenscreen BM-4/BM3 contents ... 4
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
LATICRETE® MVIS™ LITE WALL FLOAT [ PORTLAND CEMENT LT-P1 ] CAN | END | MAM LIMESTONE, CALCIUM CARBONATE BM-3dg PERLITE LT-UNK | EYE FLY ASH LT-UNK KAOLIN CLAY LT-UNK CAN UNDISCLOSED LT-UNK GYPSUM BM-3dg | MAM CALCIUM CARBONATE BM-3 | EYE LIMESTONE BM-3dg TRIETHYLENE GLYCOL MONOBUTYL ETHER LT-UNK | EYE ]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): N/A
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4 Option 2.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2024-06-21
PUBLISHED DATE: 2024-06-21
EXPIRY DATE: 2027-06-21

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### LATICRETE® MVIS™ LITE WALL FLOAT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at <https://laticrete.com> for occupational exposure information.

### PORTLAND CEMENT

ID: 65997-15-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-21 7:49:19**

%: **35.0000 - 48.0000**

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

| HAZARD TYPE         | LIST NAME AND SOURCE                  | WARNINGS  |
|---------------------|---------------------------------------|---|
| CAN                 | MAK                                   | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification  |
| END                 | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor   |
| MAM                 | GHS - Japan                           | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]   |
| MAM                 | GHS - Japan                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION  |
| None found          |                                       | No listings found on Additional Hazard Lists  |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. Portland cement does contain quartz which is a form specific material. This product contains no respirable silica levels that exceed the OSHA action level. For more information regarding form specific components, please refer to <https://cdn-global.laticrete.com/-/media/project/laticrete-international/shared/files/support-and-downloads/technical-datasheets/tds291.pdf>.

### LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-21 7:49:19**

%: **24.0000 - 31.0000**

GreenScreen: **BM-3dg**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|--|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--------------|
|---------------------|----------------------|--------------|

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

**PERLITE**

ID: **93763-70-3**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-21 7:49:20**

%: **8.0000 - 13.0000**      GreenScreen: **LT-UNK**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                  |
|-------------|----------------------|---------------------------|
| EYE         | GHS - New Zealand    | Eye irritation category 2 |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

**FLY ASH**

ID: **68131-74-8**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-21 7:49:20**

%: **5.0000 - 10.0000**      GreenScreen: **LT-UNK**      RC: **PreC**      NANO: **No**      SUBSTANCE ROLE: **Binder**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|--|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. Fly ash does contain quartz which is a form specific material. This product contains no respirable silica levels that exceed the OSHA action level. For more information regarding form specific components, please refer to <https://cdn-global.laticrete.com/-/media/project/laticrete-international/shared/files/support-and-downloads/technical-datasheets/tds291.pdf>.

**KAOLIN CLAY**

ID: **1332-58-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-21 7:49:20**

%: **1.0000 - 5.0000**      GreenScreen: **LT-UNK**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Binder**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS   |
|---------------------|----------------------|--|
| CAN                 | MAK                  | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION   |
| None found          |                      | No listings found on Additional Hazard Lists   |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

### UNDISCLOSED

ID: **Undisclosed**

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                            | HAZARD SCREENING DATE: <b>2024-06-21 7:49:20</b> |                 |  |
|--|----------------------------|--|-----------------|--|
| %: <b>1.0000 - 3.0000</b>  | GreenScreen: <b>LT-UNK</b> | RC: <b>None</b>                                  | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Polymer species</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE       | WARNINGS   |                 |  |
| None found   |                            | No warnings found on HPD Priority Hazard Lists   |                 |  |
| ADDITIONAL LISTINGS  | LIST NAME AND SOURCE       | NOTIFICATION                                     |                 |  |
| None found   |                            | No listings found on Additional Hazard Lists     |                 |  |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### GYPSUM

ID: **13397-24-5**

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                            | HAZARD SCREENING DATE: <b>2024-06-21 7:49:20</b>  |                 |                               |
|--|----------------------------|---|-----------------|-------------------------------|
| %: <b>0.0000 - 2.3000</b>  | GreenScreen: <b>BM-3dg</b> | RC: <b>None</b>   | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Binder</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE       | WARNINGS  |                 |                               |
| MAM  | GHS - Japan                | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |                 |                               |
| ADDITIONAL LISTINGS  | LIST NAME AND SOURCE       | NOTIFICATION  |                 |                               |
| None found   |                            | No listings found on Additional Hazard Lists  |                 |                               |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

### CALCIUM CARBONATE

ID: **471-34-1**

|  |  |
|--|--|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> | HAZARD SCREENING DATE: <b>2024-06-21 7:51:03</b> |
|--|--|

#: 0.0000 - 1.0000

GreenScreen: **BM-3**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Residual**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS                                     |
|---------------------|----------------------|--|
| EYE                 | GHS - New Zealand    | Eye irritation category 2                    |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

**LIMESTONE**

ID: **1317-65-3**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-21 7:51:36**

#: 0.0000 - 1.0000

GreenScreen: **BM-3dg**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Residual**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS                                       |
|---------------------|----------------------|--|
| None found          |                      | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                   |
| None found          |                      | No listings found on Additional Hazard Lists   |

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

**TRIETHYLENE GLYCOL MONOBUTYL ETHER**

ID: **143-22-6**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-21 7:49:21**

#: 0.0400 - 0.1000

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Processing regulator**

| HAZARD TYPE         | LIST NAME AND SOURCE                      | WARNINGS   |
|---------------------|---|--|
| EYE                 | EU - GHS (H-Statements) Annex 6 Table 3-1 | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]        |
| EYE                 | GHS - Japan                               | H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A] |
| EYE                 | GHS - Australia                           | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]        |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                      | NOTIFICATION   |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)     | GSPI - Six Classes Precautionary List<br>Some Solvents                                   |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

### CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-06-21 00:00:00

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: Applies to All Facilities.

EXPIRY DATE:

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: LATICRETE MVIS Wall Float has not been tested for VOC emissions.

### VOC CONTENT

### EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-05-09 00:00:00

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

EXPIRY DATE:

CERTIFICATE URL: <https://cdn-global.laticrete.com/-/media/project/laticrete-international/shared/files/support-and-downloads/technical-datasheets/tds251.pdf>

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### WATER

MANUFACTURER (OR GENERIC): **Generic**

HPD URL: No HPD Available

ACCESSORY TYPE: **Other**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: LATICRETE® Lite Mortar to be mixed with water only following mix ratio and directions as stated on product data sheet.

## Section 5: General Notes

LATICRETE® MVIS™ Lite Wall Float meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE MVIS Lite Wall Float does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

Contains no respirable silica levels that exceed the OSHA action level.

**MANUFACTURER INFORMATION**

MANUFACTURER: **LATICRETE International**  
 ADDRESS: **1 Laticrete Park North**  
**Bethany, CT 06524**  
 COUNTRY: **USA**  
 LATITUDE: **41.3973000**  
 LONGITUDE: **-73.0027000**

WEBSITE: **https://laticrete.com**  
 CONTACT NAME: **Mitch Hawkins**  
 TITLE: **Director, Customer Experience - Sustainability & Analytics**  
 PHONE: **203.393.4619**  
 EMAIL: **wmhawkins@laticrete.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

|                                       |   |  |
|---------------------------------------|---|--|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |  |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |  |

**GreenScreen (GS)**

|   |  |
|---|--|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |  |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*



*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*